



Accessory
Catalogue
DRAEGER





Mission: "This is what drives us..."

Dear Customer,

Thank you for choosing Dräger. We take pride in providing you with high-quality products and services for all care areas in your hospital. Moreover, our accessories offer you tailor-made solutions for your therapeutic applications. Our original accessories help to protect your patient's safety as ideally as possible. We take just as much care in their specifications, development, and manufacturing, as we do in the manufacturing of our ventilators, anaesthesia workstations, incubators, and monitoring products.

We adhere to strict quality guidelines when it comes to Dräger accessories and consumables. Our high standards of quality have always been at the core of our innovation, and we ensure this by testing all of your products with stringent testing processes in an accredited test center. We don't believe in simply designing and manufacturing technology. Instead, we are driven by supporting you with improved clinical and economical outcomes – that's why we're **your specialist in acute care.**



Something you can count on – original accessories

ORIGINAL ACCESSORIES BY DRÄGER

For over 130 years our medical devices, solutions, and original accessories have been used for one purpose – to support you in the treatment and care of your patients. We understand that you count on having technical medical accessories to unlock the full potential of your equipment. As a specialist in acute care, we supply you with original accessories to ensure the best possible care of your patients while helping you to improve your hospital's processes and budgets.

ORIGINAL QUALITY PAYS OFF

Each Dräger original accessory fulfils all official quality standards. Whether it is for patient monitoring, care and treatment of neonates, anaesthesia workstations, intensive care, or on the ward, we work to provide you with value that benefits both patient care and hospital workflows. Our accessories are tested and re-tested against our own strict Dräger quality standards.

INDIVIDUAL

With over 2,000 accessory items, we can offer you a solution for almost every clinical need – from breathing bags to flow-sensors to headbands. In addition, you have the choice to have them as either disposable or re-usable. Because we design and develop all of our products according to the specific requirements of hospitals around the world – you benefit by receiving all accessories from one company and having just one contact person.

COMPATIBLE

We test all original accessories with the respective Dräger device or connector. Only after thorough and rigorous testing, do our accessories receive approval.

For you, this:

- Optimises your Dräger device's operating time.
 - Realises your Dräger equipment's full potential.
- So you can ensure optimal patient care and treatment.


STANDARDISED

We offer you a full range of developed accessories based on proven technologies for the entire portfolio of Dräger devices. Our accessories are not just intended for one specific Dräger device but they can be used for nearly every Dräger device – and even across wards. For you, this means:

- Simplifying your logistics.
- Saving you labour, cost, and time.

RESPONSIBLE & SUSTAINABLE

Dräger has been audited by reputable rating agencies. In its ISS ESG Corporate rating from September 2019, ISS awarded us its prime label, giving us the best rating in the health care equipment and supplies industry. The ecovadis institute's csr assessment also placed Dräger in 2020 among the top 5 percent of the sector, earning the company gold status and allowing us to distinguish ourselves as a sustainable supplier.





On this way you'll find your accessories:

VENTILATION ACCESSORIES	08	WARD EQUIPMENT	238
1. Breathing circuits		1. Oxygen therapy	
2. Breathing system filters and HMEs		2. Aerosol therapy	
3. CO ₂ cuvettes		3. Medical aspiration	
4. Catheter mounts and airway connectors		4. Accessory for gas supply	
5. Non-invasive patient interfaces and accessories		RAIL ACCESSORIES AND EXAMINATION LIGHTS	316
6. Oxymixer		1. Rail accessories	
7. Device related accessories		2. Examination light	
8. Pack2Go®/Set2go		3. Hinged arms	
9. Humidifier and nebulizer		NEONATAL CARE AND THERMOREGULATIONS	326
10. Intubation kits		1. Warming therapy	
11. Spare parts for Resuscitators		2. Ventilation accessories	
SODA LIME	96	3. Sensors	
SENSORS	102	4. Monitoring accessories	
MONITORING ACCESSORIES	108	5. Ward equipment	
1. Infinity® Monitoring: Gamma, Delta, Kappa and Vista series		6. Rail accessories and examination light	
2. Infinity® Acute Care System		INDEX BY ORDER NUMBER	424
3. Infinity® M300		INDEX BY PRODUCT NAME	435
4. Vista 120			
5. Multi Vendor Adapter			



Ventilation Accessories

Something you can count on:

When it comes to our accessories, we assure you that all system components come from one single source because it is important for us to give you consistency and reliability with our products. This way, uniform accessories can be used throughout almost all of your hospital wards – from the emergency department or surgical area, to the intensive care unit and neonate wards.

Additionally, we provide a system of closely matched ventilation accessories to improve your ventilation therapies between Dräger devices and patient. We want to help you find the right product for the various forms of therapy needed for each individual patient. There is no compromise when it comes to using high quality materials—so that your patients are optimally cared for.

CONTENT

1. Breathing circuits	11
1.1 Disposable breathing circuits/sets and related accessories	11
1.2 Reusable breathing circuits/sets and related accessories	31
2. Breathing system filters and HMEs	47
3. CO₂ cuvettes	54
3.1 Disposable	54
3.2 Reusable	54
4. Catheter mounts and airway connectors	55
5. Non-invasive patient interfaces and accessories	57
5.1 NIV masks and accessories	57
5.2 Anesthesia masks and accessories	65
5.3 Oxygen (O ₂) and aerosol therapy masks, venturi mask kits, nasal cannulas and accessories	71
5.4 High-Flow Therapy Nasal Cannula and accessories	76
6. Oxymixer	77
7. Device related accessories	79
8. Pack2Go®/Set2go	83
9. Humidifier and nebulizer	86
10. Intubation kits	93
11. Spare parts for Resuscitators	95

DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

1. BREATHING CIRCUITS



1.1 DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

With VentStar® Family Dräger offers a wide range of disposable breathing circuits for different applications as well as for different patient groups (neo, ped, adult). Customers can choose between various kinds of materials. All disposable breathing circuits are made of high quality material and all gas leading components are PVC-free (no harm through softeners like e.g. DEHP). Special focus at Dräger is – additionally to CE – the interaction between Dräger device and related breathing circuit what is documented in our declarations of system compatibility.

Declarations of system compatibility underlie intensive testing in various scenarios which are based on our long-time experience concerning interaction of device with accessory. With respect to the newest device generation we enlarged our portfolio with ID breathing circuits which support the Infinity® ID functionality of the relevant Dräger devices.

A Breathing circuit Vent Set, disposable, basic, 1.5 m, 25 pcs., not made with natural rubber latex	MP00300
B Breathing circuit VentStar®, disposable, basic, 1.8 m, 25 pcs., not made with natural rubber latex	MP00349
C Breathing circuit VentStar®, disposable, basic, 2.5 m, 10 pcs., not made with natural rubber latex	MP00350
D Breathing circuit VentStar®, disposable, P, basic, w/o Luer Lock, 1.5 m, 25 pcs., not made with natural rubber latex	MP00338
E Breathing circuit VentStar®, disposable, P, basic, 1.8 m, 25 pcs., not made with natural rubber latex	MP00351
F Breathing circuit VentStar®, disposable, P, basic, 2.5 m, 25 pcs., not made with natural rubber latex	MP00352
G Breathing circuit VentStar®, disposable, N, basic, 1.8 m, 25 pcs., not made with natural rubber latex	MP00353


ADULTS
PEDIATRICS
NEONATES



DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

ADULTS
PEDIATRICS
NEONATES

<p>A Breathing circuit VentStar®, disposable, water trap, w/o Luer Lock, 1.8 m, 25 pcs., not made with natural rubber latex</p>	<p>MP00334</p>
<p>B Breathing circuit VentStar®, disposable, water trap, 1.8 m, 25 pcs., not made with natural rubber latex</p>	<p>MP00337</p>
<p>C Breathing circuit VentStar®, disposable, P, water trap, 1.8 m, 25 pcs., not made with natural rubber latex</p>	<p>MP00361</p>
<p>D Breathing circuit VentStar®, disposable, P, water trap, w/o Luer Lock, 1.8 m, 25 pcs., not made with natural rubber latex</p>	<p>MP00362</p>
<p>E Breathing circuit VentStar®, disposable, N, water trap, 1.8 m, 25 pcs., not made with natural rubber latex</p>	<p>MP00363</p>



DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

ADULTS
PEDIATRICS
NEONATES


A	Breathing circuit VentStar®, disposable, coaxial, 1.7 m, 20 pcs., not made with natural rubber latex	MP03373
B	Breathing circuit VentStar®, disposable, coaxial, 1.9 m, 20 pcs., not made with natural rubber latex	MP03374
C	Breathing circuit VentStar®, disposable, coaxial, 2.3 m, 20 pcs., not made with natural rubber latex	MP03376
D	Breathing circuit VentStar®, disposable, coaxial, water trap, 2.1 m, 10 pcs., not made with natural rubber latex	MP00373
E	Breathing circuit VentStar®, disposable, P, coaxial, 1.5 m, 20 pcs., not made with natural rubber latex	MP00379
	Breathing circuit VentStar®, disposable, coaxial, GSL, 2.3 m, 20 pcs., not made with natural rubber latex	MP03378
	Breathing circuit VentStar®, disposable, coaxial, water trap, GSL, 2.1 m, 10 pcs., not made with natural rubber latex	MP03379
	Breathing circuit VentStar®, disposable, coaxial, 3.0 m, not made with natural rubber latex	MP20269



DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

ADULTS
PEDIATRICS
NEONATES


<p>A Breathing circuit Vent Set, disposable, extendable, 1.8 m, 25 pcs., not made with natural rubber latex</p>	<p>MP00305</p>
<p>B Breathing circuit VentStar®, disposable, extendable, 2.2 m, 25 pcs., not made with natural rubber latex</p>	<p>MP00355</p>
<p>C Breathing circuit VentStar®, disposable, smoothbore, for MRI, 3 m, 10 pcs., not made with natural rubber latex</p>	<p>MP00327</p>
<p>D Breathing circuit VentStar®, disposable, N, MRI, 3 m, 10 pcs., not made with natural rubber latex</p>	<p>MP00329</p>



DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

ADULTS
PEDIATRICS
NEONATES

A	Breathing bag set VentStar®, disposable, 2 L, 0.8 m, 25 pcs., not made with natural rubber latex	MP00222
B	Breathing bag set VentStar®, disposable, 2 L, 1.2 m, 25 pcs., not made with natural rubber latex	MP00380
B	Breathing bag set VentStar®, disposable, 2 L, 1.5 m, 25 pcs., not made with natural rubber latex	MP00381
C	Breathing bag set VentStar®, disposable, P, 1 L, 1.1 m, 25 pcs., not made with natural rubber latex	MP00384
D	Breathing bag set VentStar®, disposable, N, 0.5 L, 1.1 m, 25 pcs., not made with natural rubber latex	MP00383
	Breathing bag set VentStar®, disposable, extendable, 2 L, 1.8 m, 25 pcs., not made with natural rubber latex	MP20268
	Breathing bag set VentStar® Flex, disposable, 2 L, 1.8 m 25 pcs., not made with natural rubber latex	MP17007
E	① VentStar® Breathing Bag 3 L, 25 pcs.	MP02713
E	② VentStar® Breathing Bag 2 L, 25 pcs.	MP02712
E	③ VentStar® Breathing Bag 1 L, 25 pcs.	MP02711
E	④ VentStar® Breathing Bag 0.5 L, 25 pcs.	MP02710



Not all articles are available worldwide.

DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

ADULTS
PEDIATRICS
NEONATES

<p>A Anesthesia set, disposable, basic, 1.5 m/0.8 m, 25 pcs., not made with natural rubber latex</p>	<p>MP00301</p>
<p>B Anesthesia set, disposable, extendable, 1.8 m/0.8 m, 25 pcs., not made with natural rubber latex</p>	<p>MP00303</p>
<p>C Anesthesia set VentStar®, disposable, w/o Luer Lock, 1.8 m/0.8 m, 25 pcs., not made with natural rubber latex</p>	<p>MP00330</p>
<p>D Anesthesia set VentStar®, disposable, P, w/o Luer Lock, 1.5 m/1.1 m, 25 pcs., not made with natural rubber latex</p>	<p>MP00331</p>
<p>E Anesthesia set VentStar®, disposable, N, 1.8 m/1.1 m, 25 pcs., not made with natural rubber latex</p>	<p>MP00333</p>



DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

ADULTS
PEDIATRICS
NEONATES

<p>A Anesthesia set VentStar®, disposable, basic, 2 L, 1.8 m/1.5 m, 25 pcs., not made with natural rubber latex</p>	<p>MP00365</p>
<p>B Anesthesia set VentStar®, disposable, basic, 2 L, 2.5 m/1.5 m, 10 pcs., not made with natural rubber latex</p>	<p>MP00366</p>
<p>C Anesthesia set VentStar®, disposable, water trap, w/o Luer Lock, 2 L, 1.8 m/1.5 m, 10 pcs., not made with natural rubber latex</p>	<p>MP00371</p>
<p>D Anesthesia set VentStar®, disposable, water trap, 2 L, 1.8 m/1.5 m, 10 pcs., not made with natural rubber latex</p>	<p>MP00372</p>
<p>E Anesthesia set VentStar®, disposable, water trap, w/o Luer Lock, 2 L, 2.8 m/1.5 m, 10 pcs., not made with natural rubber latex</p>	<p>MP02720</p>
<p>F Anesthesia set VentStar®, disposable, water trap, 2 L, 2.8 m/1.5 m, 10 pcs., not made with natural rubber latex</p>	<p>MP02721</p>



DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

ADULTS
PEDIATRICS
NEONATES

<p>A Anesthesia set VentStar®, disposable, P, water trap, w/o Luer Lock, 1 L, 1.8 m/1.1 m, 10 pcs., not made with natural rubber latex</p>	<p>MP00375</p>
<p>B Anesthesia set VentStar®, disposable, P, water trap, 1 L, 1.8 m/1.1 m, 10 pcs., not made with natural rubber latex</p>	<p>MP00374</p>
<p>Anesthesia set VentStar®, disposable, coaxial, water trap, 2 L, 2.1/1.2 m, 10 pcs., not made with natural rubber latex</p>	<p>MP03381</p>
<p>Anesthesia set VentStar, disposable, coaxial, 2 L, 2.3 m/1.2 m, 10 pcs., not made with natural rubber latex</p>	<p>MP03383</p>
<p>Anesthesia set VentStar, disposable, coaxial, 2 L, 1.9 m/1.2 m, 10 pcs., not made with natural rubber latex</p>	<p>MP03384</p>
<p>Anesthesia set VentStar®, disposable, coaxial, GSL, 2 L, 2.3 m /1.2 m, 10 pcs., not made with natural rubber latex</p>	<p>MP00358</p>
<p>Anesthesia set VentStar®, coaxial, water trap, GSL, 2 L, 2.1 m /1.2 m, pcs., not made with natural rubber latex</p>	<p>MP00359</p>



DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

ADULTS
PEDIATRICS
NEONATES

<p>A Breathing circuit VentStar®, disposable, N, heated, 1.2 m, 10 pcs., not made with natural rubber latex</p>	<p>MP00308</p>
<p>B Breathing circuit VentStar®, disposable, N, heated, w/o chamber, 1.2 m, 10 pcs., not made with natural rubber latex</p>	<p>MP00309</p>
<p>C Humidifier chamber VentStar®, disposable, 10 pcs.</p>	<p>MP00234</p>



DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A Breathing circuit VentStar® Helix, disposable, N, dual heated, 1.7 m, 10 pcs., not made with natural rubber latex	MP02650
B Breathing circuit VentStar® Helix, disposable, N, heated, 1.7 m, 10 pcs., not made with natural rubber latex	MP02608
C Humidifier chamber VentStar®, disposable, N, 10 pcs.	MP02590
D Double connector 11ID/15OD, disposable, 10 pcs.	MP02655
E T-adapter neonatal for NO therapy, 10 pcs.	8422215


ADULTS
PEDIATRICS
NEONATES




DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

ADULTS
PEDIATRICS
NEONATES

A <u>VentStar® Helix, dual heated, 10 pcs.</u>	<u>MP02606</u>
B <u>VentStar® Helix, heated, 10 pcs.</u>	<u>MP02607</u>
C <u>Humidifier chamber, 10 pcs.</u>	<u>MP02605</u>



Aquapor H300 respiratory humidifier for optimally conditioned breathing gas.




The Dräger Aquapor H300 respiratory humidifier ensures that patients who require mechanical breathing support are supplied with optimally conditioned breathing gas.

DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

ADULTS
PEDIATRICS
NEONATES

	<u>Aquapor H300 - Configuration</u>	<u>MP01000</u>
A	<u>Aquapor H300 Basic unit 230V</u>	<u>MP07101</u>
	<u>Aquapor H300 Basic unit 115V</u>	<u>MP07102</u>
B	<u>VentStar® Aquapor heated Adult and Paediatric, 10 pcs.</u>	<u>MP07131</u>
C	<u>VentStar® Aquapor dual heated Neo plus, 10 pcs.</u>	<u>MP07150</u>
D	<u>VentStar® Aquapor heated Neo plus, 10 pcs.</u>	<u>MP07151</u>
E	<u>H300 Heater wire adapter, insp</u>	<u>MP07106</u>
F	<u>H300 Heater wire adapter, dual</u>	<u>MP07107</u>
	<u>H300 Temp. sensor cable*, 160 cm</u>	<u>MP07108</u>
G	<u>Breathing circuit Infinity® ID, disposable, N, heated, 1.2 m, 10 pcs., not made with natural rubber latex</u>	<u>MP00343</u>

*Tradeware



Not all articles are available worldwide.

DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

ADULTS
PEDIATRICS
NEONATES

FOR OXYLOG® 2000+, 3000, 3000+ AND VE300 ADVANCED (WITH FLOW OPTION)

- A Breathing circuit VentStar®**
 Oxylog 3000F, 2000p, VE300,
 disposable, 1.5 m (4.92 ft), 5 pcs.,
 for Oxylog VE300 only with Option Plus **5703041**
- B Breathing circuit VentStar®**
 Oxylog 3000F, 2000p, VE300,
 disposable, 3 m (9.8 ft), 5 pcs.,
 for Oxylog VE300 only with Option Plus **MP00335**

FOR OXYLOG® 2000

- C Breathing circuit VentStar® Oxylog 2000,**
 disposable, 1.8 m, 5 pcs.,
 not made with natural rubber latex **2M86841**

FOR OXYLOG® 1000

- D Breathing circuit VentStar® Oxylog 1000,**
 disposable, 1.8 m, 25 pcs. set,
 not made with natural rubber latex **2M86837**



DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

FOR OXYLOG® 3000: ≥ SW 1.20, 3000+
AND VE300 ADVANCED (WITH FLOW OPTION)


<p>A Breathing circuit VentStar® Oxylog 3000, 3000+, disposable, P, 1.9 m, 5 pcs., Oxylog 3000: ≥ SW 1.20, VE300 (Software ≥ 2.0, Pediatric Option), not made with natural rubber latex</p>	<p>5704964</p>
--	-----------------------

FOR OXYLOG® VE300

<p>B Breathing circuit VentStar® Oxylog VE300, disposable, 1.5 m, 5 pcs., not made with natural rubber latex</p>	<p>MP01370</p>
---	-----------------------

<p>C Breathing circuit VentStar® Oxylog VE300, disposable, 3 m, 5 pcs., not made with natural rubber latex</p>	<p>MP01371</p>
---	-----------------------



ADULTS
PEDIATRICS
NEONATES



DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

ADULTS
PEDIATRICS
NEONATES

<p>A Breathing circuit VentStar® Carina® LeakV, disposable, 1.5 m, 25 pcs., not made with natural rubber latex</p>	<p>MP00312</p>
<p>B Breathing circuit VentStar® Carina® ExpV, disposable, 1.5 m, 10 pcs., not made with natural rubber latex</p>	<p>MP00313</p>
<p>C Breathing circuit VentStar® Carina® ExpV, disposable, 2 m, 10 pcs., not made with natural rubber latex</p>	<p>5704962</p>



DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

ADULTS
PEDIATRICS
NEONATES

<p>A Breathing circuit Infinity® ID, disposable, basic, 1.8 m, 25 pcs., not made with natural rubber latex</p>	<p>MP01350</p>
<p>B Breathing circuit Infinity® ID, disposable, basic, 2.5 m, 25 pcs., not made with natural rubber latex</p>	<p>MP01348</p>
<p>C Breathing circuit Infinity® ID, disposable, smoothbore, 1.6 m, 25 pcs., not made with natural rubber latex</p>	<p>MP00340</p>
<p>D Breathing circuit Infinity® ID, disposable, water trap, 1.8 m, 25 pcs., not made with natural rubber latex</p>	<p>MP01326</p>
<p>E Breathing circuit Infinity® ID, disposable, smoothbore, 3 m, 10 pcs., not made with natural rubber latex</p>	<p>MP01325</p>
<p>F Breathing circuit Infinity® ID, disposable, extendable, 2.2 m, 25 pcs., not made with natural rubber latex</p>	<p>MP01347</p>



DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

ADULTS
PEDIATRICS
NEONATES

<p>A Breathing circuit Infinity® ID, disposable, coaxial, 1.9 m, 20 pcs., not made with natural rubber latex</p>	<p>MP03375</p>
<p>B Breathing circuit Infinity® ID, disposable, coaxial, 2.3 m, 20 pcs., not made with natural rubber latex</p>	<p>MP03377</p>
<p>B Breathing circuit Infinity ID®, disposable, coaxial, GSL, 2.3 m, 20 pcs., not made with natural rubber latex</p>	<p>MP00357</p>
<p>C Breathing circuit Infinity® ID, disposable, water trap, 2.1 m, 10 pcs., not made with natural rubber latex</p>	<p>MP00378</p>
<p>C Breathing circuit Infinity® ID, disposable, water trap, GSL, 2.1 m, 10 pcs., not made with natural rubber latex</p>	<p>MP00367</p>
<p>Anesthesia set Infinity® ID, disposable, coaxial, water trap, 2 L, 2.1/1.2 m, 10 pcs., not made with natural rubber latex</p>	<p>MP03388</p>
<p>Anesthesia set Infinity ID®, disposable, coaxial, GSL, 2.3 m/1.2 m, 10 pcs., not made with natural rubber latex</p>	<p>MP00368</p>
<p>Anesthesia set Infinity ID®, disposable, coaxial, water trap, GSL, 2.1 m/1.2 m, 10 pcs., not made with natural rubber latex</p>	<p>MP00370</p>



DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

ADULTS
PEDIATRICS
NEONATES

<p>A Breathing circuit Infinity® ID, disposable, P, basic, 1.8 m, 25 pcs., not made with natural rubber latex</p>	<p>MP01340</p>
<p>B Breathing circuit Infinity® ID, disposable, P, water trap, 1.8 m, 25 pcs., not made with natural rubber latex</p>	<p>MP01341</p>
<p>C Breathing circuit Infinity® ID, disposable, N, basic, 1.8 m, 25 pcs., not made with natural rubber latex</p>	<p>MP01327</p>
<p>Breathing circuit Infinity® ID, disposable, N, water trap, 1.8 m, 25 pcs., not made with natural rubber latex</p>	<p>MP01328</p>



DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

ADULTS
PEDIATRICS
NEONATES

<p>A Breathing bag set Infinity® ID, disposable, 2 L, 1.2 m, 25 pcs., not made with natural rubber latex</p>	<p>MP00341</p>
<p>B Breathing bag set Infinity® ID, disposable, 2 L, 1.5 m, 25 pcs., not made with natural rubber latex</p>	<p>MP01330</p>
<p>C Breathing bag set Infinity® ID, disposable, P, 1 L, 1.1 m, 25 pcs., not made with natural rubber latex</p>	<p>MP01343</p>
<p>D Breathing bag set Infinity® ID, disposable, N, 0.5 L, 1.1 m, 25 pcs., not made with natural rubber latex</p>	<p>MP01329</p>



REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

1.2 REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES


REUSABLE BREATHING SYSTEMS: BLUESET VENTILATION

A	BlueSet Ventilation (N)	8412344
Consists of:		
1	Y-piece, reusable, N, 90°, with suction opening	8403075
2	Corrugated hose, reusable, N/P, 14 cm, connector 10 mm/10 mm, Ø 10 mm	8403333
3	Temperature sensor mount, reusable, N	8403056
4	Water trap with outlet, reusable N/P	8404760
5	Breathing hose, silicone, reusable, N/P, 60 cm, connector 10 mm/10 mm, Ø 10 mm	2165848
6	Water trap, reusable, N/P	8409627
7	Red cap, 7 mm	8401645
8	Breathing hose, silicone, reusable, N/P, 40 cm, connector 10 mm/22 mm, Ø 10 mm	2165856
9	Breathing hose, silicone, reusable, N/P, 60 cm, connector 10 mm/22 mm, Ø 10 mm	2165821




REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	BlueSet Ventilation (P/A)	8413146
	Consists of:	
1	Adapter, reusable, 22 mm/22 mm	M25647
2	Adapter, reusable, 22 mm/15 mm, 90°	8290274
3	Corrugated hose, silicone, reusable, N/P, 28 cm, connector 10 mm/10 mm, Ø 10 mm	8402041
4	Adapter straight, reusable, A, 18 mm/11 mm	8403076
5	Hose clamp, 10 pcs.	8403566
6	Y-piece with sensor mount, reusable, A	8405435
7	Closure temp. sensor mount, reusable	8410049
7	Breathing hose, silicone, reusable, A, 35 cm, connector 22 mm/22 mm	2165619
8	Breathing hose, silicone, reusable, A, 60 cm, connector 22 mm/22 mm, Ø 22 mm	2165627
9	Set of 5 red caps, 11 mm	8402918
10	Water trap, reusable, A	8404985



REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES


A	BlueSet Ventilation HME (P/A)	8412860
	Consists of:	
1	Breathing hose, silicone, reusable, A, 1.5 m, connector 22 mm/22 mm, Ø 22 mm	2166046
2	Y-piece, reusable, A	M25650



REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES


REUSABLE ANESTHESIA SYSTEMS: BLUESSET ANESTHESIA

A	BlueSet Anesthesia (P/A)	M30146
	Consists of:	
1	Breathing hose, silicone, reusable, A, 1.5 m, connector 22 mm/22 mm, Ø 22 mm	2166046
2	Breathing hose, silicone, reusable, A, 1.1 m, connector 22 mm/22 mm, Ø 22 mm	2166038
3	Breathing bag, silicone, reusable, 2.3 L, not made with natural rubber latex	2166062
4	Y-piece 90° with Luer Lock, reusable, A	M33278
5	Adapter, reusable, 22 mm/22 mm	M25647



REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES


A	BlueSet Anesthesia water trap (P/A)	MK04248
Consists of:		
1	Breathing hose, silicone, reusable, A, 60 cm, connector 22 mm/22 mm, Ø 22 mm	2165627
2	Breathing hose, silicone, reusable, A, 1.1 m, connector 22 mm/22 mm, Ø 22 mm	2166038
3	Adapter, reusable, 22 mm/22 mm	M25647
4	Water trap, reusable, A	8404985
5	Y-piece 90° with Luer Lock, reusable, A	M33278
6	Breathing bag, silicone, reusable, 2.3 L, not made with natural rubber latex	2166062



D-50824-2015


REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	BlueSet Anesthesia (N)	M27542
	Consists of:	
1	Breathing hose, silicone, reusable, N/P, 1.5 m, connector 10 mm/22 mm, Ø 10 mm	2165961
2	Breathing hose, silicone, reusable, N/P, 1.1 m, connector 22 mm/22 mm, Ø 10 mm	2165678
3	Breathing bag, silicone, reusable, 0.5 L, not made with natural rubber latex	2166054
4	Adapter, reusable, 22 mm/22 mm	M25647
5	Y-piece, reusable, N, 90°, with suction opening	8403075
6	Elbow, reusable, N/P, metal, Luer Lock	M34568
6	Cap for Luer Lock	M34461
7	Set of 5 red caps, 7 mm	8402953



REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A Breathing hose, silicone, reusable, A, 1.5 m, connector 22 mm/22 mm, Ø 22 mm	2166046
B Ventilation valve for Oxylog® 1000, reusable	2M86800
C PEEP valve for Oxylog® 1000, reusable, adjustable from 0 – 10 mbar	8407475
D PEEP valve for Oxylog® 1000, disposable, adjustable from 5 – 20 mbar	2M86832
Breathing hose for Oxylog® 1000, reusable, silicone, 3 m	2112760



REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

FOR OXYLOG® 2000, 2000+, 3000, 3000+
UND VE300 ADVANCED (WITH FLOW OPTION)

A Breathing hose set for Oxylog® 2000/3000 family, reusable, w/ flow measurement line, 1.5 m **8412068**

Consists of:

Breathing hose, silicone, reusable, A, 1.5 m, connector 22 mm/22 mm, Ø 22 mm **2166046**

Flow measuring line for Oxylog® 2000/3000 family, 1.5 m **8410929**

A Breathing hose set for Oxylog® 2000/3000 family, reusable, w/ flow measurement line, 3 m **8412913**

Consists of:

Breathing hose for Oxylog® 1000, reusable, silicone, 3 m **2112760**

Flow measuring line for Oxylog® 2000/3000 family, 3 m **8413293**

B Ventilation valve for Oxylog® 2000/3000, reusable **8412001**

C Pressure difference flow sensor, PPSU, sterilizable **8412034**

D Elbow, reusable **8412235**


FOR OXYLOG® VE300

Hose Oxylog® VE300, 150, reusable **MP01390**

Hose Oxylog® VE300, 300, reusable **MP01391**

Connector pressure Oxylog® VE300 **MP01372**


D Elbow, reusable **8412235**



REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

Silicone breathing hose (adult) with standard sleeves 22 mm/22 mm (0.9 in/0.9 in)

A	Breathing hose, silicone, reusable, A, 35 cm, connector 22 mm/22 mm, Ø 22 mm	2165619
B	Breathing hose, silicone, reusable, A, 60 cm, connector 22 mm/22 mm, Ø 22 mm	2165627
C	Breathing hose, silicone, reusable, A, 1.1 m, connector 22 mm/22 mm, Ø 22 mm	2166038
D	Breathing hose, silicone, reusable, A, 1.5 m, connector 22 mm/22 mm, Ø 22 mm	2166046




REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

Silicone breathing hose (pediatric) with standard sleeves 10 mm (0.4 in) on both sides and 10 mm (0.4 in) inner diameter

A Breathing hose, silicone, reusable, N/P, 60 cm, connector 10 mm/10 mm, Ø 10 mm

2165848



Silicone breathing hose (pediatric) with standard sleeves 22 mm (0.9 in) on both sides and 10 mm (0.4 in) inner diameter

B Breathing hose, silicone, reusable, N/P, 1.1 m, connector 22 mm/22 mm, Ø 10 mm


2165678



REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

Silicone breathing hose (pediatric) with standard sleeves with one 10 mm (0.4 in) and one 22 mm (0.9 in) sleeve and 10 mm (0.4 in) inner diameter

A Breathing hose, silicone, reusable, N/P, 40 cm, connector 10 mm/22 mm, Ø 10 mm	2165856
B Breathing hose, silicone, reusable, N/P, 60 cm, connector 10 mm/22 mm, Ø 10 mm	2165821
C Breathing hose, silicone, reusable, N/P, 1.1 m, connector 10 mm/22 mm, Ø 10 mm	2165651
D Breathing hose, silicone, reusable, N/P, 1.5 m, connector 10 mm/22 mm, Ø 10 mm	2165961



REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	Y-piece, polyamide, reusable, A, straight	M25650
B	Y-piece 90° with Luer Lock, reusable, A	M33278



REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	Y-piece for F&P, reusable A*	8412888
B	Temperature probe adapter 900 MR 532, for F&P humidifiers*	MP01007
C	Y-piece with sensor mount, reusable, A	8405435
D	Y-piece straight, reusable, N/P	M27077
E	Y-piece, reusable, N, 90°, with suction opening	8403075
	Red cap, 7 mm	8401645
F	Elbow, reusable	8412235
G	Elbow for F&P, reusable*	8418289

*Produced by Fisher & Paykel




REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	Adapter, reusable, 22 mm/22 mm	M25647
	Adapter straight, reusable, A, 18 mm/11 mm	8403076
B	Adapter, reusable, 22 mm/22 mm, 90°	M25649
C	Adapter, reusable, 22 mm/11 mm, metal, N/P	8409897
D	Elbow, reusable, N/P, metal, Luer Lock	M34568
	Temperature sensor mount, reusable, N	8403056
	T-piece connector, reusable	8411044
E	Water trap, reusable, A	8404985
F	Water trap, reusable, N/P	8409627



REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A Transparent breathing bags of silicone elastomer	
① Breathing bag, silicone, reusable, 0.5 L, not made with natural rubber latex	<u>2166054</u>
② Breathing bag, silicone, reusable, 1.5 L, not made with natural rubber latex	<u>2166127</u>
③ Breathing bag, silicone, reusable, 2.3 L, not made with natural rubber latex	<u>2166062</u>
④ Breathing bag, silicone, reusable, 3 L, not made with natural rubber latex	<u>2166070</u>



REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A Test lung SelfTestLung, reusable, max. 1 L, not made with natural rubber latex	MP02400
Spare parts set SelfTestLung, with locking brace and attachment bolt	MP02401
B Demo lung SmartLung, max.1 L, reusable, not made with natural rubber latex	MP02405
C Test Lung, reusable, max. 1.5 L, not made with natural rubber latex	8403201
D Neo Testlung*, disposable, N, 10 pcs., not made with natural rubber latex	MP02425
E Neonatal Test Lung, reusable, 50 mL, not made with natural rubber latex	MP20050

*Tradeware



BREATHING SYSTEM FILTERS AND HMEs

2. BREATHING SYSTEM FILTERS AND HMEs

The TwinStar® filter/HME from Dräger is a combination of an efficient HME and a high-performance breathing system filter, thereby significantly contributing to infection prophylaxis in ventilation treatment.

- Combination of efficient HME and high-performance breathing system filter
- High retention rates for bacteria and viruses
- High return of heat and moisture
- Reduced condensation in the breathing circuit
- Minimal workload and low cost
- Sampling connector with tethered cap
- Sampling port in convenient 45° angle
- Transparent housing for visual control
- Standardized connectors for safe connection to other components
- Clear labeling and blue color coding for quick identification

A	Electrostatic filter and HME TwinStar® 90, disposable, 90 ml deadspace, 50 pcs.	MP01800
B	Electrostatic filter and HME TwinStar® 65A, disposable, 65 ml deadspace, angled, 50 pcs.	MP01810
C	Electrostatic filter and HME TwinStar® 55, disposable, 55 ml deadspace, 50 pcs.	MP01805
D	Electrostatic filter and HME TwinStar® 25, disposable, 25 ml deadspace, 50 pcs.	MP01815
E	Electrostatic filter and HME TwinStar® 10A, disposable, 10 ml deadspace, angled, 50 pcs.	MP01825
F	Electrostatic filter and HME TwinStar® 8, disposable, 8 ml deadspace, 50 pcs.	MP01820
G	Mechanical filter and HME TwinStar® HEPA, disposable, 55 ml deadspace, 50 pcs.	MP01801



Not all articles are available worldwide.

BREATHING SYSTEM FILTERS

The CareStar® breathing system filter significantly contributes to infection prophylaxis in anesthesia and ventilation treatment through high retention rates.

- High-performance electrostatic filter
- Patient-side or device-side use
- Minimal workload and low cost
- Sampling connector with tethered cap
- Sampling port in convenient 45° angle
- Transparent housing for visual control
- Standardized connectors for safe connection to other components
- Clear labeling and red color coding for quick identification

A Electrostatic filter CareStar® 45, disposable, 45 ml deadspace, 50 pcs.	MP01755
B Electrostatic filter CareStar® 40A, disposable, 40 ml deadspace, angled, 50 pcs.	MP01765
C Electrostatic filter CareStar® 30, disposable, 30 ml deadspace, 50 pcs.	MP01770



BREATHING SYSTEM FILTERS

The SafeStar® mechanical high performance breathing system filter shows excellent retention rates, thereby significantly contributing to infection prophylaxis in anesthesia and ventilation treatment.

- High-performance mechanical HEPA filter
- High hydrophobicity
- Patient-side or device-side use
- Sampling connector with tethered cap
- Sampling port in convenient 45° angle
- Transparent housing for visual control
- Standardized connectors for safe connection to other components
- Clear labeling and red color coding for quick identification

A Mechanical filter SafeStar® 80, disposable, 80 ml deadspace, 50 pcs.	MP01785
B Mechanical filter SafeStar® 60A, disposable, 60 ml deadspace, angled, 50 pcs.	MP01795
C Mechanical filter SafeStar® 55, disposable, 55 ml deadspace, 50 pcs.	MP01790



HMEs

HumidStar® heat and moisture exchangers from Dräger partially take over the function of the upper airways and efficiently heat and humidify the inspired air.

- High return of heat and moisture
- Reduced condensation in the breathing circuit
- Minimal workload and low cost
- Sampling connector with tethered cap
- Sampling port in convenient 45° angle
- Transparent housing for visual control
- Standardized connectors for safe connection to other components
- Clear labeling and green color coding for quick identification

A	HME HumidStar® 55, disposable, 55 ml deadspace, 50 pcs.	MP01730
B	HME HumidStar® 25, disposable, 25 ml deadspace, 50 pcs.	MP01735
C	HME HumidStar® 2 Plus, disposable, 2 mL deadspace, 100 pcs.	MP05845
D	HME HumidStar® Trach Plus, disposable, 6 mL deadspace, 100 pcs.	MP05750



BREATHING SYSTEM FILTERS AND HMEs

SPECIFICATIONS

	Filter/HME TwinStar® 90	Filter/HME TwinStar® 65A	Filter/HME TwinStar® 55	Filter/HME TwinStar® 25
Part number	MP01800	MP01810	MP01805	MP01815
Deadspace (ml)	90	65	55	25
Recommended tidal volume (ml)	300 to 1,500	300 to 1,500	300 to 1,500	75 to 500
Bacterial retention (%)**	≥ 99.999	≥ 99.999	≥ 99.999	≥ 99.999
Viral retention (%)**	≥ 99.999	≥ 99.99	≥ 99.99	≥ 99.99
Filtration method	Electrostatic	Electrostatic	Electrostatic	Electrostatic
Moisture loss* (mg H ₂ O/l air)	4.7@Vt 500 ml	6.9@Vt 500 ml	7.2@Vt 500 ml	5.8@Vt 250 ml
Moisture output (mg H ₂ O/l air)	39.3	37.1	36.8	38.2
Resistance (mbar)	< 1 at 30 l/min	< 2 at 30 l/min	< 1 at 30 l/min	< 2 at 15 l/min
Weight (g)	37	30	28	18
ISO connectors	22M/15F – 22F/15M	22M/15F – 22F/15M	22M/15F – 22F/15M	22M/15F – 22F/15M
Sampling port	Luer Lock with tethered cap	Luer Lock with tethered cap	Luer Lock with tethered cap	Luer Lock with tethered cap
Housing	Polypropylene	Polypropylene	Polypropylene	Polypropylene
Maximum duration of use	24 hours	24 hours	24 hours	24 hours
Shelf life in undamaged packaging	3 years	3 years	3 years	3 years
Product	PVC-free/ Latex free	PVC-free/ Latex free	PVC-free/ Latex free	PVC-free/ Latex free

SPECIFICATIONS

	Filter/HME TwinStar® 10A	Filter/HME TwinStar® 8	Filter/HME TwinStar® HEPA
Part number	MP01825	MP01820	MP01801
Deadspace (ml)	10	8	55
Recommended tidal volume (ml)	30 to 200	30 to 200	300 to 1,500
Bacterial retention (%)**	≥ 99.9	≥ 99.9	≥ 99.9999
Viral retention (%)**	≥ 99.9	≥ 99.9	≥ 99.9999
Filtration method	Electrostatic	Electrostatic	Mechanical (HEPA)
Moisture loss* (mg H ₂ O/l air)	6.4@Vt 50 ml	6.1@Vt 50 ml	9.8@Vt 500 ml
Moisture output (mg H ₂ O/l air)	37.6	37.9	34.2
Resistance (mbar)	< 1 at 5 l/min	< 1 at 5 l/min	< 2 at 30 l/min
Weight (g)	9	9	40
ISO connectors	22M/15F – 15M	22M/15F – 15F/8.5M	22M/15F – 22F/15M
Sampling port	Luer Lock with tethered cap	Luer Lock with tethered cap	Luer Lock with tethered cap
Housing	Polypropylene	Polypropylene	Polypropylene
Maximum duration of use	24 hours	24 hours	24 hours
Shelf life in undamaged packaging	3 years	3 years	5 years
Product	PVC-free/ Latex free	PVC-free/ Latex free	PVC-free/ Latex free

Cleanroom manufactured according to EN ISO 14644-1:2014.

*According to ISO 9360-1:2000.

**Test has been performed by Nelson Lab, USA, before 2010

BREATHING SYSTEM FILTERS

SPECIFICATIONS

	Filter CareStar® 45	Filter CareStar® 40A	Filter CareStar® 30
Part number	MP01755	MP01765	MP01770
Deadspace (ml)	45	40	30
Recommended tidal volume (ml)	300 to 1,500	300 to 1,500	100 to 1,500
Bacterial retention (%)**	≥ 99.9999	≥ 99.9999	≥ 99.99
Viral retention (%)**	≥ 99.9999	≥ 99.9999	≥ 99.99
Filtration method	Electrostatic	Electrostatic	Electrostatic
Moisture loss* (mg H ₂ O/l air)	–	–	–
Moisture output (mg H ₂ O/l air)	–	–	–
Resistance (mbar)	< 1 at 30 l/min	< 1 at 30 l/min	< 1 at 15 l/min
Weight (g)	29	25	23
ISO connectors	22M/15F – 22F/15M	22M/15F – 22F/15M	22M/15F – 22F/15M
Sampling port	Luer Lock with tethered cap	Luer Lock with tethered cap	Luer Lock with tethered cap
Housing	Polypropylene	Polypropylene	Polypropylene
Maximum duration of use	24 hours	24 hours	24 hours
Shelf life in undamaged packaging	3 years	3 years	3 years
Product	PVC-free/ Latex free	PVC-free/ Latex free	PVC-free/ Latex free

SPECIFICATIONS

	Filter SafeStar® 80	Filter SafeStar® 60A	Filter SafeStar® 55
Part number	MP01785	MP01795	MP01790
Deadspace (ml)	80	60	55
Recommended tidal volume (ml)	300 to 1,500	300 to 1,500	300 to 1,500
Bacterial retention (%)**	≥ 99.9999	≥ 99.9999	≥ 99.9999
Viral retention (%)**	≥ 99.9999	≥ 99.9999	≥ 99.9999
Filtration method	Mechanical	Mechanical	Mechanical
Moisture loss* (mg H ₂ O/l air)	–	–	–
Moisture output (mg H ₂ O/l air)	–	–	–
Resistance (mbar)	< 2 at 30 l/min	< 2 at 30 l/min	< 2 at 30 l/min
Weight (g)	47	42	39
ISO connectors	22M/15F – 22F/15M	22M/15F – 22F/15M	22M/15F – 22F/15M
Sampling port	Luer Lock with tethered cap	Luer Lock with tethered cap	Luer Lock with tethered cap
Housing	Polypropylene	Polypropylene	Polypropylene
Maximum duration of use	24 hours	24 hours	24 hours
Shelf life in undamaged packaging	5 years	5 years	5 years
Product	PVC-free/ Latex free	PVC-free/ Latex free	PVC-free/ Latex free

Cleanroom manufactured according to EN ISO 14644-1:2014.

*According to ISO 9360-1:2000.

**Test has been performed by Nelson Lab, USA, before 2010

HMEs

SPECIFICATIONS

	HME HumidStar® 55	HME HumidStar® 25
Part number	MP01730	MP01735
Deadspace (ml)	55	25
Recommended tidal volume (ml)	300 to 1,500	75 to 500
Moisture loss* (mg H ₂ O/l air)	6.3@Vt 500 ml	6.2@Vt 250 ml
Moisture output (mg H ₂ O/l air)	37.7	37.8
Resistance (mbar)	< 1 at 30 l/min	< 1 at @30 l/min
Weight (g)	28	18
ISO connectors	22M/15F – 22F/15M	22M/15F – 22F/15M
Sampling port	Luer Lock with tethered cap	Luer Lock with tethered cap
Housing	Polypropylene	Polypropylene
Maximum duration of use	24 hours	24 hours
Shelf life in undamaged packaging	5 years	5 years
Product	PVC-free/ Latex free	PVC-free/ Latex free

SPECIFICATIONS

	HME HumidStar® 2 Plus	HME HumidStar® Trach Plus
Part number	MP05845	MP05750
Deadspace (ml)	2	6
Recommended tidal volume (ml)	10 to 50	100 to 1,500
Moisture loss* (mg H ₂ O/l air)	9.1@Vt 22 ml	< 13.2@Vt 500 ml**
Moisture output (mg H ₂ O/l air)	> 34.9	> 30.8
Resistance (mbar)	< 2 bei 5 l/min	< 0,1 at 30 l/min
Weight (g)	3.5	5
ISO connectors	15M – 15F	15F
Sampling port	-	O ₂ port
Housing	Polypropylene	Polypropylene
Maximum duration of use	24 hours	24 hours
Shelf life in undamaged packaging	5 years	5 years
Product	PVC-free/ Latex free	PVC-free/ Latex free

Cleanroom manufactured according to EN ISO 14644-1:2014.

*According to ISO 9360-1:2000.

**According to ISO 9360-2:2001.

CO₂ CUVETTES

3. CO₂ CUVETTES

CO₂ cuvettes are designed for the monitoring of CO₂ concentration during patient ventilation.

3.1 DISPOSABLE

A	CO ₂ cuvette disposable, adult, 10 pcs.	MP01062
B	CO ₂ cuvette disposable, pediatric, 10 pcs.	MP01063

3.2 REUSABLE

C	CO ₂ cuvette reusable, adult	6870279
D	CO ₂ cuvette reusable, pediatric	6870280
E	CO ₂ mainstream sensor, for Evita® 2 dura, Evita® 4 Edition and Evita® XL	6871500
F	MCable Mainstream CO ₂ , for Evita, Infinity® V500, Infinity® M540, Vista120, Vista120 S, and Delta VF9.1 and higher For fans and monitors that have a yellow connector for the CO ₂ sensor.	6871950



CATHETER MOUNTS AND AIRWAY CONNECTORS

4. CATHETER MOUNTS AND AIRWAY CONNECTORS

- Smoothbore products provide low resistance to flow while external coil reduces kinks and blockages
- Extendable product provides a lightweight and flexible solution
- Double swivel connector increases ease of use
- Double cap to maintain PEEP during suctioning or bronchoscopy
- Each catheter mount and airway connector is equipped with a red safety cap so that the system is completely closed and protected until directly prior to use on the patient
- 22F/15M connector on device side as a two-in-one solution
- Standardized connectors for safe connection to other components
- Luer Lock port for gas sampling
- Disposable convenience enhances workflow
- PVC-free design of gas leading components eliminates risk of softeners such as DEHP

A	Catheter mount ErgoStar® CM 40, disposable, 10 cm, double swivel elbow, 50 pcs.	MP01840
B	Catheter mount ErgoStar® CM 45, disposable, 15 cm, double swivel elbow, 50 pcs.	MP01845
C	Catheter mount ErgoStar® CM 50, disposable, 10 – 16 cm, extendable, 50 pcs.	MP01850
D	Catheter mount ErgoStar® CM 55, disposable, 15 cm, straight, 50 pcs.	MP01855
E	Catheter mount ErgoStar® CM 60, disposable, 10 cm, small, double swivel elbow, 50 pcs.	MP01860
F	Airway connector ErgoStar® AC 90, disposable, double-swivel elbow w/ double cap, 100 pcs.	MP01890
G	Airway connector ErgoStar® AC 95, disposable, w/ Luer Lock sampling port, 100 pcs.	MP01895



Not all articles are available worldwide.

CATHETER MOUNTS AND AIRWAY CONNECTORS

COMBINATIONS OF FILTER AND TUBE EXTENTION

A CombiStar Filter HME flex, combination of flexible tube extension MP01850 and filter TwinStar® 55 (MP01805), 25 pcs.	MP04240
B CombiStar F-HME HEPA flex, combination of flexible tube extension MP01850 and filter TwinStar® HEPA (MP01801), 25 pcs.	MP04242
C CombiStar mechanical Filter flex, combination of flexible tube extension MP01850 and filter SafeStar® 55 (MP01790), 25 pcs.	MP04246
D CombiStar A Filter HME, combination of airway connector MP01845 and filter TwinStar® 55 (MP01805), 25 pcs.	MP01671



NIV MASKS AND ACCESSORIES

5. NON-INVASIVE PATIENT INTERFACES AND ACCESSORIES

5.1 NIV MASKS AND ACCESSORIES

ClassicStar® NIV oronasal masks cover the nose and mouth of the patient. Therefore, they provide effective therapy even in case of mouth breathing.


The mask design ensures high patient comfort combined with anatomical fit and effective seal due to individually adjustable mask cushion. The 6-point headgear provides a stable and secure fixation. Adjustable forehead support and forehead pad allow for distributing the pressure from the bridge of nose towards the forehead for more patient comfort.

ClassicStar® NIV masks with standard elbow (SE) have been successfully tested for compatibility with Dräger ventilators which have NIV-option. Variants with Anit-Asphyxia Valve (AAV) are intended for Multi-Vendor-Accessory business.

All ClassicStar® NIV masks are for single patient use.

Sizing gauges for easy mask size identification as well as a pumpball are delivered together with the masks.



A	NIV oronasal mask ClassicStar® SE, disposable, size S	MP01573
	NIV oronasal mask ClassicStar® SE, disposable, size M	MP01574
	NIV oronasal mask ClassicStar® SE, disposable, size L	MP01575
B	NIV oronasal mask ClassicStar® AAV, disposable, size S	MP01570
	NIV oronasal mask ClassicStar® AAV, disposable, size M	MP01571
	NIV oronasal mask ClassicStar® AAV, disposable, size L	MP01572



NIV MASKS AND ACCESSORIES

Oronasal masks are often the first-line strategy in the initial management of acute respiratory failure as they cover nose and mouth. Nasal masks are often chosen if NIV therapy has to be prolonged due to improved comfort and reduced complications associated with oronasal masks. Similar to ClassicStar® oronasal masks, the nasal mask cushion can be individually adjusted to the patient's face providing high patient comfort and effective seal. The 4-point-headgear ensures a stable and secure fixation reducing mask displacement. All ClassicStar® NIV nasal masks are for single patient use. Sizing gauges for easy mask size identification as well as a pumpball are delivered together with the masks.

A	NIV nasal mask ClassicStar® non-vented, disposable, size S	MP01623
	NIV nasal mask ClassicStar® non-vented, disposable, size M	MP01624
	NIV nasal mask ClassicStar® non-vented, disposable, size L	MP01625
B	NIV nasal mask ClassicStar® vented, disposable, size S	MP01620
	NIV nasal mask ClassicStar® vented, disposable, size M	MP01621
	NIV nasal mask ClassicStar® vented, disposable, size L	MP01622



NIV MASKS AND ACCESSORIES

The ClassicStar® NIV total-face mask seals around the perimeter of the face, covering mouth, nose and eyes. These areas are less pressure sensitive and have smoother facial contours compared to the areas a oronasal masks covers (nasal bridge). The mask is suitable for patients with nasal bridge breakdown or facial irregularities. The air filled cushion can be adjusted individually to the patients face, providing high patient comfort and effective seal.

The 5-point headgear which includes a headstrap at the top of the mask provides a stable and secure attachment, thus preventing mask displacement and reducing pressure. Quick release clips are integrated for quick removal of the mask.

A	NIV total-face mask ClassicStar® SE, disposable, size S	MP02910
	NIV total-face mask ClassicStar® SE, disposable, size M	MP02911
	NIV total-face mask ClassicStar® SE, disposable, size L	MP02912
B	NIV total-face mask ClassicStar® AAV, disposable, size S	MP02913
	NIV total-face mask ClassicStar® AAV, disposable, size M	MP02914
	NIV total-face mask ClassicStar® AAV, disposable, size L	MP02915
C	NIV total-face mask ClassicStar® AAV without exhalation ports, disposable, size S	MP02916
	NIV total-face mask ClassicStar® AAV without exhalation ports, disposable, size M	MP02917
	NIV total-face mask ClassicStar® AAV without exhalation ports, disposable, size L	MP02918



NIV MASKS AND ACCESSORIES

The ClassicStar® plus mask series features a soft and anatomically shaped silicone lip as sealing interface to the patients face. The mask has an easy to adjust forehead pad with silicone cushion which allows optimal adaption to the sensitive nasal bridge. The mask is available in four sizes (S, M, L, XL) as oronasal and nasal mask. ClassicStar® plus NIV masks with standard elbow (SE) have been successfully tested for compatibility with Dräger ventilators which have NIV-option. Variants with Anti-Asphyxia-Valve (AAV) are intended for Multi-Vendor-Accessory business.

A	NIV oronasal mask ClassicStar® plus SE, disposable, size S, 5 pcs.	MP04711
	NIV oronasal mask ClassicStar® plus SE, disposable, size M, 5 pcs.	MP04712
	NIV oronasal mask ClassicStar® plus SE, disposable, size L, 5 pcs.	MP04713
	NIV oronasal mask ClassicStar® plus SE, disposable, size XL, 5 pcs.	MP04714
B	NIV oronasal mask ClassicStar® plus AAV, disposable, size S, 5 pcs.	MP04721
	NIV oronasal mask ClassicStar® plus AAV, disposable, size M, 5 pcs.	MP04722
	NIV oronasal mask ClassicStar® plus AAV, disposable, size L, 5 pcs.	MP04723
	NIV oronasal mask ClassicStar® plus AAV, disposable, size XL, 5 pcs.	MP04724
C	NIV oronasal mask ClassicStar® plus AAV without exhalation ports, disposable, size S, 5 pcs.	MP04731
	NIV oronasal mask ClassicStar® plus AAV without exhalation ports, disposable, size M, 5 pcs.	MP04732
	NIV oronasal mask ClassicStar® plus AAV without exhalation ports, disposable, size L, 5 pcs.	MP04733
	NIV oronasal mask ClassicStar® plus AAV without exhalation ports, disposable, size XL, 5 pcs.	MP04734

D-10386-2016



B

D-10387-2016



D-10385-2016



NIV MASKS AND ACCESSORIES


A	NIV nasal mask ClassicStar® plus non vented, disposable, size S, 5 pcs.	MP04741
	NIV nasal mask ClassicStar® plus non vented, disposable, size M, 5 pcs.	MP04742
	NIV nasal mask ClassicStar® plus non vented, disposable, size L, 5 pcs.	MP04743
	NIV nasal mask ClassicStar® plus non vented, disposable, size XL, 5 pcs.	MP04744
B	NIV nasal mask ClassicStar® plus vented, disposable, size S, 5 pcs.	MP04751
	NIV nasal mask ClassicStar® plus vented, disposable, size M, 5 pcs.	MP04752
	NIV nasal mask ClassicStar® plus vented, disposable, size L, 5 pcs.	MP04753
	NIV nasal mask ClassicStar® plus vented, disposable, size XL, 5 pcs.	MP04754



NIV MASKS AND ACCESSORIES

The NovaStar® plus NiV mask series cover nose and mouth of the patient. Therefore, they provide effective therapy even in case of mouth breathing. This range of products provides ultimate comfort and an effective seal due to the individual adaption of the silicone-gel cushion with a pliable embedded ring. NovaStar® plus NiV masks with standard elbow (SE) have been successfully tested for compatibility with Dräger ventilators which have NiV-option. Variants with Anti-Asphyxia-Valve (AAV) are intended for Multi-Vendor-Accessory business. All NovaStar® plus NiV masks are for multi patient use. Replacement headgears with magnetic clips are available individually (cf. accessories for NiV masks).

A	NIV oronasal mask NovaStar® plus, SE, reusable, size S, 3 pcs.	MP05051
	NIV oronasal mask NovaStar® plus, SE, reusable, size M, 3 pcs.	MP05052
	NIV oronasal mask NovaStar® plus, SE, reusable, size L, 3 pcs.	MP05053
	NIV oronasal mask NovaStar® plus, SE, reusable, size XL, 3 pcs.	MP05054
B	NIV oronasal mask NovaStar® plus, AAV, reusable, size S, 3 pcs.	MP05061
	NIV oronasal mask NovaStar® plus, AAV, reusable, size M, 3 pcs.	MP05062
	NIV oronasal mask NovaStar® plus, AAV, reusable, size L, 3 pcs.	MP05063
	NIV oronasal mask NovaStar® plus, AAV, reusable, size XL, 3 pcs.	MP05064
C	NIV oronasal mask NovaStar® plus, AAV, without exhalation ports, reusable, size S, 3 pcs.	MP05071
	NIV oronasal mask NovaStar® plus, AAV, without exhalation ports, reusable, size M, 3 pcs.	MP05072
	NIV oronasal mask NovaStar® plus, AAV, without exhalation ports, reusable, size L, 3 pcs.	MP05073
	NIV oronasal mask NovaStar® plus, AAV, without exhalation ports, reusable, size XL, 3 pcs.	MP05074



NIV MASKS AND ACCESSORIES

TRADEWARE

The **MiniMe2*** nasal mask is designed for children ages 2 – 12. It features an ergonomic silicone gel cushion and a shapeable shell mask to fit individual needs and thus ensuring an effective seal and a comfortable fit.

A	Pediatric nasal mask MiniMe2 non vented, disposable, size S	MP01555
	Pediatric nasal mask MiniMe2 non vented, disposable, size L	MP01556
B	Pediatric nasal mask MiniMe2 vented, disposable, size S	MP01553
	Pediatric nasal mask MiniMe2 vented, disposable, size L	MP01554



*Produced by SleepNet Corporation



NIV MASKS AND ACCESSORIES

ACCESSORIES FOR NIV MASKS

A	Two-sided pump ball for air management	MP01590
B	NovaStar® plus Headgear inclusive magnetic clips, 3 pcs.	MP05080



ANESTHESIA MASKS AND ACCESSORIES

5.2 ANESTHESIA MASKS AND ACCESSORIES

SEDISTAR® ANESTHESIA FACE MASKS

The disposable anesthesia face mask SediStar features a soft and anatomically shaped lip as the sealing interface to the patient's face. The mask is BPA and PVC free.

Optimal fit


Due to the ergonomic design and sealing lip the mask offers an optimized fit for different facial anatomies.

Color-coding

Every mask size is color coded by a different label, which makes it easy to identify the correct mask size right of the shelf.

Additional mask accessories

Easy application is supported through additional mask accessories: hook ring and headgears for fixation. Two different headgears in small and large designs offer patients and physicians a soft and elastic support and holding position.



A	1 SediStar® anesthesia face mask, disposable, without hook ring, size 1, small infant, 30 pcs.	MP01701
	2 SediStar® anesthesia face mask, disposable, without hook ring, size 2, large infant, 30 pcs.	MP01702
	3 SediStar® anesthesia face mask, disposable, without hook ring, size 3, pediatric, 30 pcs.	MP01703
	4 SediStar® anesthesia face mask, disposable, without hook ring, size 4, small adult, 30 pcs.	MP01704
	5 SediStar® anesthesia face mask, disposable, without hook ring, size 5, medium adult, 30 pcs.	MP01705
	6 SediStar® anesthesia face mask, disposable, without hook ring, size 6, large adult, 30 pcs.	MP01706
	7 SediStar® anesthesia face mask, disposable, without hook ring, size 7, extra large adult, 30 pcs.	MP01707
B	Hook ring for SediStar® masks, with 22 mm ID connector (size 3-7), 30 pcs.	MP01708


NIV MASKS AND ACCESSORIES

LiteStar® anesthesia mask is for disposable use. The teardrop shape of the mask supports an anatomical fit. The transparent mask body allows for continuous observation of the patient's condition. The colored reinforcing ring along the mask connector provides a secure connection with the ventilation system. The color coding of the reinforcing rings* contributes to easy size identification.

Additional disposable hook rings and disposable headgears for fixation are available (cf. accessories for anesthesia masks).

A	1 Anesthesia mask LiteStar®, disposable, w/o hook ring, size 1, premature baby, 30 pcs.	MP01501
	2 Anesthesia mask LiteStar®, disposable, w/o hook ring, size 2, baby, 30 pcs.	MP01502
	3 Anesthesia mask LiteStar®, disposable, w/o hook ring, size 3, infant, 30 pcs.	MP01503
	4 Anesthesia mask LiteStar®, disposable, w/o hook ring, size 4, adult S, 30 pcs.	MP01504
	5 Anesthesia mask LiteStar®, disposable, w/o hook ring, size 5, adult M, 30 pcs.	MP01505
	6 Anesthesia mask LiteStar®, disposable, w/o hook ring, size 6, adult L, 30 pcs.	MP01506
B	1 Hook ring for LiteStar® anesthesia masks, disposable, 15 mm OD, for sizes 1 – 2, 30 pcs.	MP01551
	2 Hook ring for LiteStar® anesthesia masks, disposable, 22 mm ID, for sizes 3 – 6, 30 pcs.	MP01552

*They are color coded from red (size 3), yellow (size 4 – 5) to green (size 6).



ANESTHESIA MASKS AND ACCESSORIES

Patient comfort and ease of use were the top priorities when developing the Dräger disposable ComfortStar® anesthesia mask portfolio. Patient comfort is supported by teardrop or round-shaped masks and adjustable (inflatable) mask cushion which provide anatomical fit with effective seal. Non-slip ridges (sizes 4 – 6) and a flexible mask body provide healthcare professionals an easy and comfortable grip.

ComfortStar® scented anesthesia masks have the same excellent benefits of the ComfortStar® standard masks, but in addition, they have added aromas. The appropriate color scheme provides optical stimulation and is intended to reduce pre-operative anxiety in patients.

All masks are pre-equipped with 'Traffic Light' colored hook rings. They are color coded for easier size identification. Smaller sizes (0 – 1) have reddish color, mid-sizes (2 – 3) yellowish color and large sizes (4 – 6) greenish color.

All ComfortStar® masks are compatible with all Dräger anesthesia devices.

Pumpball as well as different headgears for fixation are available (cf. accessories for anesthesia masks).



A	① Anesthesia mask ComfortStar®, disposable, hook ring, standard, size 0, premature baby, 20 pcs.	MP01510
	② Anesthesia mask ComfortStar®, disposable, hook ring, standard, size 1, neonatal, 20 pcs.	MP01511
	③ Anesthesia mask ComfortStar®, disposable, hook ring, standard, size 2, baby, 20 pcs.	MP01512
	④ Anesthesia mask ComfortStar®, disposable, hook ring, standard, size 3, infant, 20 pcs.	MP01513
	⑤ Anesthesia mask ComfortStar®, disposable, hook ring, standard, size 4, adult S, 20 pcs.	MP01514
	⑥ Anesthesia mask ComfortStar®, disposable, hook ring, standard, size 5, adult M, 20 pcs.	MP01515
	⑦ Anesthesia mask ComfortStar®, disposable, hook ring, standard, size 6, adult L, 20 pcs.	MP01516



ANESTHESIA MASKS AND ACCESSORIES

A	<p>① Anesthesia mask ComfortStar®, disposable, hook ring, strawberry, size 1, neonatal, 20 pcs. <u>MP01521</u></p> <p>② Anesthesia mask ComfortStar®, disposable, hook ring, strawberry, size 2, baby, 20 pcs. <u>MP01522</u></p> <p>③ Anesthesia mask ComfortStar®, disposable, hook ring, strawberry, size 3, infant, 20 pcs. <u>MP01523</u></p> <p>④ Anesthesia mask ComfortStar®, disposable, hook ring, strawberry, size 4, adult S, 20 pcs. <u>MP01524</u></p>
B	<p>① Anesthesia mask ComfortStar®, disposable, hook ring, bubble gum, size 1, neonatal, 20 pcs. <u>MP01531</u></p> <p>② Anesthesia mask ComfortStar®, disposable, hook ring, bubble gum, size 2, baby, 20 pcs. <u>MP01532</u></p> <p>③ Anesthesia mask ComfortStar®, disposable, hook ring, bubble gum, size 3, infant, 20 pcs. <u>MP01533</u></p> <p>④ Anesthesia mask ComfortStar®, disposable, hook ring, bubble gum, size 4, adult S, 20 pcs. <u>MP01534</u></p>
C	<p>① Anesthesia mask ComfortStar®, disposable, hook ring, mint, size 3, infant, 20 pcs. <u>MP01543</u></p> <p>② Anesthesia mask ComfortStar®, disposable, hook ring, mint, size 4, adult S, 20 pcs. <u>MP01544</u></p> <p>③ Anesthesia mask ComfortStar®, disposable, hook ring, mint, size 5, adult M, 20 pcs. <u>MP01545</u></p> <p>④ Anesthesia mask ComfortStar®, disposable, hook ring, mint, size 6, adult L, 20 pcs. <u>MP01546</u></p>



ANESTHESIA MASKS AND ACCESSORIES

New silicone masks are made of medical grade silicone because this is generally considered the material of choice for its superior ability to conform to the patient's facial anatomy. The field of application includes anesthesia and mask ventilation for pediatric and adult patients. The masks are available in various shapes and sizes. The smaller sizes have a rather round shape in order to provide comfortable fit and effective seal for the faces of infants. The bigger sizes have an anatomically formed teardrop shape to ensure convenient fit and seal for facial contours of adult patients. New silicone masks have a flexible, soft and transparent mask body. The mask body design provides a comfortable grip. Shape and material allow for safe handling by doctors and nurses. The silicone masks are reusable.



A	① Silicone mask, reusable, size 00, premature baby	MP02900
	② Silicone mask, reusable, size 0, small neonate	MP01910
	③ Silicone mask, reusable, size 1, large neonate	MP01911
	④ Silicone mask, reusable, size 2, small child	MP01912
	⑤ Silicone mask, reusable, size 3, large child	MP01913
	⑥ Silicone mask, reusable, size 4, small adult	MP01914
	⑦ Silicone mask, reusable, size 5, large adult	MP01915
B	① Hook ring for silicone masks, reusable, 15 mm OD, for sizes 00 – 1, 10 pcs.	MP01916
	② Hook ring for silicone masks, reusable, 22 mm ID, for sizes 2 – 5, 10 pcs.	MP01917


Additional mask accessories, e. g. reusable hook rings as well as reusable headgears are available for fixation (cf. accessories for anesthesia masks).

ANESTHESIA MASKS AND ACCESSORIES

ACCESSORIES FOR ANESTHESIA MASKS

There are three different headgears in small and large designs offering patients and physicians a soft, elastic, lightweight fixation of disposable and/or reusable anesthesia/ventilation masks.

A	① Headgear, disposable, soft fabric, small	MP01559
	② Headgear, disposable, soft fabric, large	MP01560
B	① Headgear, disposable, soft rubber, small	MP01561
	② Headgear, disposable, soft rubber, large	MP01562
C	Two-sided pump ball for air management	MP01590



OXYGEN (O₂) AND AEROSOL THERAPY MASKS, VENTURI MASK KITS, NASAL CANNULAS AND ACCESSORIES

5.3 OXYGEN (O₂) AND AEROSOL THERAPY MASKS, VENTURI MASK KITS, NASAL CANNULAS AND ACCESSORIES

Oxygen therapy is the administration of oxygen at a concentration higher than in ambient air. The purpose is to prevent and/or treat the symptoms and manifestation of hypoxia. Aerosol therapy is used to administer medicine in the patient airways/lungs in order to reduce inflammation caused by different respiratory conditions. The aerosol and oxygen therapy masks are for disposable use.

A	O2Star™ Non-rebreather oxygen mask with connection tube 2.1 m, disposable, S, 50 pcs.	MP01930
B	O2Star™ Non-rebreather oxygen mask with connection tube 2.1 m, disposable, M/L, 50 pcs.	MP01920
C	O2Star™ Medium concentration oxygen mask with connection tube 2.1 m, disposable, S, 50 pcs.	MP01931
D	O2Star™ Medium concentration oxygen mask with connection tube 2.1 m, disposable, M/L, 50 pcs.	MP01921
E	O2Star™ Oxygen and aerosol mask with 22 mm OD, disposable, S, 50 pcs.	MP01934
F	O2Star™ Oxygen and aerosol mask with 22 mm OD, disposable, M/L, 50 pcs.	MP01926



Not all articles are available worldwide.

**OXYGEN (O₂) AND AEROSOL THERAPY MASKS,
VENTURI MASK KITS, NASAL CANNULAS AND ACCESSORIES**

A	<u>O2Star™ Tracheostomy mask, disposable, S, 50 pcs.</u>	<u>MP01932</u>
B	<u>O2Star™ Tracheostomy mask, disposable, M/L, 50 pcs.</u>	<u>MP01924</u>
C	<u>O2Star™ Face tent, disposable, S, 50 pcs.</u>	<u>MP01933</u>
D	<u>O2Star™ Face tent, disposable, M/L, 50 pcs.</u>	<u>MP01925</u>




**OXYGEN (O₂) AND AEROSOL THERAPY MASKS,
VENTURI MASK KITS, NASAL CANNULAS AND ACCESSORIES**

<p>A O2Star™ Venturi mask kit, adjustable venturi valve, disposable, S, 25 pcs.</p>	<p>MP01935</p>
<p>B O2Star™ Venturi mask kit, adjustable venturi valve, disposable, M/L, 25 pcs.</p>	<p>MP01922</p>
<p>C O2Star™ Venturi mask kit, fixed venturi valve, disposable, S, 25 pcs.</p>	<p>MP01936</p>
<p>D O2Star™ Venturi mask kit, fixed venturi valve, disposable, M/L, 25 pcs.</p>	<p>MP01923</p>



OXYGEN (O₂) AND AEROSOL THERAPY MASKS, VENTURI MASK KITS, NASAL CANNULAS AND ACCESSORIES


A	O2Star™ Oxygen nasal cannula straight with connection tube 2.1 m, disposable, S, 50 pcs.	MP02920
	O2Star™ Oxygen nasal cannula straight with connection tube 2.1 m, disposable, M, 50 pcs.	MP02921
	O2Star™ Oxygen nasal cannula straight with connection tube 2.1 m, disposable, L, 50 pcs.	MP02922
	O2Star™ Oxygen nasal cannula straight with connection tube 2.1 m, disposable, XL, 50 pcs.	MP02923
B	O2Star™ Oxygen nasal cannula curved with connection tube 2.1 m, disposable, S, 50 pcs.	MP02924
	O2Star™ Oxygen nasal cannula curved with connection tube 2.1 m, disposable, M, 50 pcs.	MP02925
	O2Star™ Oxygen nasal cannula curved with connection tube 2.1 m, disposable, L, 50 pcs.	MP02926
	O2Star™ Oxygen nasal cannula curved with connection tube 2.1 m, disposable, XL, 50 pcs.	MP02927
C	O2Star™ Oxygen nasal cannula flared with connection tube 2.1 m, disposable, S, 50 pcs.	MP02928
	O2Star™ Oxygen nasal cannula flared with connection tube 2.1 m, disposable, M, 50 pcs.	MP02929
	O2Star™ Oxygen nasal cannula flared with connection tube 2.1 m, disposable, L, 50 pcs.	MP02930
	O2Star™ Oxygen nasal cannula flared with connection tube 2.1 m, disposable, XL, 50 pcs.	MP02931
D	O2Star™ Oxygen nasal cannula curved-flared with connection tube 2.1 m, disposable, S, 50 pcs.	MP02932
	O2Star™ Oxygen nasal cannula curved-flared with connection tube 2.1 m, disposable, M, 50 pcs.	MP02933
	O2Star™ Oxygen nasal cannula curved-flared with connection tube 2.1 m, disposable, L, 50 pcs.	MP02934
	O2Star™ Oxygen nasal cannula curved-flared with connection tube 2.1 m, disposable, XL, 50 pcs.	MP02935



OXYGEN (O₂) AND AEROSOL THERAPY MASKS, VENTURI MASK KITS, NASAL CANNULAS AND ACCESSORIES

ACCESSORIES FOR OXYGEN (O₂) AND AEROSOL THERAPY MASKS, VENTURI MASK KITS, NASAL CANNULAS

A	O2Star™ Connector kit, 6 mm OD/22 mm OD + 6 mm OD/22 mm ID w. connection tube, disposable, 5 pcs.	MP01940
B	O2Star™ Connector kit for breathing circuit for Aquapor, disposable, 5 pcs.	MP01941
C	O2Star™ Connector 22 mm ID / 22 mm ID, disposable, 5 pcs.	MP01942
D	O2Star™ Oxygen connection tube, 2.1 m, disposable, 25 pcs.	MP01927
	O2Star™ Oxygen connection tube, 2.1 m, with 9/16" connector, disposable, 25 pcs.	MP01944
E	O2Star™ Oxygen connection tube, 4 m, disposable, 25 pcs.	MP01943
	O2Star™ Oxygen connection tube, 4 m, with 9/16" connector, disposable, 25 pcs.	MP01945




HIGH-FLOW THERAPY NASAL CANNULA AND ACCESSORIES

5.4 HIGH-FLOW THERAPY NASAL CANNULA AND ACCESSORIES

High Flow Therapy allows to provide warm humidified air with enriched oxygen concentration at flow rates up to 60 L per minute to patients via nasal cannulas. Patient comfort is one of the advantages of High Flow therapy over other treatment forms for patient with compromised respiration and can in many cases successfully avoid using less comfortable or even invasive forms of respiratory support.

The HI-Flow Star Nasal Cannula and the inspiratory breathing circuit offer advanced features designed for enhanced patient safety and comfort such as integrated clips in order to provide effective breathing circuit tension relief, a flexible, breathable hose minimizing internal condensation in the high flow nasal cannula as well as soft materials for the prongs and the headgear. Thanks to its symmetrical design, the nasal cannula can be connected from either the left or the right side of the bed. This helps caregivers save time and effort. The HI-Flow Star products are disposable. Oxygen and compressed air are required which are provided by an O₂ mixer such as the Oxymixer from Dräger, as well as a humidification source for the hose system.

A	① HI-Flow Star Nasal Cannula, disposable, adult S, Flow Range < 60 l/min, 25 pcs.	MP05511
A	② HI-Flow Star Nasal Cannula, disposable, adult M, Flow Range < 60 l/min, 25 pcs.	MP05512
A	③ HI-Flow Star Nasal Cannula, disposable, adult L, Flow Range < 60 l/min, 25 pcs.	MP05513
B	HI-Flow Star System, heated inspiratory breathing circuit, consists of: heated inspiratory hose, humidifier chamber, breathing hose when used with a ventilator, O ₂ hose when used with an O ₂ blender, bed clip, disposable, 25 pcs.	MP05601
C	HI-Flow Star Valve Kit w/ Pop-Up Valve and Connector 22 mm, disposable, 15 pcs.	MP05507
D	T-piece adapter for MX300/MX300i and HI-Flow Star System, disposable, 20 pcs.	MP05508



OXYMIXER*

6. OXYMIXER

Oxymixer enables a continuous and individually adjusted mixture of medical air and medical oxygen to be administered to infants, children and adults. The O₂ concentration is easily adjusted to a highly accurate flow by means of the bleed – even with flow rates of less than 3 l/min.

Oxymixer configuration	
Configurable Oxymixer	MP04200
A Oxymixer High Flow	MP04201
B Oxymixer High Flow with monitor	MP04202
C Oxymixer Low Flow with monitor	MP04204
D Oxymixer Low Flow with 1 – 15 l flowmeter right	MP04229
E Multi-P trolley basic**	MP13020
Including base with 5 castors, 38-mm Ø pole, 3 rail clamps, basket.	
F Multi-P trolley basic**	MP13021
Including base with 5 castors and 38 mm Ø pole for accessories.	

Several hoses to connect Oxymixer with the central supply. For CS hoses see chapter 4, “Accessory for gas supply”.

*Tradeware

**Tradeware. This product is expected to be available in April 2021.



OXYMIXER*

A	Oxymixer sound damper 9/16"	MP04218
B	Oxymixer sound damper 22 and 15 mm	MP04219
C	Adapter 9/16" to 15/22mm	MP05305
D	Adapter, with 6 mm nozzle, e.g., for disposable breathing masks, 9/16" connection	MP00416
	Oxymixer oxygen sensor (spare part)	MP04221

*Produced by DEHAS



DEVICE RELATED ACCESSORIES

7. DEVICE RELATED ACCESSORIES

EXPIRATORY VALVES FOR EVITA 2 DURA, 4 EDITION, XL

A	Expiratory valve for Evita® 2 dura, 4 edition, XL, disposable, 10 pcs.	8414776
B	Expiratory valve for Evita® 2 dura, 4 edition, XL, disposable, 10 pcs.	MP02600
	Expiratory valve for Evita®, reusable	8410580

	Membrane for Evita® 2 dura, Evita® 4, Evita® XL, for expiratory valve	8412015
--	--	----------------

C	Water trap for Evita® 2 dura, Evita® 4, Evita® XL, reusable	8413125
----------	--	----------------

EXPIRATORY VALVES FOR BABYLOG

	Expiratory valve, for neonatal/pediatric patients (Non-RFID), reusable	8415296
--	---	----------------

D	Expiratory valve for Babylog® VN 500, reusable (RFID)	8415270
----------	--	----------------

	Expiratory valve for Babylog® 8000	8408950
--	---	----------------



Not all articles are available worldwide.

DEVICE RELATED ACCESSORIES

DISPOSABLE EXPIRATORY VALVES FOR CARINA®, SAVINA® AND V-FAMILY

A	Infinity® ID, expiratory valve, disposable, 10 pcs.	MP01060
B	Expiratory valve, disposable, 10 pcs.	MP01061
C	Expiratory valve for Carina®, disposable, 25 pcs.	MP00220
D	Leakage valve for Carina® SyncVent, disposable, 5 pcs.	MP00224

REUSABLE EXPIRATORY VALVES FOR SAVINA® AND V-FAMILY

E	Expiratory valve for Evita Infinity® V500, reusable	8416750
	Expiratory valve for Savina®, reusable	8413660
F	Expiratory valve, reusable	8417050



DEVICE RELATED ACCESSORIES

A <u>Infinity® ID Expiratory filter, disposable, 20 pcs.</u>	<u>MP01780</u>
B <u>Expiratory filter, disposable, 20 pcs.</u>	<u>MP01781</u>



DEVICE RELATED ACCESSORIES

A	Disposable Handle Polaris, Dual, for Polaris 100/200, 600 and Multimedia, adapter required, 60 pcs.	MP05700
A	Disposable Handle Polaris, Single, for Polaris 100/200, 600 and Multimedia, adapter required, 120 pcs.	MP05701



CONVERSION KITS

	Polaris 100 with sterilizable handle (G92099), 1 pc.	G35332
	Polaris 200 with sterilizable handle (G92099), 1 pc.	G35614
	Polaris 100/200 with sterilizable handle E (G36993), 1 pc.	G35325
	Polaris 600 with sterilizable handles (G92099 or G36993), 1 pc.	G35324
	Polaris Multimedia (display adapter) with sterilizable handles (G92099 or G36993), 1 pc.	G35333

PACK2GO®/SET2GO

8. PACK2GO®

Dräger has developed a comprehensive range of disposable accessories. These accessories can now also be ordered together in a Pack2Go® package, in order to benefit the hospital's costs and logistical/clinical processes. Pack2Go® package solutions include dedicated Dräger and general accessories, which can be used as a system solution with Dräger devices.

- | | | |
|----------|---|----------------|
| A | Pack2Go® Evita invasive ventilation pack w/ breathing circuit VentStar®, basic, + cuvette, 10 pcs. | MP01656 |
| B | Pack2Go® Evita invasive ventilation pack w/ breathing circuit VentStar®, basic, 1.8 m, 10 pcs. | MP01657 |
| C | Pack2Go® Evita invasive ventilation pack w/ breathing circuit VentStar®, coaxial, + cuvette, 10 pcs. | MP01676 |
| D | Pack2Go® Evita invasive ventilation pack w/ breathing circuit VentStar®, coaxial, 1.8 m, 10 pcs. | MP01677 |



PACK2GO®/SET2GO

A	Pack2Go® Carina NIV ventilation pack with oronasal mask ClassicStar® SE, size S, 10 pcs.	MP01663
	Pack2Go® Carina NIV ventilation pack with oronasal mask ClassicStar® SE, size M, 10 pcs.	MP01664
	Pack2Go® Carina NIV ventilation pack with oronasal mask ClassicStar® SE, size L, 10 pcs.	MP01665
B	Pack2Go® Savina invasive ventilation pack with breathing circuit VentStar®, coaxial, 1.8 m, 10 pcs.	MP01673
C	Pack2Go® Savina invasive ventilation pack with breathing circuit VentStar®, basic, 1.8 m, 10 pcs.	MP01674
D	Pack2Go® anesthesia pack, A, with anesthesia set + watertrap, 10 pcs.	MP01682



PACK2GO®/SET2GO

SET2GO

With Dräger's Set2go solutions we offer you totally customised sets consisting of an individual selection of single-patient-use accessories. Dräger Set2go makes using and ordering consumables and accessories much simpler for you. You just need one article number to get all the items in a single package and accomplish your specific task.

Please contact your local Dräger sales organisation to create your individual accessory solution.

HUMIDIFIER AND NEBULIZER

9. HUMIDIFIER AND NEBULIZER

TRADEWARE

A	Humidifier chamber for F&P MR 290, disposable, 10 pcs.*	8418282
B	Humidifier chamber for F&P MR 340, reusable, N/P*	8411047
C	Humidifier chamber for F&P MR 370, reusable, A*	8412217

*Produced by Fisher & Paykel




HUMIDIFIER AND NEBULIZER

TRADEWARE

A	Rail clamp for F&P humidifier and Seattle PAP bubble box*	8411074
B	Holder for F&P humidifier U-shaped, for trolley, with rail clamp*	MP01002
C	Water bag holder 900 MR 290	MP01008
D	Hose heater for F&P MR 700/730, 70 cm*	8411154
D	Hose heater, A, 1.1 m	8411045
E	Hose heater for F&P MR 700/730 and MR 850, for reusable breathing circuit, 1.1 m*	8414993
F	Hose heater for F&P MR 700/730 and MR 850, for reusable breathing circuit, 1.5 m*	8414969

*Produced by Fisher & Paykel



HUMIDIFIER AND NEBULIZER

TRADEWARE

A	Temperature probe/flow sensor for F&P MR 850 for all breathing circuits, 1.1 m*	8414989
B	Temperature probe/flow sensor for F&P MR 850, for all breathing circuits, 1.5 m*	8414966
C	Hose heater adapter for F&P MR 850, for reusable breathing circuit*	8414968
D	Hose heater adapter for F&P MR 700/730, for disposable breathing circuit*	8418462
E	Hose heater adapter for F&P MR 850, for disposable breathing circuit*	8414992

*Produced by Fisher & Paykel



HUMIDIFIER AND NEBULIZER

TRADEWARE

A Hose heater adapter for F&P MR 850, for third-party breathing circuit*	MP01001
B Hose heater adapter for F&P MR 850, for double-heated disposable breathing circuit*	MP01006
C Draw wire for hose heater 1.5 m, for reusable breathing circuit	8411050
D Temperature probe adapter 900 MR 532, for F&P humidifiers*	MP01007

*Produced by Fisher & Paykel



HUMIDIFIER AND NEBULIZER

A Medication nebulizer for Babylog® 8000 with quick connector	8411030
B Medication nebulizer for Evita® 2 dura, Evita® 4, Evita® XL, Savina®	8412935
C Pneumatic medication nebulizer, for Evita® and Evita® 2	8405000
D Nebulizer hose	8412985



HUMIDIFIER AND NEBULIZER

AEROGEN PRO*

Aerogen Pro works with an electronic micropump. Aerogen Pro is ideally suited to nebulizer therapy requirements for inline mechanical ventilation and it accommodates all patient age ranges from neonates to adults. It operates without changing patient ventilator parameters, without heating or degrading medications and it can be refilled without interrupting ventilation.

A	Medication nebulizer Aerogen Pro	MP01010
B	Nebulizer unit with filler cap for Aerogen Pro	MP01030
C	T-piece with plug for Aerogen Pro, A, ISO 22 mm, 5 pcs.	MP01031
D	T-piece set with plug for Aerogen Pro, N, 15 mm (0.6 in), w/ adapter 10 mm (0.4 in), 5 pcs.	MP01032
E	T-connector for Aerogen Pro, 12 mm, with plug, 5 pcs.	MP01037
F	Controller cable for Aerogen Pro	MP01036
G	Filler cap for Aerogen Pro, silicone, 5 pcs.	MP01035
	Sealing plug for Y-piece, 5 pcs.	8411024
	Inhalation mask for Inhalette	M11015
	Mouthpiece for Inhalette	M12394

*Produced by Aerogen



HUMIDIFIER AND NEBULIZER

AEROGEN SOLO*

Aerogen Solo Starter Kit

Consists of: Control module, 2 Aerogen Solo Nebulizers with filler caps, adult T-adapter with silicone plug, Universal mounting bracket, AC/DC adapter and Instruction manual.

A	Aerogen Solo Starter Kit, Int.	MP01071
	Aerogen Solo Starter Kit, FR, NL, IT, GE	MP01072
	Aerogen Solo Starter Kit, ES, IT, PT, GR, TK	MP01073
	Aerogen Solo Starter Kit, SW, NO, FI, DK	MP01074
	Aerogen Solo Starter Kit, UK	MP01075
	Aerogen Solo Starter Kit, US	MP01076
B	Nebulizer head, 5 pcs.	MP01078
C	Nebulizer head, 10 pcs.	MP01079
	T-Adapter, adult, 10 pcs.	MP01085
	T-Adapter, pediatric, 10 pcs.	MP01086
	T-Adapter, neonates**, 10 pcs.	MP02689
	Kit T-Adapter, Pediatric with Neo connectors, 10 pcs.	MP01087
	Aerogen USB Controler	MP01089
	Aerogen USB Controler	MP01095

*Tradeware

**Made by Drägerwerk AG & Co. KGaA



INTUBATION KITS

10. INTUBATION KITS

TRADEWARE

The practical design of the laryngoscope family* ensures optimum hygiene and reliable functioning in every situation. Its ergonomic design guarantees problem free handling.
*Made by Kirchner&Wilhelm, Asperg, Germany

WARM LIGHT (WL) LARYNGOSCOPES

	Blade size 0 (Mac), reusable, 79 × 13 mm	MX03302
A	Blade size 1 (Mac), reusable, 93 × 20 mm	MX03303
	Blade size 2 (Mac), reusable, 112 × 20 mm	MX03304
	Blade size 3 (Mac), reusable, 130 × 23 mm	MX03305
	Blade size 4 (Mac), reusable, 150 × 25 mm	MX03306
B	Blade size 0 (Miller), reusable, 77 × 11 mm	MX03307
	Blade size 1 (Miller), reusable, 102 × 11 mm	MX03308
	Blade size 2 (Miller), reusable, 153 × 13 mm	MX03309
C	Universal laryngoscope set, reusable (Battery grip adult; blade size 0 (Miller); blade size 1 (Mac); blade size 2 (Mac); blade size 3 (Mac); blade size 4 (Mac))	MX03300
	Laryngoscope set, adult, reusable (Battery grip adult; blade size 2 (Mac); blade size 3 (Mac); blade size 4 (Mac))	MX03313
	Laryngoscope set, pediatric, reusable (Battery grip pediatric; blade size 0 (Miller); blade size 1 (Miller), blade size 2 (Mac))	MX03312
D	Battery grip, adult, 2.5 V, 28 mm Ø**	MX03301
	Battery grip, pediatric, 2.5 V, 19 mm Ø**	MX03314
E	Battery, adult, 2.5 V	MX03327
F	Vacuum lamp for blade (size 00 – 1)	MX03316
	Vacuum lamp for blade (size 2 – 5)	MX03311

**Battery grip can be used with standard batteries.



INTUBATION KITS

TRADEWARE

Made by Kirchner&Wilhelm, Asperg, Germany

FIBER OPTIC (F.O.) LARYNGOSCOPES

	F.O. blade size 0 (Mac), reusable, 82 × 14 mm	MX03319
A	F.O. blade size 1 (Mac), reusable, 93 × 14 mm	MX03320
	F.O. blade size 2 (Mac), reusable, 115 × 17 mm	MX03321
	F.O. blade size 3 (Mac), reusable, 135 × 18 mm	MX03322
	F.O. blade size 4 (Mac), reusable, 155 × 18 mm	MX03323
	F.O. blade size 00 (Miller), reusable, 66 × 11 mm	MX50052
	F.O. blade size 0 (Miller), reusable, 78 × 11 mm	MX03324
	F.O. blade size 1 (Miller), reusable, 103 × 11 mm	MX03325
B	F.O. blade size 2 (Miller), reusable, 154 × 14 mm	MX03326
	F.O. blade size 3 (Miller), reusable, 195 × 15 mm	MX50053
	F.O. blade size 4 (Miller), reusable, 210 × 18 mm	MX50054
	F.O. universal laryngoscope set, reusable (F.O. battery grip adult; F.O. blade size 0 (Miller); F.O. blade size 1 (Mac); F.O. blade size 2 (Mac); F.O. blade size 3 (Mac); F.O. blade size 4 (Mac))	MX03317
	F.O. laryngoscope set, adult, reusable (F.O. battery grip adult; F.O. blade size 2 (Mac); F.O. blade size 3 (Mac); F.O. blade size 4 (Mac))	MX03330
C	F.O. laryngoscope set, pediatric, reusable (F.O. battery grip pediatric; F.O. blade size 0 (Miller); F.O. blade size 1 (Miller); F.O. blade size 2 (Mac))	MX03329
D	F.O. battery grip, adult, 2.5 V, 28 mm Ø*	MX03318
	F.O. battery grip, pediatric, 2.5 V, 19 mm Ø*	MX03331
	Xenon lamps for battery grip, 2.5 V	MX03328
E	Battery, adult, 2.5 V	MX03327
F	Universal charging station MedCharge 4000 „ALL in ONE“	MX50028

*Battery grip can be used with standard batteries.



SPARE PARTS FOR RESUSCITATORS

11. SPARE PARTS FOR RESUSCITATORS

A	Oxidem 3000 demand valve incl. adapter (2120496, 2120488)	2111764
	1.5 m spiral hose and M12×1 screw connector	2M86291
	1.5 m spiral hose and probe for central supply system	2M86292
	3.0 m spiral hose and probe for central supply system	2M86293
	Adapter for Oxidem for M12×1 (for existing hose systems)	8410547
B	Adapter for Ambu Mark III*	2120488
C	Adapter for Laerdal**	2120496
	Adapter for Laerdal	5790124
D	Adapter for Combibag	2M86913
E	Adapter for Resutator 2000/MR-100**	2120461
F	Sealing rings for spiral hoses, 20 pcs.	M07152

*Made by Spiracle Technology
**Made by Allied Healthcare, USA





Dräger

Dräger
Lübeck, Germany
Lübeck, Germany
3051-2013 (SODA LIME)

製造販売
アイカルファ
日本東急ビル
アフロ

Made in Germany

R36033-09

Soda lime

Something you can count on:

As a medical manufacturer of soda lime, we take responsibility to offer you high quality soda lime for your anaesthesia machines. Drägersorb CLIC is a disposable absorber that is easy to use and practical to handle thanks to its hygienic cartridge.

There is:

- no contact with the soda lime when replacing the cartridge.
- no exposure to dust.

Additionally, you save on costs as the absorber filling is used up completely, and saves on time as it is easy to replace at any time – even during surgery.

CONTENT

Soda lime	99
Absorber with CLIC System	99

SODA LIME


A	Soda lime Drägersorb® 800+, for CO₂ absorption, canister, 5 l, 2 pcs.	MX00001
B	Soda lime Drägersorb® Free, for CO₂ absorption, canister, 5 l, 2 pcs.	MX50050
C	Canister opener, for canisters MX00001 and MX50050, 5 pcs.	MX10209
CO₂ ABSORBER WITH CLIC SYSTEM		
D	CLIC Absorber 800+, disposable absorber, 1.2 l, 6 pcs.	MX00004
E	CLIC Absorber Free, disposable absorber, 1.2 l, 6 pcs.	MX50100
	Infinity® ID CLIC Absorber 800+, disposable absorber, 1.2 l, 6 pcs.	MX50004
	Infinity® ID CLIC Absorber Free, disposable absorber, 1.2 l, 6 pcs.	MX50120



SODA LIME

A	Absorber adapter CLIC, for Dräger anesthesia workstations	MX50090
B	Bacteria filter IBF absorber, only use with Zeus®/Zeus® IE, 5 pcs.	MK02588
C	Dust filter Perseus, 5 pcs.	MX50115





Sensors

Something you can count on:

Sensor development is one of our core competencies. As an original sensor manufacturer, we aim to produce highly sensitive measuring technology to give you fast and accurate results. Our entire sensor portfolio is 100% compatible with all Dräger devices and systems.

We guarantee you high measuring accuracy because we believe in raising the bar when it comes to quality standards and extensive testing—every Dräger sensor has been tried and tested for reliability and effectiveness.

CONTENT

Flow sensors by Dräger 105

Oxygen sensors by Dräger 107

SENSORS

FLOW SENSORS BY DRÄGER

Hot-wire anemometry: Accurate and intelligent flow measurement

Spirolog®, neonatal flow sensors and SpiroLife® are based on proven hot-wire anemometry techniques. Due to extremely fast and accurate measurement results, as well as extremely low inspiratory and expiratory resistances, it is clearly superior to other methods. You only need one flow sensor for all patients. Neonatal flow sensors offer customized solutions for the sole exception of the specific needs of neonates in intensive care. The sterilizable neonatal flow sensors and SpiroLife® combine the advantages of hot-wire technology with the possibility of sterilizability. Therefore, they integrate seamlessly into your hospital's sterilization processes.

A	Flow sensor Spirolog®, PC/ABS, 5 pcs.	8403735
B	Flow sensor SpiroLife®, PPSU, sterilizable	MK01900
C	Flow sensor Infinity® ID, PC/ABS, 5 pcs.	6871980
D	Neonatal flow sensor with Y-piece, PSU, sterilizable	8410185
E	Neonatal flow sensor ISO 15, PSU, sterilizable	8411130
F	Insert for neonatal flow sensor, PSU, sterilizable, 5 pcs.	8410179

Differential pressure measurement: proven technology for emergencies

The sterilizable reusable flow sensor for the emergency room is based on the proven principle of differential pressure measurement. Because of its robustness, it really is the ideal solution for the specialties of the emergency room. The pressure differential sensor is used on Oxylog® 3000 plus, Oxylog® 3000 and Oxylog® 2000 plus.

Whichever Dräger flow sensor you choose – you can be sure to have made the right choice with our extensive family of flow sensors.


G	Pressure difference flow sensor, PPSU, sterilizable	8412034
----------	--	----------------



Not all articles are available worldwide.

SENSORS

A	<u>Flow sensor cable, for neonatal flow sensor, e.g., Babylog</u>	<u>8409626</u>
B	<u>MRI flow sensor extension cable, for MRI patient monitor</u>	<u>8306370</u>
C	<u>Flow sensor cable for V-series with Neo option and VN-series</u>	<u>8416600</u>



SENSORS

OXYGEN SENSORS BY DRÄGER

Oxygen for Life

Oxygen sensors have the important task of measuring and monitoring the inspiratory and/or expiratory O₂ concentration in anesthesia and respiratory devices. Oxygen sensors from Dräger satisfy the highest national and international requirements. Furthermore, they have been extensively tested and fine-tuned for proper functional performance with Dräger devices and systems. Dräger's years of experience in the field of sensors, and their high quality has even convinced NASA. Dräger O₂ sensors are electrochemical transducers used to measure O₂ partial pressure. They operate on the principle of a galvanic cell.

Examples of locations where the sensors are used include the Fabius® family, Evita® family and the Primus®. To take into account the high value of oxygen measurement, we only recommend using O₂ sensors from Dräger.

A	O₂ sensor capsule, for mainstream measurement	6850645
B	O₂ sensor OxyTrace VE, for Savina® ventilator	MX01049
C	O₂ sensor OxyTrace INCU, for Caleo®	MX01050
D	O₂ sensor Oxycell, for Babyleo® TN500	6873065
E	O₂ sensor housing Oxydig, for O₂ sensor capsule, with spiral cable	6850250





Monitoring accessories

Something you can count on:

Imagine having the exact therapeutic tool at your fingertips. With Dräger monitoring accessories, we provide you with the right accessory for every need, whether as a disposable or reusable item. You benefit from precise measurement data because we believe in striving for the highest technological standards.

We can equip you with:

- ECG single cable solutions so that you can replace conventional multi-cable systems.
- A unifying solution of ECG, pulse oximetry, and temperature monitoring in one cable.
- Reducing cable clutter.

To further improve your clinical outcomes and protect your patients' well-being, it is our commitment to deliver disposable products that prevent cross infections in hospitals. Additionally, Dräger disposables also simplify your workflows – saving you time.

CONTENT

1. Infinity® Monitoring: Gamma, Delta, Kappa and Vista series	111	3. Infinity® M300	200
1.1 MultiMed® Pods	111	3.1 Electrocardiography (ECG)	200
1.2 Electrocardiography (ECG)	113	3.2 Pulse oximetry (SpO ₂)	203
1.3 Pulse oximetry (SpO ₂)	121	3.3 Pouch	209
1.4 Temperature	139	3.4 Codensation	209
1.5 Tcore® Temperature Monitoring System	141	4. Vista 120	210
1.6 Non-invasive blood pressure (NIBP)	142	4.1 Electrocardiography (ECG)	210
1.7 CNAP continuous non-invasive arterial pressure	146	4.2 Pulse oximetry (SpO ₂)	215
1.8 Invasive blood pressure (IBP) and cardiac output (CO)	148	4.3 Non-invasive blood pressure (NIBP)	217
1.9 Infinity® PiCCO	157	4.4 Temperature	219
1.10 Bispectral index (BIS)	160	4.5 Invasive blood pressure (IBP)	222
1.11 Electroencephalography (EEG)	161	4.6 CO ₂ Sidestream	224
1.12 Neuromuscular Transmission (NMT)	162	4.7 CO ₂ Mainstream	225
1.13 Capnography etCO ₂	163	5. VISTA 120 SPOTCHECK	228
1.14 Scio	168	5.1 Pulse oximetry (SpO ₂)	228
1.15 Recorder paper	169	5.2 Non-invasive blood pressure (NIBP)	230
2. Infinity® Acute Care System	170	5.3 Temperature	232
2.1 Electrocardiography (ECG)	170	6. Multi Vendor Adapter	234
2.2 Pulse oximetry (SpO ₂)	175	6.1 ECG Adapter	234
2.3 Temperature	187	6.2 ECG Adapter Telemetry	236
2.4 Tcore® Temperature Monitoring System	189	6.3 TEMP Adapter	236
2.5 Non-invasive blood pressure (NIBP)	190		
2.6 Invasive blood pressure (IBP) and cardiac output (CO)	194		
2.7 etCO ₂	196		
2.8 ToFscan® Neuromuscular Transmission Monitor	199		

MULTIMED® PODS

**1. INFINITY® MONITORING:
GAMMA, DELTA, KAPPA AND VISTA SERIES**
1.1 MULTIMED® PODS

A	Multiparameter cable MultiMed® 5 Pod, for ECG, resp., SpO ₂ , and temp., 1.5 m	5950196
	Multiparameter cable MultiMed® 5 Pod, for ECG, resp., SpO ₂ , and temp., 2.5 m	3368391
B	Multiparameter cable MultiMed® 6 Pod, for ECG, resp., SpO ₂ , and temp., 2.5 m	5191221
C	Multiparameter cable MultiMed® plus, for ECG, resp., SpO ₂ , and temp., 2.5 m	MS20093
D	Multiparameter cable MultiMed® plus OR, for ECG, SpO ₂ , and temp., 2.5 m	MS20094
E	Multiparameter cable NeoMed Pod, for ECG, resp., SpO ₂ , temp., and FiO ₂ , 2.5 m	5590539
F	Patient parameter unit MultiMed® 12 Pod	5589663

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL




Not all articles are available worldwide.

MULTIMED® PODS

A	Holder for MultiMed® 12 Pod	5202747
B	Pod connection cable, 30 cm	7257988
	Pod connection cable, 3 m	3368425
	Pod connection cable, 5 m	5195198
C	Holder for MultiMed® 5/6, MultiMed® Plus/OR, NeoMed Pods and Tcore®, swiveling 360°	MP00721
D	Holder for MultiMed® 5/6, MultiMed® Plus/OR, and NeoMed Pods	5598128
E	Universal pole mount	7485621

GAMMA / GAMMA XL
 GAMMA X XL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLT
 VISTA
 VISTA XL



ELECTROCARDIOGRAPHY (ECG)

1.2 ELECTROCARDIOGRAPHY (ECG)

MONOLEAD® SINGLE-PIN CONNECTOR

ECG single-pin connectors can be connected directly to MultiMed® plus/MultiMed® plus OR as well as to Infinity® M300 and Infinity® M540.


MonoLead® is an ECG single cable solution patented by Dräger that replaces multi-cable systems.

The single tangle-proof lead set accommodates standard electrodes while eliminating the tangled mess that frequently occurs with traditional multi-lead sets.

Note: Not for use with Infinity® TruST™ Telemetry.

A	ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC1 (European color code), 2 m	MS14555							
	ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC2 (AHA/US color code), 2 m	MS14556							
B	ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC1 (European color code), 2.5 m	MS14559							
	ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC2 (AHA/US color code), 2.5 m	MS14560							
	ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC1 (European color code), 3 m	MS14683							
	ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC2 (AHA/US color code), 3 m	MS14682							

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL



ELECTROCARDIOGRAPHY (ECG)

MONOLEAD LONG, SINGLE-PIN CONNECTOR

Not for use with ECG extension cable MS16256.

ECG cable, 3-lead,
single-pin connector MonoLead® 3,
IEC1 (European color code), 4.1 m **MS28561**

ECG cable, 3-lead,
single-pin connector MonoLead® 3,
IEC2 (AHA/US color code), 4.1 m **MS28557**


ECG cable, 5-lead,
single-pin connector MonoLead® 5,
IEC1 (European color code), 5.3 m **MS28559**

ECG cable, 5-lead,
single-pin connector MonoLead® 5,
IEC2 (AHA/US color code), 5.3 m **MS28558**

A ECG cable, 6-lead,
single-pin connector MonoLead® 6,
IEC2 (AHA/US color code), 5.7 m **MS28560**

ECG cable, 6-lead,
single-pin connector MonoLead® 6,
IEC1 (European color code), 5.7 m **MS17185**

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL



D-7685-2010

ELECTROCARDIOGRAPHY (ECG)

MONOLEAD® DUAL PIN CONNECTOR

ECG dual-pin connectors can be connected directly to MultiMed® 5,6 and MultiMed® 12.



A	ECG cable, 3-lead, dual-pin connector MonoLead® 3, IEC1 (European color code), 2 m	MS16160
	ECG cable, 3-lead, dual-pin connector MonoLead® 3, IEC2 (AHA/US color code), 2 m	MS16233
B	ECG cable, 5-lead, dual-pin connector MonoLead® 5, IEC1 (European color code), 2.5 m	MS16161
	ECG cable, 5-lead, dual-pin connector MonoLead® 5, IEC2 (AHA/US color code), 2.5 m	MS16229

CHESTLEADS FOR USE WITH MULTIMED® 12

ECG dual-pin connectors can be connected directly to MultiMed® 12.

C	ECG cable for C lead MonoLead® 5, IEC1 (European color code), 1.5 m	MS16232
	ECG cable for V lead MonoLead® 5, IEC2 (AHA/US color code), 1.5 m	MS16230

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL



ELECTROCARDIOGRAPHY (ECG)

SINGLE-PATIENT USE ECG LEADS SINGLE-PIN CONNECTOR

ECG single-pin connectors can be connected directly to MultiMed® plus/MultiMed® plus OR as well as to Infinity® M300 and Infinity® M540.

A ECG cable, 3-lead, single-pin connector, single-patient use, IEC1 (European color code), 1 m, 20 pcs.	MP00875
ECG cable, 3-lead, single-pin connector, single-patient use, IEC2 (AHA/US color code), 1 m, 20 pcs.	MP00877
B ECG cable, 5-lead, single-pin connector, single-patient use, IEC1 (European color code), 1/1.5 m, 20 pcs.	MP00879
ECG cable, 5-lead, single-pin connector, single-patient use, IEC2 (AHA/US color code), 1/1.5 m, 20 pcs.	MP00881
C ECG cable, 6-lead, single-pin connector, single-patient use, IEC1 (European color code), 1/1.5 m, 20 pcs.	MP03122
ECG cable, 6-lead, single-pin connector, single-patient use, IEC2 (AHA/US color code), 1/1.5 m, 20 pcs.	MP03123

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL



ELECTROCARDIOGRAPHY (ECG)

REUSABLE ECG LEADS SINGLE-PIN CONNECTOR

ECG single-pin connectors can be connected directly to MultiMed® plus/MultiMed® plus OR as well as to Infinity® M300 and Infinity® M540.

A	ECG cable, 3-lead, single-pin connector, IEC1 (European color code), 1 m	MP03401	■	■	■	■	■	■
	ECG cable, 3-lead, single-pin connector, IEC2 (AHA/US color code), 1 m	MP03402	■	■	■	■	■	■
B	ECG cable, 5-lead, single-pin connector, IEC1 (European color code), 1/1.5 m	MP03403	■	■	■	■	■	■
	ECG cable, 5-lead, single-pin connector, IEC2 (AHA/US color code), 1/1.5 m	MP03404	■	■	■	■	■	■
C	ECG cable, 6-lead, single-pin connector, IEC1 (European color code), 1/1.5 m	MP03405	■	■	■	■	■	■
	ECG cable, 6-lead, single-pin connector, IEC2 (AHA/US color code), 1/1.5 m	MP03406	■	■	■	■	■	■

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL



ELECTROCARDIOGRAPHY (ECG)

REUSABLE ECG LEADS DUAL-PIN CONNECTOR

ECG dual-pin connectors can be connected directly to MultiMed® 5,6 and MultiMed® 12.


A	ECG cable, 3-lead, dual-pin connector, IEC1 (European color code), 1 m	MP03411
	ECG cable, 3-lead, dual-pin connector, IEC2 (AHA/US color code), 1 m	MP03412
B	ECG cable, 5-lead, dual-pin connector, IEC1 (European color code), 1/1.5 m	MP03413
	ECG cable, 5-lead, dual-pin connector, IEC2 (AHA/US color code), 1/1.5 m	MP03414
C	ECG cable, 6-lead, dual-pin connector, IEC1 (European color code), 1/1.5 m	MP03415
	ECG cable, 6-lead, dual-pin connector, IEC2 (AHA/US color code), 1/1.5 m	MP03416

CHESTLEADS FOR USE WITH MULTIMED® 12

ECG dual-pin connectors can be connected directly to MultiMed® 12.

D	ECG cable for C lead, IEC1 (European color code), 1 m	MP03417
	ECG cable for V lead, IEC2 (AHA/US color code), 1 m	MP03418

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL



ELECTROCARDIOGRAPHY (ECG)


ELECTRODES

A	ECG electrodes, single-patient use, adult/child, 50 pcs.	4527750
B	ECG electrodes*, single-patient use, neonate, 300 pcs.	5195024

NEONATAL ECG		
C	Electrode adapter, to connect neonatal electrodes to MultiMed® pod, 10 pcs.	5194779
D	ECG intermediate cable, 3-lead, for NeoMed Pod, 1.5 m	5592162
B	ECG electrodes*, single-patient use, neonate, 300 pcs.	5195024

*Tradeware

GAMMA / GAMMA XL
 GAMMA X XL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLT
 VISTA
 VISTA XL



ELECTROCARDIOGRAPHY (ECG)

ECG ACCESSORIES

A	ECG adapter for single-pin ECG cable to MultiMed® 5	MS14679
	ECG adapter for single-pin ECG cable to MultiMed® 6	MS14680
	Telemetry cable adapter, connects single-pin cable to telemetry transmitter	MS14681
B	ECG extension cable, 6-lead, single-pin connector, 2 m	MS16256
C	ECG extension cable, dual-pin connector, 2 m	MS16492
D	ECG ESU block, for OR use of 3- or 5-lead ECG cables with MultiMed® 5	5947226
E	ECG ESU block, for OR use of 3-, 5-, or 6-lead ECG cables with MultiMed® 6	7486140

GAMMA / GAMMA XL
 GAMMA X XL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLT
 VISTA
 VISTA XL



PULSE OXIMETRY (SPO₂)

1.3 PULSE OXIMETRY (SPO₂)

DRÄGER

DRÄGER/NELLCOR® CABLES

SpO₂ intermediate cables for connection to MultiMed® 5, 6, 12 and NeoMed Pods.

A SpO₂ intermediate cable Dräger/Nellcor®, for MultiMed® 5/6 and NeoMed pods, 1 m **3368433**


SpO₂ intermediate cable Dräger/Nellcor®, for MultiMed® 5/6 and NeoMed pods, 2 m **3375834**

SpO₂ intermediate cables for connection to MultiMed® plus/plus OR and Infinity® M300.

B SpO₂ intermediate cable Dräger/Nellcor®, for MultiMed® Plus/Plus OR, 1.2 m **MS18683**

C SpO₂ intermediate cable Dräger/Nellcor®, for MultiMed® Plus/Plus OR, 3 m **MS17330**

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL



Not all articles are available worldwide.

PULSE OXIMETRY (SPO₂)

DRÄGER REUSABLE SENSOR			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
A	SpO₂ finger sensor Dräger, reusable	MS13235	■	■	■	■	■	■	■
DRÄGER DISPOSABLE SENSORS									
B	SpO₂ adhesive sensor Dräger, vinyl, disposable, adult, 24 pcs.	MS16449	■	■	■	■	■	■	■
C	SpO₂ adhesive sensor Dräger, foam, disposable, adult, 24 pcs.	MS16445	■	■	■	■	■	■	■
D	SpO₂ adhesive sensor Dräger, vinyl, disposable, child, 24 pcs.	MS16448	■	■	■	■	■	■	■
E	SpO₂ adhesive sensor Dräger, foam, disposable, child, 24 pcs.	MS16444	■	■	■	■	■	■	■





PULSE OXIMETRY (SPO₂)

A SpO ₂ adhesive sensor Dräger, cloth, disposable, baby, 24 pcs.	MS16447
B SpO ₂ adhesive sensor Dräger, cloth, disposable, neonate, 24 pcs.	MS16446

GAMMA / GAMMA XL
 GAMMA X XL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLT
 VISTA
 VISTA XL

GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
■	■	■	■	■	■	■
■	■	■	■	■	■	■



Not all articles are available worldwide.

PULSE OXIMETRY (SPO₂)

DRÄGER/NELLCOR® CABLES

SpO₂ intermediate cables for connection to MultiMed® 5, 6, 12 and NeoMed Pods.

A SpO₂ intermediate cable Dräger/Nellcor®, for MultiMed® 5/6 and NeoMed pods, 1 m* **3368433**

SpO₂ intermediate cable Dräger/Nellcor®, for MultiMed® 5/6 and NeoMed pods, 2 m* **3375834**

SpO₂ intermediate cables for connection to MultiMed® plus/plus OR.

B SpO₂ intermediate cable Dräger/Nellcor®, for MultiMed® Plus/Plus OR, 1.2 m* **MS18683**

C SpO₂ intermediate cable Dräger/Nellcor®, for MultiMed® Plus/Plus OR, 3 m* **MS17330**

MASIMO®

MASIMO® LNCS CABLES**

SpO₂ intermediate cables for connection to Infinity® M300 and Masimo® SET Pod.

D SpO₂ intermediate cable Masimo® LNCS, 3 m **MS17522**

D SpO₂ intermediate cable Masimo® LNCS, 1.2 m **MS24303**

MASIMO® RD-SET CABLES**

Connects the Masimo SET approved sensors to the Masimo SET pod or to Infinity M300. This cable cannot be used with the MultiMed.

E SpO₂ intermediate cable Masimo® RD-SET, 3 m (9.8 ft) **MS34437**

E SpO₂ intermediate cable Masimo® RD-SET, 1.2 m (3.9 ft) **MS34436**

*Note: Requires Nellcor sensor software setting.

**Tradeware

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL



PULSE OXIMETRY (SPO₂)

MASIMO® LNCS REUSABLE SENSORS*

A	SpO ₂ finger sensor Masimo® LNCS DCI, reusable, adult	MP00796
B	SpO ₂ finger sensor Masimo® LNCS DCIP, reusable, child	MP00795
	SpO ₂ Masimo® sensor LNCS-TC-I Ear, reusable, pediatric/adult	MP00788
	SpO ₂ Masimo® sensor LNCS-YI Multisite, reusable, neonate/pediatric/adult	MP00789
	SpO ₂ Masimo® sensor LNCS-TF-I, reusable, pediatric/adult	MP00799
C	SpO ₂ Masimo® sensor LNCS-DBI, reusable, adult	MP02993

*Tradeware

GAMMA / GAMMA XL
 GAMMA X XL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLT
 VISTA
 VISTA XL



PULSE OXIMETRY (SPO₂)

MASIMO® LNCS DISPOSABLE SENSORS*

A	SpO₂ adhesive sensor Masimo® LNCS Adtx, disposable, adult, 20 pcs.	MP00790	■	■	■	■	■	■
B	SpO₂ adhesive sensor Masimo® LNCS Inf, disposable, baby, 20 pcs.	MP00791	■	■	■	■	■	■
C	SpO₂ adhesive sensor Masimo® LNCS Neo, disposable, neonate, 20 pcs.	MP00792	■	■	■	■	■	■
D	SpO₂ adhesive sensor Masimo® LNCS Pdtx, disposable, child, 20 pcs.	MP00793	■	■	■	■	■	■
E	SpO₂ adhesive sensor Masimo® LNCS NeoPt, disposable, premature baby, 20 pcs.	MP00794	■	■	■	■	■	■

*Tradeware

GAMMA / GAMMA XL
 GAMMA XXL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLT
 VISTA
 VISTA XL



PULSE OXIMETRY (SPO₂)

MASIMO® RD-SET ADAPTER CABLES*

<p>A Adapter cable RD-SET to LNOP, for connection of RD-SET sensors to Infinity® M300 and Masimo® SET Pod via the LNOP intermediate cables MS18680 and MS17041, as well as to MultiMed® 5/6/12, NeoMed Pods and MultiMed® Plus/Plus OR via the according intermediate cables MS13926/7492601 or MS20163**</p>	<p>MS33731</p>
<p>B Adapter cable RD-SET to LNCS, for connection of RD-SET sensors to Infinity® M300 and Masimo® SET Pod via the LNCS intermediate cables MS24303 or MS17522</p>	<p>MS33732</p>
<p>B Adapter cable RD-SET to MultiMed®, for connection of RD-SET sensors to MultiMed® 5/6/12, NeoMed Pods as well as MultiMed® Plus/Plus OR via the according intermediate cables 3368433/3375834 or MS18683/MS17330</p>	<p>MS33733</p>

*Tradeware

**Products are not available any more.
Adapter is to be used to switch from sensors to the installed base.

GAMMA / GAMMA XL
GAMMA XXL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL



PULSE OXIMETRY (SPO₂)

MASIMO® RD-SET REUSABLE SENSORS*

A	Masimo® RD-SET DCI sensor, adult, reusable	MS33740
B	Masimo® RD-SET DC-IP sensor, pediatric, reusable	MS33741
C	Masimo® RD-SET sensor TC-I Ear, pediatric/adult, reusable	MS40067
D	Masimo® RD-SET sensor YI Multisite, neonate/pediatric/adult, reusable	MS40070
E	Masimo® RD-SET sensor TF-I, pediatric/adult, reusable	MS40073

*Tradeware

GAMMA / GAMMA XL
 GAMMA X XL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLT
 VISTA
 VISTA XL




PULSE OXIMETRY (SPO₂)

MASIMO® RD-SET DISPOSABLE SENSORS*

A	Masimo® RD-SET sensor, adult, disposable	MS33726
B	Masimo® RD-SET sensor, pediatric, disposable	MS33727
C	Masimo® RD-SET sensor, infant, disposable	MS33728
D	Masimo® RD-SET sensor, neonatal, disposable	MS33729
E	Masimo® RD-SET sensor, neonatal preterm, disposable	MS33730

*Tradeware

GAMMA / GAMMA XL
 GAMMA X XL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLT
 VISTA
 VISTA XL



PULSE OXIMETRY (SPO₂)



**MASIMO® RD-SET TRAUMA
DISPOSABLE SENSORS***

For use with Masimo SET technology only.

A	Masimo® Trauma sensor RD-SET, adult, disposable	MS40088					
B	Masimo® Trauma sensor RD-SET, infant/pedi, disposable	MS40091					
C	Masimo® Trauma sensor RD-SET, neonate, disposable	MS40094					

*Tradeware

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL





PULSE OXIMETRY (SpO₂)

MASIMO® ACCESSORIES*

A	SpO₂ adhesive wrap Masimo® Multisite-Wrap, for LNOP YI SpO₂ sensor, 100 pcs.	7496917
B	SpO₂ adhesive wrap Masimo® Petite-Wrap, for LNOP YI SpO₂ sensor, 100 pcs.	7496909
C	SpO₂ adhesive square Masimo®, 12 pcs.	7496875
D	SpO₂ foam wrap Masimo® Foam-Wrap, neonate, LNOP YI SpO₂ sensor, 12 pcs.	7496891

*Tradeware

GAMMA / GAMMA XL
 GAMMA X XL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLT
 VISTA
 VISTA XL



PULSE OXIMETRY (SPO₂)

NELLCOR®

DRÄGER/NELLCOR® CABLES

SpO₂ intermediate cables for connection to MultiMed® 5, 6, 12 and NeoMed Pods.

A SpO₂ intermediate cable Dräger/Nellcor®, for MultiMed® 5/6 and NeoMed pods, 1 m **3368433**

SpO₂ intermediate cable Dräger/Nellcor®, for MultiMed® 5/6 and NeoMed pods, 2 m **3375834**

SpO₂ intermediate cables for connection to, MultiMed® plus/plus OR, Infinity® M300 and Nellcor® Oximax.

B SpO₂ intermediate cable Dräger/Nellcor®, for MultiMed® Plus/Plus OR, 1.2 m **MS18683**

C SpO₂ intermediate cable Dräger/Nellcor®, for MultiMed® Plus/Plus OR, 3 m **MS17330**

GAMMA / GAMMA XL
 GAMMA X XL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLT
 VISTA
 VISTA XL



PULSE OXIMETRY (SPO₂)

NELLCOR® REUSABLE SENSORS*

A	SpO₂ finger sensor Nellcor® DURA DS 100A	7262764							
B	SpO₂ multisite sensor Nellcor® DURA-Y™, reusable	MX01004							
C	Ear clip for Nellcor® DURA-Y™	MX01005							
D	Adhesive wrap for Nellcor® Oxiband™ A/N, 100 pcs.	8201012							
E	Adhesive wrap for Nellcor® Oxiband™ P/I, 100 pcs.	2170221							

*Tradeware

GAMMA / GAMMA XL
 GAMMA X XL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLT
 VISTA
 VISTA XL



PULSE OXIMETRY (SPO₂)

NELLCOR® DISPOSABLE SENSORS*

A	SpO₂ adhesive sensor Nellcor® Oximax® Max-A, disposable, adult, cable 46 cm, 24 pcs.	MX50065
B	SpO₂ adhesive sensor Nellcor® Oximax® Max-AL, disposable, adult, cable 91 cm, 24 pcs.	MX50071
C	SpO₂ adhesive sensor Nellcor® Oximax® Max-I, disposable, child, 24 pcs.	MX50067
D	SpO₂ adhesive sensor Nellcor® Oximax® Max-N, disposable, neonate/adult, 24 pcs.	MX50068
E	SpO₂ adhesive sensor Nellcor® Oximax® Max-P, disposable, child, 24 pcs.	MX50066

*Tradeware

GAMMA / GAMMA XL
 GAMMA XXL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLT
 VISTA
 VISTA XL




PULSE OXIMETRY (SpO₂)

For use with Oximax® technology.

A SpO ₂ adhesive sensor Nellcor® Oximax® Max-Fast*, disposable, application on forehead, 24 pcs.	MX50070
B SpO ₂ adhesive sensor Nellcor® Oximax® Max-R*, disposable, application on nose, 24 pcs.	MX50069
C SpO ₂ Nellcor® FLEXMAX* Adt	MS34677
C SpO ₂ Nellcor® FLEXMAX* Pdt	MS34678

*Tradeware

GAMMA / GAMMA XL
 GAMMA X XL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLT
 VISTA
 VISTA XL



TEMPERATURE

REUSABLE TEMPERATURE PROBES

A	General-purpose temperature probe, reusable, adult, 7-pin connector, 1.5 m	4329889
A	General-purpose temperature probe, reusable, adult, 7-pin connector, 3 m	5204644
A	General-purpose temperature probe, reusable, child, 7-pin connector, 1.5 m	4329848
A	General-purpose temperature probe, reusable, child, 7-pin connector, 3 m	5204651
B	Skin temperature probe, reusable, with 7-pin connector, 1.5 m	4329822
B	Skin temperature probe, reusable, with 7-pin connector, 3 m	5204669
C	Protective cover for general-purpose temperature probe, contains latex, 10 pcs.	7014616
	Protective cover* for general-purpose temperature probe, latexfree, 100 pcs.	MS40243

*Tradeware

GAMMA / GAMMA XL
 GAMMA X XL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLT
 VISTA
 VISTA XL



TCORE® TEMPERATURE MONITORING SYSTEM

1.5 TCORE® TEMPERATURE MONITORING SYSTEM

Tcore® – a new non-invasive technology for accurate core temperature monitoring Tcore® employs a unique dual-sensor heat flux technology, which, following a short ramp-up time, calculates core body temperature continuously and accurately. A simple, self-adhesive sensor – for children from 5 years of age and adults – placed on the patient's forehead is all that's required. This single-use sensor can be connected through a battery-powered adapter to all current Dräger monitors*, eliminating the need for a dedicated display.

*Exception: Vista 120 product family, patient monitors.

A	Tcore® adapter, reusable	MP00999							
B	Tcore® sensor, single patient use	MP00989							
C	Tcore® extension cable	MP02201							
D	Holder for MultiMed® 5/6, MultiMed® Plus/OR, NeoMed Pods and Tcore®, swiveling 360°	MP00721							

GAMMA / GAMMA XL
 GAMMA X XL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLT
 VISTA
 VISTA XL



NON-INVASIVE BLOOD PRESSURE (NIBP)

1.6 NON-INVASIVE BLOOD PRESSURE (NIBP)

NIBP HOSES

A NIBP connection tube, adult, 3.7 m, for Infinity® monitors	MP00953
B NIBP hose, neonate, 2.4 m	2870298

GAMMA / GAMMA XL
 GAMMA X XL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLT
 VISTA
 VISTA XL




NON-INVASIVE BLOOD PRESSURE (NIBP)

NIBP CUFFS, REUSABLE

A	① NIBP cuff XXS, reusable, infant, 8 – 13 cm/13 cm	MP00911							
	② NIBP cuff XS, reusable, child, 12 – 19 cm/19 cm	MP00912							
	③ NIBP cuff S, reusable, small adult, 17 – 25 cm/29 cm	MP00913							
	④ NIBP cuff M, reusable, adult, 23 – 33 cm/33 cm	MP00915							
	⑤ NIBP cuff M+, reusable, adult, long, 23 – 33 cm/43 cm	MP00916							
	⑥ NIBP cuff M++, reusable, adult, extra long, 23 – 33 cm/53 cm	MP00917							
	⑦ NIBP cuff L, reusable, large adult, 31 – 40 cm/40 cm	MP00918							
	⑧ NIBP cuff L+, reusable, large adult, long, 31 – 40 cm/55 cm	MP00919							
	⑨ NIBP cuff XL, reusable, thigh, 38 – 50 cm/50 cm	MP00921							

GAMMA / GAMMA XL
 GAMMA X XL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLT
 VISTA
 VISTA XL




Not all articles are available worldwide.

NON-INVASIVE BLOOD PRESSURE (NIBP)

NIBP CUFFS, SINGLE-PATIENT USE

A	1	NIBP cuff XXS, single-patient use, infant, 8 – 13 cm/13 cm, 10 pcs.	MP00924						
	2	NIBP cuff XS, single-patient use, child, 12 – 19 cm/19 cm, 10 pcs.	MP00925						
	3	NIBP cuff S, single-patient use, small adult, 17 – 25 cm/29 cm, 10 pcs.	MP00926						
	4	NIBP cuff M, single-patient use, adult, 23 – 33 cm/33 cm, 10 pcs.	MP00928						
	5	NIBP cuff M+, single-patient use, adult long, 23 – 33 cm/43 cm, 10 pcs.	MP00929						
	6	NIBP cuff M++, single-patient use, adult extra long, 23 – 33 cm/53 cm, 10 pcs.	MP00930						
	7	NIBP cuff L, single-patient use, large adult, 31 – 40 cm/40 cm, 10 pcs.	MP00931						
	8	NIBP cuff L+, single-patient use, large adult long, 31 – 40 cm/55 cm, 10 pcs.	MP00932						
	9	NIBP cuff XL, single-patient use, thigh, 38 – 50 cm/50 cm, 10 pcs.	MP00934						

GAMMA / GAMMA XL
 GAMMA XXL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLT
 VISTA
 VISTA XL



CNAP CONTINUOUS NON-INVASIVE ARTERIAL PRESSURE

1.7 CNAP CONTINUOUS NON-INVASIVE ARTERIAL PRESSURE

A	Starter kit for patient parameter unit Infinity® CNAP™ SmartPod®	MS17075
	Includes the following accessories:	
	CNAP™ cuff controller and cradle	MS26125
B	CNAP™ intermediate cable for Infinity® CNAP™ SmartPod®, for CNAP™ controller	MS15893
C	CNAP™ cuff controller forearm strap	MS26122
D	Cuff controller cradle allows CNAP™ cuff controller to “slide” with movement of patient’s arm	MS26123


GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL



CNAP CONTINUOUS NON-INVASIVE ARTERIAL PRESSURE

A	CNAP™ sensor cuff, size L	MS15896
B	CNAP™ sensor cuff, size M	MS15895
C	CNAP™ sensor cuff, size S	MS15894
D	Pod connection cable, 3 m	3368425
E	Universal pole mount	7485621

GAMMA / GAMMA XL
 GAMMA X XL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLT
 VISTA
 VISTA XL




INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)

1.8 INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)

IBP AND CO HEMO PODS

A	Infinity® MPod-QuadHemo, cardiac output, 2 temperatures, up to 4 invasive pressures	MS20725
B	Patient parameter unit Infinity® HemoMed Pod	5588822
C	Connection cable, connects HemoMed Pod to monitor, 3 m	5591925
	Connection cable, connects HemoMed Pod to monitor, 5 m	5591933
D	Universal pole mount	7485621

GAMMA / GAMMA XL
 GAMMA X XL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLT
 VISTA
 VISTA XL




INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)

IBP QUADHEMO ADAPTERS

A	IBP transducer adapter Abbott/Medex/ICU Medical	MS22535				
	IBP transducer adapter Argon/Merit Medical	MS22148				
	IBP transducer adapter Baxter/Edwards	MS22147				
B	IBP transducer adapter Utah Medical	MS22534				
C	IBP transducer adapter cable, Dräger 7-pin	MS22533				
D	IBP transducer adapter cable, Dräger 10-pin	MS22532				

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL




INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)

IBP HEMO POD ADAPTERS AND PLATES

A	Pod adapter, 10-pin, for pressure transducer	3375958
B	Pod adapter, for Abbott/Medex/ICU Medical pressure transducer	5196998
C	Pod adapter, for Edwards pressure transducer	5196980
D	Pod adapter, for Argon/Merit Medical pressure transducer (former Becton Dickinson/Ohmeda)	3375941
	Pod adapter SensoNor, for connecting pressure transducer cables, 7-pin	MS23598

GAMMA / GAMMA XL
 GAMMA XXL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLIT
 VISTA
 VISTA XL





INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)

A IBP pressure transducer plate, for Hemo2/4 Pods, for Abbott Transpac IV, 5 pcs.	7270460
B IBP pressure transducer plate, for Hemo2/4 Pods, for Abbott TranspacII/III/Braun, 5 pcs.	5192112
C IBP pressure transducer plate, for Hemo4 Pod, for Memscap (Capto/SensoNor), 5 pcs.	4721416
D IBP pressure transducer plate, for Hemo4 Pod, universal, 5 pcs.	4721424
IBP pressure transducer plate, for Hemo2 Pod, for Memscap (Capto/SensoNor), 5 pcs.	4721614

GAMMA / GAMMA XL
 GAMMA X XL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLT
 VISTA
 VISTA XL

■	■	■	■
■	■	■	■
■	■	■	■
■	■	■	■
■	■	■	■



Not all articles are available worldwide.

INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)

IBP Y-ADAPTERS AND CABLES

A	IBP Y-adapter, 7-pin	5592147
B	IBP Y-adapter, 10-pin	5731281
C	IBP adapter, 10-pin to 7-pin	3368383
D	IBP Y-adapter, 10-pin to 7-pin	5588095
E	IBP Y-cable, Baxter/Edwards, 3.7 m	5206607

GAMMA / GAMMA XL
 GAMMA X XL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLT
 VISTA
 VISTA XL




INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)

IBP MEMSCAP CABLES AND TRANSDUCERS

A	IBP pressure transducer cable for Memscap (Capto/SensoNor), 3.7 m	4321563
	IBP pressure transducer for Memscap (Capto/SensoNor) 844, disposable, sterile, 50 pcs.	7864908
B	IBP Y-cable, for Memscap (Capto/SensoNor), 3.7 m	5195180
C	IBP pressure transducer set* for Memscap (Capto/SensoNor) 844, disposable, 10 pcs.	7489433
D	IBP holder* for pressure transducer Memscap (Capto/SensoNor) 844, 4 pcs.	7864155
E	IBP pressure transducer* for Memscap (Capto/SensoNor) 844, reusable	7489417
	IBP pressure transducer set* for Memscap (Capto/SensoNor) 844	7498947

*Tradeware

GAMMA / GAMMA XL
 GAMMA X XL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLT
 VISTA
 VISTA XL



INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)

IBP OHMEDA CABLES AND TRANSDUCERS

A	IBP connection cable Argon/Merit Medical, 3.7 m (12.1 ft)	3375933
B	IBP Y-cable Argon/Merit Medical 3.7 m (12.1 ft)	5206581
C	IBP pressure transducer set* Argon/Merit Medical disposable, sterile, 5 pcs.	4528741

*Tradeware

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLIT
VISTA
VISTA XL



INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)

CO CABLES, CATHETERS AND THERMISTORS

A	CO thermistor cable* Argon/Merit Medical	8420077
B	CO thermistor T-piece* Argon/Merit Medical	5741975
C	CO thermistor cable* Baxter/Edwards	8539983
D	CO connection cable, 1 m	3368458
E	CO catheter cable	8419160

*Tradeware

GAMMA / GAMMA XL
 GAMMA X XL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLT
 VISTA
 VISTA XL



INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)



Hemodynamic Connectivity

Infinity Acute Care System		Infinity Bedside Monitors	
Infinity M540 MS3887 2.0 M MS3889 2.9 M	Hemodynamic cable + Monitor IBP	Infinity Gamma X XL Vista XL	Infinity Delta/XL
Infinity Kappa Kappa XLT *PICCO not supported	Hemodynamic cable + Monitor IBP Aux/Hemo	Infinity Kappa Hemodynamic cable + HemoMed Aux/Hemo 2, 3	Infinity Kappa XLT Hemodynamic cable + HemoMed Aux/Hemo 2, 3
725788 0.3 M 388425 3.0 M 595835 5.0 M	HemoMed	551925 3.0 M 551935 5.0 M	HemoMed

Dual Hemo	Quad Hemo	PICCO Gen II	Hemo2	Hemo4	PICCO	HemoMed
MS20753 A B	MS20725 A B C D	MS20183 Kappa XLT does not support PICCO Gen II + + + + B C D	4319435 Sold out A B	4319661 Sold out A B C D	MS16724 Kappa XLT does not support PICCO Sold out + + + + C D	5588822 + + + + A B C D

Vendor specific adapter cables [A-B-C-D]		Vendor specific Hemo Pod adapters [AB-CD]		Cardiac Output (C.O.)		Temperature	
7 Pin MS22633	10 Pin MS22632	7 Pin MS23958	10 Pin 3375958	Reusable Adult 4329822 1.5m 5204658 3m	Single Patient Use Adult MFO0996 1.5m MFO0998 3m MFO0997 1.5m MFO0999 3m	Reusable Adult 4329891 1.5m 5204644 3m 4329848 1.5m 5204651 3m	Single Patient Use Adult MFO0991 1.5m MFO0992 3m MFO0993 1.5m MFO0994 3m
7 Pin MS22635	10 Pin MS22636	7 Pin MS22636	10 Pin 3375958	Reusable Adult 4329891 1.5m 5204644 3m 4329848 1.5m 5204651 3m	Single Patient Use Adult MFO0991 1.5m MFO0992 3m MFO0993 1.5m MFO0994 3m	Reusable Adult 4329891 1.5m 5204644 3m 4329848 1.5m 5204651 3m	Single Patient Use Adult MFO0991 1.5m MFO0992 3m MFO0993 1.5m MFO0994 3m
7 Pin MS22635	10 Pin MS22636	7 Pin MS22636	10 Pin 3375958	Reusable Adult 4329891 1.5m 5204644 3m 4329848 1.5m 5204651 3m	Single Patient Use Adult MFO0991 1.5m MFO0992 3m MFO0993 1.5m MFO0994 3m	Reusable Adult 4329891 1.5m 5204644 3m 4329848 1.5m 5204651 3m	Single Patient Use Adult MFO0991 1.5m MFO0992 3m MFO0993 1.5m MFO0994 3m


INFINITY® PiCCO

1.9 INFINITY® PiCCO


A	Infinity® PiCCO Gen II SmartPod®	MS23133	■	■		
	Infinity® PiCCO Gen II SmartPod® kit	MS32282	■	■		
B	CO thermistor cable* for Infinity® PiCCO Pod	MS16919	■	■		
	CO catheter cable for Infinity® PiCCO Pod	MS16918	■	■		
	CO cable for Infinity® PiCCO Pod	MS16916	■	■		
C	IBP transducer adapter cable, Dräger 10-pin	MS22532	■	■		
D	Pod adapter, 10-pin, for pressure transducer	3375958	■	■		
	Adapter cable* for Infinity® PiCCO SmartPod®, for 10-pin connector	MS16920	■	■		

*Tradeware

GAMMA / GAMMA XL
 GAMMA X XL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLT
 VISTA
 VISTA XL




INFINITY® PiCCO



10-2016

INFINITY® PiCCO GEN II SMARTPOD®



Not all articles are available worldwide.

BISPECTRAL INDEX (BIS)

1.10 BISPECTRAL INDEX (BIS)

INFINITY® BISX SMARTPOD®

A	Patient parameter unit Infinity® BISx SmartPod®	MS14796
---	--	---------

GAMMA / GAMMA XL
 GAMMA X XL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLT
 VISTA
 VISTA XL

A



MT-5816-2006

ELECTROENCEPHALOGRAPHY (EEG)


1.11 ELECTROENCEPHALOGRAPHY (EEG)

INFINITY® EEG POD AND ACCESSORIES

A	Patient parameter unit Infinity® EEG Pod	5736744
B	EEG electrode cable, color-coded, 9 pcs.	5947804
C	Block for EEG referential lead conversion	5954859
D	EEG electrodes*, disposable, 25 pcs.	MS29468

*Tradeware

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL




NEUROMUSCULAR TRANSMISSION (NMT)

1.12 NEUROMUSCULAR TRANSMISSION (NMT)

INFINITY® TRIDENT (NMT) SMARTPOD® AND ACCESSORIES

A	Patient parameter unit set Infinity® Trident® NMT SmartPod®	MS15007
	Includes the following accessories:	
B	NMT accelerometer Trident®	MS15085
C	NMT thermistor Trident®	MS15053
D	NMT hand adapter Trident®	MS15086
E	NMT thumb adapter for Infinity® Trident (NMT) SmartPod®, disposable, 50 pcs.	MS15084
F	NMT intermediate cable for Infinity® Trident (NMT) SmartPod®, 1.9 m	7872174
	NMT electrode cable Trident®, 2-lead, 0.3 m	MS13218
G	Bed clip for cables	MS15087

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL





CAPNOGRAPHY ETCO₂

1.13 CAPNOGRAPHY ETCO₂

A	etCO₂ airway adapter, reusable, adult	4721796
A	etCO₂ airway adapter, reusable, neonate	4721788
B	CO₂ airway adapter*, adult, disposable, 10 pcs.	2606227
C	CO₂ airway adapter*, neonatal (infant/pediatric), disposable, 10 pcs.	2606228

*Tradeware

GAMMA / GAMMA XL
 GAMMA X XL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLT
 VISTA
 VISTA XL



CAPNOGRAPHY ETCO₂

CO₂ CABLES

A MCable Mainstream CO ₂ , for Evita, Infinity® V500, Infinity® M540, Vista120, Vista120 S, and Delta VF9.1 and higher For fans and monitors that have a yellow connector for the CO ₂ sensor.	6871950
B Y-cable CO ₂ and analog/sync	MS22259

CO₂ CUVETTES, DISPOSABLE

C CO ₂ cuvette disposable, adult, 10 pcs.	MP01062
D CO ₂ cuvette disposable, pediatric, 10 pcs.	MP01063

CO₂ CUVETTES, REUSABLE

E CO ₂ cuvette reusable, adult	6870279
F CO ₂ cuvette reusable, pediatric	6870280

GAMMA / GAMMA XL
 GAMMA X XL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLT
 VISTA
 VISTA XL



CAPNOGRAPHY ETCO₂

ACCESSORIES

Calibration set, with test connection and test gas cylinder	8412710
Test gas cylinder 5 Vol.% CO ₂ , 95 Vol. % N ₂	6850435
A Parking holder for CO ₂ sensor	8416352
Test filter	6870281

GAMMA / GAMMA XL
 GAMMA X XL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLT
 VISTA
 VISTA XL



CAPNOGRAPHY ETCO₂

ETCO₂ MICROSTREAM ADAPTERS AND CANNULAS*

A	etCO ₂ airway adapter Microstream®, adult/child, max. 12 h, 25 pcs.	7869535
B	etCO ₂ airway adapter Microstream®, neonate/child, max. 72 h, 25 pcs.	7869550
C	etCO ₂ airway adapter Microstream®, adult/child, max. 72 h, 25 pcs.	7869543
D	etCO ₂ nasal cannula Microstream®, adult, max. 12 h, 25 pcs.	7869477
E	etCO ₂ nasal cannula Microstream®, child, max. 12 h, 25 pcs.	7869469
F	etCO ₂ nasal cannula Microstream®, adult, max. 24 h, 25 pcs.	7869592

*Tradeware

GAMMA / GAMMA XL
 GAMMA X XL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLT
 VISTA
 VISTA XL



CAPNOGRAPHY ETCO₂

A	etCO ₂ nasal cannula Microstream®, + O ₂ , adult, max. 24 h, 25 pcs.	7869493
	etCO ₂ nasal cannula Microstream®, + O ₂ , child, max. 24 h, 25 pcs.	7869485
B	etCO ₂ nasal/mouth cannula Microstream®, + O ₂ , child, max. 12 h, 25 pcs.	7869584
C	etCO ₂ nasal/mouth cannula Microstream®, child, max. 12 h, 25 pcs.	7869501
	Smart Capnoline® Plus, adult/intermediate, 25 pcs.	MS26187
	Smart Capnoline® Plus O ₂ , adult/intermediate, 25 pcs.	MS26188

GAMMA / GAMMA XL
 GAMMA X XL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLT
 VISTA
 VISTA XL



Not all articles are available worldwide.

SCIO

1.14 SCIO

SCIO ACCESSORIES

A	Calibration kit MultiGas, incl. bottle, regulator, reservoir bag	5207415
B	Sample line, disposable, 10 pcs.	8290286
C	Watertrap WaterLock® 2, 12 pcs.	6872130
	Water trap Infinity® ID WaterLock® 2, 12 pcs.	6872020
	Sample gas return line for Fabius®, with filter	M32692
D	Bacterial filter for Dräger patient monitors, disposable	8402868



RECORDER PAPER

1.15 RECORDER PAPER

A Recording paper for Infinity® R 50, 50 mm, approx. 30 m, 10 rolls	4711201
---	----------------

GAMMA / GAMMA XL
 GAMMA X XL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLT
 VISTA
 VISTA XL




INFINITY® ACUTE CARE SYSTEM

2. INFINITY® ACUTE CARE SYSTEM

2.1 ELECTROCARDIOGRAPHY (ECG)

MONOLEAD® SINGLE-PIN CONNECTOR

A	ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC1 (European color code), 2 m	MS14555
	ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC2 (AHA/US color code), 2 m	MS14556
B	ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC1 (European color code), 2.5 m	MS14559
	ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC2 (AHA/US color code), 2.5 m	MS14560
	ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC1 (European color code), 3 m	MS14683
	ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC2 (AHA/US color code), 3 m	MS14682



INFINITY® ACUTE CARE SYSTEM

MONOLEAD LONG, SINGLE-PIN CONNECTOR

Not for use with ECG extension cable MS16256.

ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC1 (European color code), 4.1 m **MS28561**

ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC2 (AHA/US color code), 4.1 m **MS28557**

ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC1 (European color code), 5.3 m **MS28559**

ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC2 (AHA/US color code), 5.3 m **MS28558**

A ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC2 (AHA/US color code), 5.7 m **MS28560**

ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC1 (European color code), 5.7 m **MS17185**

CHESTLEADS MONOLEAD®

ECG cable, 4-lead, single-pin connector MonoLead® 4, IEC1 (European color code), 1.7 m **MS14693**

ECG cable, 4-lead, single-pin connector MonoLead® 4, IEC2 (AHA/US color code), 1.7 m **MS14694**

ECG cable, 4-lead, single-pin connector MonoLead® 4, IEC1 (European color code), 3.7 m* **MS20476**

ECG cable, 4-lead, single-pin connector MonoLead® 4, IEC2 (AHA/US color code), 3.7 m* **MS20475**

*Not for use with extension cable MS31435.



INFINITY® ACUTE CARE SYSTEM

REUSABLE ECG LEADS SINGLE-PIN CONNECTOR

A	ECG cable, 3-lead, single-pin connector, IEC1 (European color code), 1 m	MP03401
	ECG cable, 3-lead, single-pin connector, IEC2 (AHA/US color code), 1 m	MP03402
B	ECG cable, 5-lead, single-pin connector, IEC1 (European color code), 1/1.5 m	MP03403
	ECG cable, 5-lead, single-pin connector, IEC2 (AHA/US color code), 1/1.5 m	MP03404
C	ECG cable, 6-lead, single-pin connector, IEC1 (European color code), 1/1.5 m	MP03405
	ECG cable, 6-lead, single-pin connector, IEC2 (AHA/US color code), 1/1.5 m	MP03406
CHESTLEADS		
D	ECG cable, 4-lead, single-pin connector, IEC1 (European color code), 1 m	MP03407
	ECG cable, 4-lead, single-pin connector, IEC2 (AHA/US color code), 1 m	MP03408



INFINITY® ACUTE CARE SYSTEM

**SINGLE-PATIENT USE ECG LEADS
SINGLE-PIN CONNECTOR**

A ECG cable, 3-lead, single-pin connector, single-patient use, IEC1 (European color code), 1 m, 20 pcs. **MP00875**

ECG cable, 3-lead, single-pin connector, single-patient use, IEC2 (AHA/US color code), 1 m, 20 pcs. **MP00877**

B ECG cable, 5-lead, single-pin connector, single-patient use, IEC1 (European color code), 1/1.5 m, 20 pcs. **MP00879**

ECG cable, 5-lead, single-pin connector, single-patient use, IEC2 (AHA/US color code), 1/1.5 m, 20 pcs. **MP00881**


C ECG cable, 6-lead, single-pin connector, single-patient use, IEC1 (European color code), 1/1.5 m, 20 pcs. **MP03122**

ECG cable, 6-lead, single-pin connector, single-patient use, IEC2 (AHA/US color code), 1/1.5 m, 20 pcs. **MP03123**

**SINGLE-PATIENT USE ECG LEADS
SINGLE-PIN CONNECTOR FOR CHESTLEADS**

D ECG cable, 4-lead, single-pin connector, single-patient use, IEC1 (European color code), 1 m, 20 pcs. **MP03120**

ECG cable, 4-lead, single-pin connector, single-patient use, IEC2 (AHA/US color code), 1 m, 20 pcs. **MP03121**



Not all articles are available worldwide.

INFINITY® ACUTE CARE SYSTEM

ELECTRODES

A	ECG electrodes, single-patient use, adult/child, 50 pcs.	4527750
B	ECG electrodes*, single-patient use, neonate, 300 pcs.	5195024

NEONATAL ECG

	ECG neonatal 3-lead adapter cable, 2 m	MS25951
B	ECG electrodes*, single-patient use, neonate, 300 pcs.	5195024

ECG ACCESSORIES

C	ECG adapter for single-pin ECG cable to MultiMed® 5	MS14679
	ECG adapter for single-pin ECG cable to MultiMed® 6	MS14680
D	ECG „4-lead“ spacer, 10 pcs.	MS22832
E	ECG extension cable, 6-lead, single-pin connector, 2 m	MS16256
F	ECG extension cable, 4-lead, single-pin connector, 2 m	MS31435

*Tradeware



INFINITY® ACUTE CARE SYSTEM

2.2 PULSE OXIMETRY (SpO₂)

MASIMO®

For Masimo® accessories, specific part numbers for USA and Japan apply. Please contact your local Dräger Sales representative for further information.

MASIMO® LNCS CABLES*

For connection of LNCS sensors to Masimo® SET Mcable.

A	<u>SpO₂ intermediate cable Masimo® LNCS, 1.2 m</u>	<u>MP00800</u>
A	<u>SpO₂ intermediate cable Masimo® LNCS, 3 m</u>	<u>MP00797</u>
A	<u>SpO₂ intermediate cable Masimo® LNCS, 4.3 m</u>	<u>MP03194</u>

For connection of LNCS sensors to Masimo® rainbow SET Mcable.

B	<u>SpO₂ intermediate cable Masimo® Red LNCS, 1.2 m</u>	<u>MP02991</u>
B	<u>SpO₂ intermediate cable Masimo® Red LNCS, 3 m</u>	<u>MP02992</u>
B	<u>SpO₂ intermediate cable Masimo® Red LNCS, 4.3 m</u>	<u>MP03196</u>

*Tradeware



INFINITY® ACUTE CARE SYSTEM

MASIMO® LNCS REUSABLE SENSORS*

A	SpO₂ finger sensor Masimo® LNCS DCI, reusable, adult	MP00796
B	SpO₂ finger sensor Masimo® LNCS DCIP, reusable, child	MP00795
	SpO₂ Masimo® sensor LNCS-TC-I Ear, reusable, pediatric/adult	MP00788
	SpO₂ Masimo® sensor LNCS-TF-I, reusable, pediatric/adult	MP00799
	SpO₂ Masimo® sensor LNCS-YI Multisite, reusable, neonate/pediatric/adult	MP00789
C	SpO₂ Masimo® sensor LNCS-DBI, reusable, adult	MP02993

*Tradeware



INFINITY® ACUTE CARE SYSTEM

MASIMO® DISPOSABLE SENSORS*

A SpO ₂ adhesive sensor Masimo® LNCS Adtx, disposable, adult, 20 pcs.	MP00790
B SpO ₂ adhesive sensor Masimo® LNCS Inf, disposable, baby, 20 pcs.	MP00791
C SpO ₂ adhesive sensor Masimo® LNCS Neo, disposable, neonate, 20 pcs.	MP00792
D SpO ₂ adhesive sensor Masimo® LNCS Pdtx, disposable, child, 20 pcs.	MP00793
E SpO ₂ adhesive sensor Masimo® LNCS NeoPt, disposable, premature baby, 20 pcs.	MP00794

*Tradeware




INFINITY® ACUTE CARE SYSTEM

MASIMO® LNCS TRAUMA SENSORS*

Masimo® LNCS Trauma sensors are for use with Masimo® SET technology only.

A Masimo® LNCS Trauma sensor, adult, 20 pcs.	MP03191
B Masimo® LNCS Trauma sensor, infant/pedi, 20 pcs.	MP03193
C Masimo® LNCS Trauma sensor, neonate, 20 pcs.	MP03192

*Tradeware



INFINITY® ACUTE CARE SYSTEM

MASIMO® RD-SET CABLES*

Connection of RD-SET sensors to Masimo® SET Mcable.

- A RD-SET intermediate cable for Masimo® SET Mcable, 1.5 m MS33736
- A RD-SET intermediate cable for Masimo® SET Mcable, 3.6 m MS33737


For connection of RD-SET sensors to Masimo® rainbow SET Mcable.

- B RD-SET intermediate cable for Masimo® rainbow SET Mcable, 1.5 m MS33738
- B RD-SET intermediate cable for Masimo® rainbow SET Mcable, 3.6 m MS33739

MASIMO® RD-SET DISPOSABLE SENSORS*

- C Masimo® RD-SET sensor, adult, disposable MS33726
- D Masimo® RD-SET sensor, pediatric, disposable MS33727
- E Masimo® RD-SET sensor, infant, disposable MS33728
- F Masimo® RD-SET sensor, neonatal, disposable MS33729
- G Masimo® RD-SET sensor, neonatal preterm, disposable MS33730

*Tradeware



Not all articles are available worldwide.

INFINITY® ACUTE CARE SYSTEM

MASIMO® RD-SET REUSABLE SENSORS*

A	Masimo® RD-SET DCI sensor, adult, reusable	MS33740
B	Masimo® RD-SET DC-IP sensor, pediatric, reusable	MS33741
C	Masimo® RD-SET sensor TC-I Ear, pediatric/adult, reusable	MS40067
D	Masimo® RD-SET sensor YI Multisite, neonate/pediatric/adult, reusable	MS40070
E	Masimo® RD-SET sensor TF-I, pediatric/adult, reusable	MS40073

MASIMO® RD-SET TRAUMA DISPOSABLE SENSORS*

For use with Masimo SET technology only.

F	Masimo® Trauma sensor RD-SET, adult, disposable	MS40088
G	Masimo® Trauma sensor RD-SET, infant/pedi, disposable	MS40091
	Masimo® Trauma sensor RD-SET, neonate, disposable	MS40094

*Tradeware



INFINITY® ACUTE CARE SYSTEM

MASIMO® RAINBOW CABLES*

For connection of rainbow sensors to Masimo® rainbow SET Mcable.

A	SpO₂ intermediate cable Masimo® rainbow, 1.2 m	MP02974
A	SpO₂ intermediate cable Masimo® rainbow, 3.6 m	MP02975

MASIMO® RAINBOW DISPOSABLE SENSORS (SPCO, SPMET, SPOC, PVI)*

B	Rainbow sensor R25-L, neonate, 10 pcs.	MP02961
C	Rainbow sensor R20-L, infant, 10 pcs.	MP02962
D	Rainbow sensor R25, pedi, 10 pcs.	MP02959
E	Rainbow sensor R20, adult, 10 pcs.	MP02960

MASIMO® RAINBOW REUSABLE SENSORS (SPCO, SPMET, SPOC, PVI)*

F	Rainbow sensor DCI, Adt	MP02971
	Rainbow sensor DCIP, pedi	MP02972

*Tradeware



INFINITY® ACUTE CARE SYSTEM

MASIMO® RD RAINBOW SET MCABLE*


A	Masimo® RD rainbow SET sensor, disposable, adult	MS40076
B	Masimo® RD rainbow SET sensor, disposable, pediatric	MS40079
C	Masimo® RD rainbow SET sensor, disposable, infant	MS40082
D	Masimo® RD rainbow SET sensor, disposable, neonate	MS40085

MASIMO RD RAINBOW DISPOSABLE SENSORS (SPHB, SPMET, SPOC, PVI)*

For connection of RD-SET sensors to Masimo® rainbow SET Mcable.

E	RD-SET intermediate cable for Masimo® rainbow SET Mcable, 1.5 m	MS33738
E	RD-SET intermediate cable for Masimo® rainbow SET Mcable, 3.6 m	MS33739

*Tradeware





INFINITY® ACUTE CARE SYSTEM

MASIMO® ACCESSORIES*

A SpO ₂ adhesive wrap Masimo® Multisite-Wrap, for LNOP YI SpO ₂ sensor, 100 pcs.	7496917
B SpO ₂ adhesive wrap Masimo® Petite-Wrap, for LNOP YI SpO ₂ sensor, 100 pcs.	7496909
C SpO ₂ adhesive square Masimo®, 12 pcs.	7496875
D SpO ₂ foam wrap Masimo® Foam-Wrap, neonate, LNOP YI SpO ₂ sensor, 12 pcs.	7496891

*Tradeware



INFINITY® ACUTE CARE SYSTEM

A	Headband* LNCS TF-I, 5 pcs.	MP03197
B	Adhesive Pad* LNCS TF-I, 20 pcs.	MP03198
C	Masimo® rainbow sensor cover*, 10 pcs.	MP03203

*Tradeware



INFINITY® ACUTE CARE SYSTEM



Masimo SpO₂ and rainbow® Sensor Connectivity

INFINITY PATIENT MONITORS

M5-40

Masimo SET MCable MS20687

Masimo rainbow® SET MCable MS27003 (order via MS27900)

rainbow® Sensors for SpO₂, PLS, PI, SpMet, SpOC, PVI and SpCO

Reusable

- rainbow R25-L MP02861
- rainbow R20-L MP02862
- rainbow R20 MP02860
- rainbow R25 MP02859
- rainbow DC-I MP02871
- rainbow DC-IP MP02872

Disposable

- rainbow SET 2 Inf MS40062
- rainbow SET 2 Neo MS40065
- rainbow SET 2 Adt MS40076
- rainbow SET 2 Pelt MS40078

RD rainbow SET for SpO₂, PLS, PI, SpMet, SpOC, PVI and SpHb

Disposable

- RD SET Adt MS33726
- RD SET Neo MS33729
- RD SET NeoPI MS33730
- RD SET Pelt MS33727
- RD SET Pelt NeoPI MS40094
- RD SET Inf MS33728
- RD SET NeoPI MS33730
- RD SET Neo MS33729
- RD SET NeoPI MS33730

Reusable

- RD SET DC-I Adt MS33740
- RD SET DC-IP Adt MS33741
- RD SET TF-I MS40073
- RD SET TC-I MS40067
- RD SET YI MS40070

M5-40

Gamma XL (VF6, VF7)

Masimo SET Pod MS16358

Masimo SET Pod MS16358

MSS4436 1.0 m

MSS4437 3.0 m

MSS4438 4.3 m

MSS4203 1.0 m

MSS7522 3.0 m

MSS3732

Vista XL (VF6, VF7, VF8)

Masimo SET Pod MS16358

Masimo SET Pod MS16358

Multimed Plus MS16883 1.0 m

Multimed Plus MS17330 3.0 m

Multimed Plus OR MS20094 2.5 m

Delta/Delta XL/Kappa (VF6, VF7, VF8)

Masimo SET Pod MS16356

Masimo SET Pod MS16356

MSS3733

Multimed 5 558963 1.0 m

Multimed 5 558963 1.5 m

Multimed 5 558963 2.0 m

Multimed 6 6191221 2.5 m

Infinity M300

Multimed 12 558963 3.0 m

RD-SET Sensors for SpO₂, PLS, PI, PVI**

Disposable

- RD SET Adt MS33726
- RD SET Neo MS33729
- RD SET NeoPI MS33730
- RD SET Pelt MS33727
- RD SET Pelt NeoPI MS40094
- RD SET Inf MS33728
- RD SET NeoPI MS33730
- RD SET Neo MS33729
- RD SET NeoPI MS33730

Reusable

- RD SET DC-I Adt MS33740
- RD SET DC-IP Adt MS33741
- RD SET TF-I MS40073
- RD SET TC-I MS40067
- RD SET YI MS40070

LNCs Sensors for SpO₂, PLS, PI, PVI**

Disposable

- LNCs Adt MS33750
- LNCs Inf MP00791
- LNCs Neo MP00792
- LNCs NeoPI MP00794
- LNCs Pelt MS33753
- LNCs Pelt NeoPI MP00793
- LNCs DC-I MP00796
- LNCs DC-IP MP00795
- LNCs TC-I MP00788
- LNCs TF-I MP00789
- LNCs YI MP00789
- LNCs DBI MP00793
- Trauma LNCs Adt MP03181
- Trauma LNCs Inf/Pad MP03183
- Trauma LNCs Neo MP03182

Reusable

- LNCs DC-I MP00796
- LNCs DC-IP MP00795
- LNCs TC-I MP00788
- LNCs TF-I MP00789
- LNCs YI MP00789
- LNCs DBI MP00793

LNCs Trauma Sensors (only for use with Masimo SET Trauma Multi-Block)

* Requires Nellcor sensor software setting.
** PVI works only with Masimo rainbow® SET MCable.

INFINITY® ACUTE CARE SYSTEM

NELLCOR®

NELLCOR® CABLES*

A	Nellcor® intermediate cable, 1.2 m	MP00748
	Nellcor® intermediate cable, 3 m	MS20979

NELLCOR® REUSABLE SENSOR*

B	SpO₂ finger sensor Nellcor® DURA DS 100A	7262764
	SpO₂ Nellcor® FLEXMAX Adt	MS34677
	SpO₂ Nellcor® FLEXMAX Pdt	MS34678

NELLCOR® DISPOSABLE SENSORS*

C	SpO₂ adhesive sensor Nellcor® Oximax® Max-A, disposable, adult, cable 46 cm, 24 pcs.	MX50065
D	SpO₂ adhesive sensor Nellcor® Oximax® Max-AL, disposable, adult, cable 91 cm, 24 pcs.	MX50071
E	SpO₂ adhesive sensor Nellcor® Oximax® Max-I, disposable, child, 24 pcs.	MX50067
F	SpO₂ adhesive sensor Nellcor® Oximax® Max-N, disposable, neonate/adult, 24 pcs.	MX50068
G	SpO₂ adhesive sensor Nellcor® Oximax® Max-P, disposable, child, 24 pcs.	MX50066

*Tradeware




INFINITY® ACUTE CARE SYSTEM

2.3 TEMPERATURE

ADAPTER CABLE

A	Y-cable, reusable, 7-pin connector, for 2 temperature probes	5592154
----------	--	----------------



SINGLE-PATIENT USE TEMPERATURE PROBES

B	General-purpose temperature probe, single-patient use, adult, 7-pin connector, 1.6 m	MP00991
----------	--	----------------



	General-purpose temperature probe, single-patient use, adult, 7-pin connector, 3 m	MP00992
--	--	----------------

C	General-purpose temperature probe, single-patient use, child, 7-pin connector, 1.6 m	MP00993
----------	--	----------------



	General-purpose temperature probe, single-patient use, child, 7-pin connector, 3 m	MP00994
--	--	----------------

D	Skin temperature probe, single-patient use, adult, 7-pin connector, 1.6 m	MP00995
----------	---	----------------



	Skin temperature probe, single-patient use, adult, 7-pin connector, 3 m	MP00996
--	---	----------------

E	Skin temperature probe, single-patient use, child/neonatal, 7-pin connector, 1.6 m	MP00997
----------	--	----------------



	Skin temperature probe, single-patient use, child/neonatal, 7-pin connector, 3 m	MP00998
--	--	----------------

INFINITY® ACUTE CARE SYSTEM

REUSABLE TEMPERATURE PROBES

A	General-purpose temperature probe, reusable, adult, 7-pin connector, 1.5 m	4329889
A	General-purpose temperature probe, reusable, adult, 7-pin connector, 3 m	5204644
A	General-purpose temperature probe, reusable, child, 7-pin connector, 1.5 m	4329848
A	General-purpose temperature probe, reusable, child, 7-pin connector, 3 m	5204651
B	Skin temperature probe, reusable, with 7-pin connector, 1.5 m	4329822
B	Skin temperature probe, reusable, with 7-pin connector, 3 m	5204669
C	Protective cover for general-purpose temperature probe, contains latex, 10 pcs.	7014616
	Protective cover* for general-purpose temperature probe, latexfree, 100 pcs.	MS40243

*Tradeware



INFINITY® ACUTE CARE SYSTEM

2.4 Tcore® TEMPERATURE MONITORING SYSTEM

Tcore® – a new non-invasive technology for accurate core temperature monitoring Tcore® employs a unique dual-sensor heat flux technology, which, following a short ramp-up time, calculates core body temperature continuously and accurately. A simple, self-adhesive sensor – for children from 5 years of age and adults – placed on the patient's forehead is all that's required. This single-use sensor can be connected through a battery-powered adapter to all current Dräger monitors*, eliminating the need for a dedicated display.

*Exception: Vista 120 product family, patient monitors.

A	Tcore® adapter, reusable	MP00999
B	Tcore® sensor, single patient use	MP00989
C	Tcore® extension cable	MP02201
	Tcore® mount for M540	MS33239
D	Holder for MultiMed® 5/6, MultiMed® Plus/OR, NeoMed Pods and Tcore®, swiveling 360°	MP00721



INFINITY® ACUTE CARE SYSTEM

2.5 NON-INVASIVE BLOOD PRESSURE (NIBP)

NIBP HOSES


A NIBP connection tube, adult, 3.7 m, for Infinity® monitors	MP00953
B NIBP hose, neonate, 2.4 m	2870298



INFINITY® ACUTE CARE SYSTEM

NIBP CUFFS, REUSABLE

A	① NIBP cuff XXS, reusable, infant, 8 – 13 cm/13 cm	MP00911
	② NIBP cuff XS, reusable, child, 12 – 19 cm/19 cm	MP00912
	③ NIBP cuff S, reusable, small adult, 17 – 25 cm/29 cm	MP00913
	④ NIBP cuff M, reusable, adult, 23 – 33 cm/33 cm	MP00915
	⑤ NIBP cuff M+, reusable, adult, long, 23 – 33 cm/43 cm	MP00916
	⑥ NIBP cuff M++, reusable, adult, extra long, 23 – 33 cm/53 cm	MP00917
	⑦ NIBP cuff L, reusable, large adult, 31 – 40 cm/40 cm	MP00918
	⑧ NIBP cuff L+, reusable, large adult, long, 31 – 40 cm/55 cm	MP00919
	⑨ NIBP cuff XL, reusable, thigh, 38 – 50 cm/50 cm	MP00921




D-25285-2009

Not all articles are available worldwide.

INFINITY® ACUTE CARE SYSTEM

NIBP CUFFS, SINGLE-PATIENT USE

A	① NIBP cuff XXS, single-patient use, infant, 8 – 13 cm/13 cm, 10 pcs.	MP00924
	② NIBP cuff XS, single-patient use, child, 12 – 19 cm/19 cm, 10 pcs.	MP00925
	③ NIBP cuff S, single-patient use, small adult, 17 – 25 cm/29 cm, 10 pcs.	MP00926
	④ NIBP cuff M, single-patient use, adult, 23 – 33 cm/33 cm, 10 pcs.	MP00928
	⑤ NIBP cuff M+, single-patient use, adult long, 23 – 33 cm/43 cm, 10 pcs.	MP00929
	⑥ NIBP cuff M++, single-patient use, adult extra long, 23 – 33 cm/53 cm, 10 pcs.	MP00930
	⑦ NIBP cuff L, single-patient use, large adult, 31 – 40 cm/40 cm, 10 pcs.	MP00931
	⑧ NIBP cuff L+, single-patient use, large adult long, 31 – 40 cm/55 cm, 10 pcs.	MP00932
	⑨ NIBP cuff XL, single-patient use, thigh, 38 – 50 cm/50 cm, 10 pcs.	MP00934



INFINITY® ACUTE CARE SYSTEM

NIBP CUFFS NEONATAL, DISPOSABLE

A NIBP cuff, disposable, neonate, size 1, 3.1 – 5.7 cm, 10 pcs.	2870181
B NIBP cuff, disposable, neonate, size 2, 4.3 – 8 cm, 10 pcs.	2870199
C NIBP cuff, disposable, neonate, size 3, 5.8 – 10.9 cm, 10 pcs.	2870207
D NIBP cuff, disposable, neonate, size 4, 7.1 – 13.1 cm, 10 pcs.	2870215
E NIBP cuff, disposable, neonate, size 5, 8.3 – 15 cm, 10 pcs.	2870173



INFINITY® ACUTE CARE SYSTEM

2.6 INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)

A	MPod-Dual Hemo, 2 invasive blood pressures for M540*	MS20783
B	Infinity® MPod-QuadHemo, cardiac output, 2 temperatures, up to 4 invasive pressures*	MS20725
Required to connect MPod-QuadHemo, Hemo2 or Hemo4 to IACS:		
C	M540 Hemo connection cable, 1.5 m	MS23897
	M540 Hemo connection cable, 3 m	MS23898
Required to connect two MPod-QuadHemo:		
	Pod connection cable, 30 cm	7257988
	Pod connection cable, 3 m	3368425
	Pod connection cable, 5 m	5195198

IBP TRANSDUCER ADAPTER CABLES

D	IBP transducer adapter Abbott/Medex/ICU Medical	MS22535
	IBP transducer adapter Argon/Merit Medical	MS22148
	IBP transducer adapter Baxter/Edwards	MS22147
E	IBP transducer adapter Utah Medical	MS22534
F	IBP transducer adapter cable, Dräger 7-pin	MS22533
G	IBP transducer adapter cable, Dräger 10-pin	MS22532

*Adapter cable not included.



INFINITY® ACUTE CARE SYSTEM

CO CABLES AND THERMISTORS

A	CO thermistor cable* Argon/Merit Medical	8420077
B	CO thermistor T-piece* Argon/Merit Medical	5741975
C	CO thermistor cable Baxter/Edwards	8539983
D	CO connection cable, 1 m	3368458
E	CO catheter cable	8419160

CARDIAC OUTPUT KITS

	Cardiac output kit, Baxter	7265155
	Cardiac output kit, Argon/Merit Medical	7265163

*Tradeware



INFINITY® ACUTE CARE SYSTEM

2.7 ETCO₂

CO₂ CABLES

A MCable Mainstream CO ₂ , for Evita, Infinity® V500, Infinity® M540, Vista120, Vista120 S, and Delta VF9.1 and higher For fans and monitors that have a yellow connector for the CO ₂ sensor.	6871950
B Y-cable CO ₂ and analog/sync	MS22259

CO₂ CUVETTES, DISPOSABLE

C CO ₂ cuvette disposable, adult, 10 pcs.	MP01062
D CO ₂ cuvette disposable, pediatric, 10 pcs.	MP01063

CO₂ CUVETTES, REUSABLE

E CO ₂ cuvette reusable, adult	6870279
F CO ₂ cuvette reusable, pediatric	6870280

ACCESSORIES

Calibration set, with test connection and test gas cylinder	8412710
Test gas cylinder 5 Vol.% CO₂, 95 Vol. % N₂	6850435
G Parking holder for CO ₂ sensor	8416352
Test filter	6870281




INFINITY® ACUTE CARE SYSTEM

ETCO₂ MICROSTREAM ACCESSORIES*

A	etCO ₂ airway adapter Microstream®, adult/child, max. 12 h, 25 pcs.	7869535
B	etCO ₂ airway adapter Microstream®, neonate/child, max. 72 h, 25 pcs.	7869550
C	etCO ₂ airway adapter Microstream®, adult/child, max. 72 h, 25 pcs.	7869543
D	etCO ₂ nasal cannula Microstream®, adult, max. 12 h, 25 pcs.	7869477
E	etCO ₂ nasal cannula Microstream®, child, max. 12 h, 25 pcs.	7869469
F	etCO ₂ nasal cannula Microstream®, adult, max. 24 h, 25 pcs.	7869592

*Tradeware



INFINITY® ACUTE CARE SYSTEM

A	etCO ₂ nasal cannula Microstream®, + O ₂ , adult, max. 24 h, 25 pcs.	7869493
	etCO ₂ nasal cannula Microstream®, + O ₂ , child, max. 24 h, 25 pcs.	7869485
B	etCO ₂ nasal/mouth cannula Microstream®, + O ₂ , child, max. 12 h, 25 pcs.	7869584
C	etCO ₂ nasal/mouth cannula Microstream®, child, max. 12 h, 25 pcs.	7869501
	Smart Capnoline® Plus, adult/intermediate, 25 pcs.	MS26187
	Smart Capnoline® Plus O ₂ , adult/intermediate, 25 pcs.	MS26188



INFINITY® ACUTE CARE SYSTEM

2.8 TOFSCAN® NEUROMUSCULAR TRANSMISSION MONITOR*

ToFscan® is a nerve stimulator module for the measurement of neuromuscular transmission, via accelerometry. It provides an easy, accurate way to measure of patient muscle relaxation. ToFscan® supports evidence-based judgment about the state of a patient's neuromuscular blockade.

	ToFscan® Kit configurator	MS32318
A	ToFscan® monitor	MS32146
	ToFscan® monitor, Software 1.8	MS40015
B	Hand sensor, reusable, adult	MS32154
	Hand sensor, reusable, adult, as of Software 1.8	MS40317
	Hand sensor, reusable, pediatric	MS32289
	Hand sensor, reusable, pediatric, as of Software 1.8	MS40318
	Hand sensor, reusable, small pediatric, as of Software 1.8	MS40319
C	Eyebrow sensor, reusable	MS32291
	Eyebrow sensor, reusable, as of Software 1.8	MS40321
D	Foot sensor, reusable	MS32290
	Foot sensor, reusable, as of Software 1.8	MS40322
E	Extension cable	MS32153
F	Mount clamp 10 – 40 mm (0.4 – 1.57 in)	MS32150
	Mount clamp 20 – 60 mm (0.79 – 2.36 in)	MS32151
G	Optic serial RS 232 cable (1 meter) to connect the device to a Dräger monitorAC	MS32156
	ToFscan® to IACS connectivity kit	MS25836

*Tradeware

Not all articles are available worldwide.

ToFscan® MONITOR
ToFscan® MONITOR,
SOFTWARE 1.8




INFINITY® M300

3. INFINITY® M300

3.1 ELECTROCARDIOGRAPHY (ECG)

MONOLEAD® SINGLE-PIN CONNECTOR

A	ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC1 (European color code), 2 m	<u>MS14555</u>
	ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC2 (AHA/US color code), 2 m	<u>MS14556</u>
B	ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC1 (European color code), 2.5 m	<u>MS14559</u>
	ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC2 (AHA/US color code), 2.5 m	<u>MS14560</u>
	ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC1 (European color code), 3 m	<u>MS14683</u>
	ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC2 (AHA/US color code), 3 m	<u>MS14682</u>



INFINITY® M300


ECG-LEAD SETS FOR TELEMETRY

Infinity® TruST™ Telemetry lead sets can also be used in combination with MultiMed® plus. Shielded, not for use in the OR.

A	ECG cable, 3-lead Infinity® TruST™, IEC1 (European color code), 70 cm	MP03421
	ECG cable, 3-lead Infinity® TruST™, IEC2 (AHA/US color code), 70 cm	MP03422
B	ECG cable, 5-lead Infinity® TruST™, IEC1 (European color code), 70 cm	MP03423
	ECG cable, 5-lead Infinity® TruST™, IEC2 (AHA/US color code), 70 cm	MP03424
C	ECG cable, 6-lead Infinity® TruST™, IEC1 (European color code), 70 cm	MP03425
	ECG cable, 6-lead Infinity® TruST™, IEC2 (AHA/US color code), 70 cm	MP03426

REUSABLE ECG LEADS SINGLE-PIN CONNECTOR

D	ECG cable, 3-lead, single-pin connector, IEC1 (European color code), 1 m	MP03401
	ECG cable, 3-lead, single-pin connector, IEC2 (AHA/US color code), 1 m	MP03402
E	ECG cable, 5-lead, single-pin connector, IEC1 (European color code), 1/1.5 m	MP03403
	ECG cable, 5-lead, single-pin connector, IEC2 (AHA/US color code), 1/1.5 m	MP03404
F	ECG cable, 6-lead, single-pin connector, IEC1 (European color code), 1/1.5 m	MP03405
	ECG cable, 6-lead, single-pin connector, IEC2 (AHA/US color code), 1/1.5 m	MP03406



INFINITY® M300

SINGLE-PATIENT USE ECG LEADS SINGLE-PIN CONNECTOR

A	ECG cable, 3-lead, single-pin connector, single-patient use, IEC1 (European color code), 1 m, 20 pcs.	MP00875
	ECG cable, 3-lead, single-pin connector, single-patient use, IEC2 (AHA/US color code), 1 m, 20 pcs.	MP00877
B	ECG cable, 5-lead, single-pin connector, single-patient use, IEC1 (European color code), 1/1.5 m, 20 pcs.	MP00879
	ECG cable, 5-lead, single-pin connector, single-patient use, IEC2 (AHA/US color code), 1/1.5 m, 20 pcs.	MP00881
C	ECG cable, 6-lead, single-pin connector, single-patient use, IEC1 (European color code), 1/1.5 m, 20 pcs.	MP03122
	ECG cable, 6-lead, single-pin connector, single-patient use, IEC2 (AHA/US color code), 1/1.5 m, 20 pcs.	MP03123




INFINITY® M300

3.2 PULSE OXIMETRY (SPO₂)

DRÄGER

DRÄGER CABLES

A	SpO ₂ intermediate cable Dräger/Nellcor®, for MultiMed® Plus/Plus OR, 1.2 m	MS18683
B	SpO ₂ intermediate cable Dräger/Nellcor®, for MultiMed® Plus/Plus OR, 3 m	MS17330



Not all articles are available worldwide.

INFINITY® M300

DRÄGER REUSABLE SENSOR

A	SpO₂ finger sensor Dräger, reusable	MS13235
----------	---	----------------

DRÄGER DISPOSABLE SENSORS

B	SpO₂ adhesive sensor Dräger, vinyl, disposable, adult, 24 pcs.	MS16449
----------	--	----------------

C	SpO₂ adhesive sensor Dräger, foam, disposable, adult, 24 pcs.	MS16445
----------	---	----------------

D	SpO₂ adhesive sensor Dräger, vinyl, disposable, child, 24 pcs.	MS16448
----------	--	----------------

E	SpO₂ adhesive sensor Dräger, foam, disposable, child, 24 pcs.	MS16444
----------	---	----------------



INFINITY® M300

MASIMO®

For Masimo® accessories, specific part numbers for USA and Japan apply. Please contact your local Dräger Sales representative for further information.

MASIMO® LNCS CABLES*

A	SpO ₂ intermediate cable Masimo® LNCS, 3 m	MS17522
A	SpO ₂ intermediate cable Masimo® LNCS, 1.2 m	MS24303

MASIMO® LNCS REUSABLE SENSORS*

B	SpO ₂ finger sensor Masimo® LNCS DCI, reusable, adult	MP00796
C	SpO ₂ finger sensor Masimo® LNCS DCIP, reusable, child	MP00795
	SpO ₂ Masimo® sensor LNCS-TC-I Ear, reusable, pediatric/adult	MP00788
	SpO ₂ Masimo® sensor LNCS-YI Multisite, reusable, neonate/pediatric/adult	MP00789
	SpO ₂ Masimo® sensor LNCS-TF-I, reusable, pediatric/adult	MP00799
D	SpO ₂ Masimo® sensor LNCS-DBI, reusable, adult	MP02993

MASIMO® LNCS DISPOSABLE SENSORS*

E	SpO ₂ adhesive sensor Masimo® LNCS Amtx, disposable, adult, 20 pcs.	MP00790
F	SpO ₂ adhesive sensor Masimo® LNCS Inf, disposable, baby, 20 pcs.	MP00791
G	SpO ₂ adhesive sensor Masimo® LNCS Pmtx, disposable, child, 20 pcs.	MP00793

*Tradeware



Not all articles are available worldwide.

INFINITY® M300

MASIMO® RD-SET ADAPTER CABLES*

A Adapter cable RD-SET to LNOP, for connection of RD-SET sensors to Infinity® M300 and Masimo® SET Pod via the LNOP intermediate cables MS18680 and MS17041, as well as to MultiMed® 5/6/12, NeoMed Pods and MultiMed® Plus/Plus OR via the according intermediate cables MS13926/7492601 or MS20163** **MS33731**

B Adapter cable RD-SET to LNCS, for connection of RD-SET sensors to Infinity® M300 and Masimo® SET Pod via the LNCS intermediate cables MS24303 or MS17522 **MS33732**

SpO₂ intermediate cable Masimo® RD-SET, 3 m (9.8 ft) MS34437

SpO₂ intermediate cable Masimo® RD-SET, 1.2 m (3.9 ft) MS34436

MASIMO® RD-SET DISPOSABLE SENSORS*

C Masimo® RD-SET sensor, adult, disposable **MS33726**

D Masimo® RD-SET sensor, pediatric, disposable **MS33727**

E Masimo® RD-SET sensor, infant, disposable **MS33728**

MASIMO® RD-SET REUSABLE SENSORS*

F Masimo® RD-SET DCI sensor, adult, reusable **MS33740**

G Masimo® RD-SET DC-IP sensor, pediatric, reusable **MS33741**

*Tradeware

**Products are not available any more.

Adapter is to be used to switch from sensors to the installed base.




INFINITY® M300

MASIMO® ACCESSORIES*

A SpO ₂ adhesive wrap Masimo® Multisite-Wrap, for LNOP YI SpO ₂ sensor, 100 pcs.	7496917
B SpO ₂ adhesive wrap Masimo® Petite-Wrap, for LNOP YI SpO ₂ sensor, 100 pcs.	7496909
C SpO ₂ adhesive square Masimo®, 12 pcs.	7496875
D SpO ₂ foam wrap Masimo® Foam-Wrap, neonate, LNOP YI SpO ₂ sensor, 12 pcs.	7496891

*Tradeware



INFINITY® M300

NELLCOR®

NELLCOR® CABLES*

A SpO₂ intermediate cable Dräger/Nellcor®, for MultiMed® Plus/Plus OR, 1.2 m **MS18683**

B SpO₂ intermediate cable Dräger/Nellcor®, for MultiMed® Plus/Plus OR, 3 m **MS17330**

NELLCOR® REUSABLE SENSOR*

C SpO₂ finger sensor Nellcor® DURA DS 100A **7262764**

NELLCOR® DISPOSABLE SENSORS*

D SpO₂ adhesive sensor Nellcor® Oximax® Max-A, disposable, adult, cable 46 cm, 24 pcs. **MX50065**

E SpO₂ adhesive sensor Nellcor® Oximax® Max-AL, disposable, adult, cable 91 cm, 24 pcs. **MX50071**

F SpO₂ adhesive sensor Nellcor® Oximax® Max-P, disposable, child, 24 pcs. **MX50066**

G SpO₂ adhesive sensor Nellcor® Oximax® Max-N, disposable, neonate/adult, 24 pcs. **MX50068**

*Tradeware



INFINITY® M300

3.3 POUCH

A Telemetry transmitter pouch, disposable, 100 pcs. MS22905

3.4 CODENSATION

B Holder for Infinity® M300 bedside charger, swiveling 360° MP00990



Not all articles are available worldwide.

VISTA 120

4. VISTA 120

4.1 ELECTROCARDIOGRAPHY (ECG)

Not all articles are available worldwide.

VISTA 120 ECG SINGLE-PIN

A	<u>ECG defib trunk cable, 3/5-lead single-pin, IEC/AHA 1.5 m</u>	<u>2612020</u>
	<u>ECG defib trunk cable, 3/5-lead single-pin, IEC/AHA 2.5 m</u>	<u>2612021</u>
B	<u>ECG ESU trunk cable, 3/5-lead single-pin, IEC/AHA 1.5 m</u>	<u>2612024</u>
	<u>ECG ESU trunk cable, 3/5-lead single-pin, IEC/AHA, 2.5 m</u>	<u>2612025</u>
C	<u>ECG defib trunk cable, Neonate, single-pin, IEC/AHA, 1.5 m</u>	<u>2612026</u>
	<u>ECG defib trunk cable, Neonate, single-pin, IEC/AHA, 2.5 m</u>	<u>2612027</u>
D	<u>ECG ESU trunk cable, Neonate, single-pin, IEC/AHA, 1.5 m</u>	<u>2612028</u>
	<u>ECG ESU trunk cable, Neonate, single-pin, IEC/AHA, 2.5 m</u>	<u>2612029</u>



VISTA 120

A	<u>ECG leadwire, 3-lead single-pin, IEC, 1 m</u>	<u>2612000</u>
	<u>ECG leadwire, 3-lead single-pin, AHA, 1 m</u>	<u>2612001</u>
	<u>ECG leadwire, 5-lead single-pin, IEC, 1.5 m</u>	<u>2612002</u>
B	<u>ECG leadwire, 5-lead single-pin, AHA, 1.5 m</u>	<u>2612003</u>



VISTA 120

INFINITY ECG CABLE

The following lead cables from the Infinity ECG portfolio can be used together with the Vista 120 single-pin connection cables.

A	ECG cable, 3-lead, single-pin connector, IEC1 (European color code), 1 m	MP03401
	ECG cable, 3-lead, single-pin connector, IEC2 (AHA/US color code), 1 m	MP03402
B	ECG cable, 5-lead, single-pin connector, IEC1 (European color code), 1/1.5 m	MP03403
	ECG cable, 5-lead, single-pin connector, IEC2 (AHA/US color code), 1/1.5 m	MP03404
C	ECG cable, 3-lead, single-pin connector, single-patient use, IEC1 (European color code), 1 m, 20 pcs.	MP00875
	ECG cable, 3-lead, single-pin connector, single-patient use, IEC2 (AHA/US color code), 1 m, 20 pcs.	MP00877
D	ECG cable, 5-lead, single-pin connector, single-patient use, IEC1 (European color code), 1/1.5 m, 20 pcs.	MP00879
	ECG cable, 5-lead, single-pin connector, single-patient use, IEC2 (AHA/US color code), 1/1.5 m, 20 pcs.	MP00881



VISTA 120

The following lead cables from the Infinity ECG portfolio can be used together with the Vista 120 single-pin connection cables.

A	ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC1 (European color code), 2 m	MS14555
	ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC2 (AHA/US color code), 2 m	MS14556
B	ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC1 (European color code), 2.5 m	MS14559
	ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC2 (AHA/US color code), 2.5 m	MS14560
	ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC1 (European color code), 4.1 m	MS28561
	ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC2 (AHA/US color code), 4.1 m	MS28557
	ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC1 (European color code), 5.3 m	MS28559
	ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC2 (AHA/US color code), 5.3 m	MS28558





VISTA 120

VISTA 120 DUAL-PIN ECG CABLE

A	ECG trunk cable, 5-lead, IEC/AHA colour code	2606496
	ECG trunk cable, 3-lead, IEC/AHA colour code	2606495
B	ECG trunk cable, 3-lead, for neonates, IEC & AHA	2606492
C	ECG limb wires, 5-lead, Grabber, IEC colour code	2606494
	ECG limb wires, 3-lead, Grabber, IEC colour code	2606493
D	ECG limb wires, 5-lead, Grabber, AHA colour code	2606498
	ECG limb wires, 3-lead, Grabber, AHA colour code	2606497
E	ECG electrodes, adult, disposable, 300 pcs.*	2606247
	ECG electrodes, child, disposable, 500 pcs.*	2606248
F	ECG electrodes, adult/child, disposable, 1,000 pcs.*	2606249
G	ECG electrodes, single-patient use, neonate, 300 pcs.*	5195024

*Tradeware



VISTA 120

4.2 PULSE OXIMETRY (SPO₂)

DRÄGER SPO₂

Not for use with Vista 120 Nellcor models.

A	SpO ₂ finger sensor, adult, 2.5 m, reusable	2606483
B	SpO ₂ finger sensor, adult, 1 m, reusable	2606484
C	SpO ₂ extension cable, 2 m, reusable	2606487
D	SpO ₂ silicone Soft-tip sensor, adult, 1 m, reusable	2606485
	SpO ₂ silicone Soft-tip sensor, pediatric, 1 m, reusable	2606486
E	SpO ₂ sensor*, adult, 0.5 m, disposable, 25 pcs.	2606208
F	SpO ₂ sensor*, pediatric, 0.5 m, disposable, 25 pcs.	2606209
G	SpO ₂ sensor*, infant, 0.5 m, disposable, 25 pcs.	2606210
	SpO ₂ sensor*, neonate, 0.5 m, disposable, 25 pcs.	2606211

Can be used with Vista 120 SC Model A and Model B.

*Tradeware

VISTA 120
VISTA 120 SC



Not all articles are available worldwide.

VISTA 120

NELLCOR OXIMAX SPO₂*

Only for use with Vista 120 Nellcor models.

A	Nellcor® intermediate cable, 1.2 m	MP00748
	Nellcor® intermediate cable, 3 m	MS20979
B	SpO₂ finger sensor Nellcor® DURA DS 100A	7262764
C	SpO₂ multisite sensor Nellcor® DURA-Y™, reusable	MX01004
D	Ear clip for Nellcor® DURA-Y™	MX01005
E	SpO₂ adhesive sensor Nellcor® Oximax® Max-Fast, disposable, application on forehead, 24 pcs.	MX50070

Can be used with Vista 120 SC Model C.

*Tradeware

VISTA 120
VISTA 120 SC



VISTA 120

4.3 NON-INVASIVE BLOOD PRESSURE (NIBP)*

A	NIBP tube, 3 m	2601195
B	NIBP cuff, infant, 10 cm – 15 cm, reusable, Vista120	2606151
C	NIBP cuff, small child, 13 cm – 17 cm, reusable, Vista120	2606152
D	NIBP cuff, child, 16 cm - 21 cm, reusable, Vista120	2606153
E	NIBP cuff, small adult, 20.5 cm – 28 cm, reusable, Vista120	2606154
F	NIBP cuff, adult, 27 cm – 35 cm, reusable, Vista120	2606155
G	NIBP cuff, larger adult, 34 cm – 43 cm, reusable, Vista120	2606156

Can be used with Vista 120 SC Model A and Model B.

*Tradeware

VISTA 120
VISTA 120 SC



VISTA 120

A	NIBP cuff, neonatal #1, 3 – 6 cm, disposable, 20 pcs., Vista120	2607034
B	NIBP cuff, neonatal #2, 4 – 8 cm, disposable, 20 pcs., Vista120	2607035
C	NIBP cuff, neonatal #3, 6 – 11 cm, disposable, 20 pcs., Vista120	2607036
D	NIBP cuff, neonatal #4, 7 – 13 cm, disposable, 20 pcs., Vista120	2607037
E	NIBP cuff, neonatal #5, 8 – 15 cm, disposable, 20 pcs., Vista120	2607038

VISTA 120
VISTA 120 SC



VISTA 120

4.4 TEMPERATURE

Temperature probe skin*, adult, 3 m, reusable	2601197
Temperature probe*, rectal/oral, adult, 3 m, reusable	2601198
A Temperature probe skin*, neonate/infant, 3 m, reusable	2601200
B Temperature probe*, rectal/oral, neonatal/Infant, 3 m, reusable	2601199
C Protective cover for general-purpose temperature probe, contains latex, 10 pcs.	7014616
Protective cover* for general-purpose temperature probe, latexfree, 100 pcs.	MS40243

*Tradeware



VISTA 120

The following temperature probes from the Infinity® temperature portfolio can be used from software 3.11 with the Vista 120 in combination with the MP00943.

SINGLE-PATIENT USE TEMPERATURE PROBES

A	General-purpose temperature probe, single-patient use, adult, 7-pin connector, 1.6 m	MP00991
	General-purpose temperature probe, single-patient use, adult, 7-pin connector, 3 m	MP00992
B	General-purpose temperature probe, single-patient use, child, 7-pin connector, 1.6 m	MP00993
	General-purpose temperature probe, single-patient use, child, 7-pin connector, 3 m	MP00994
C	Skin temperature probe, single-patient use, adult, 7-pin connector, 1.6 m	MP00995
	Skin temperature probe, single-patient use, adult, 7-pin connector, 3 m	MP00996
D	Skin temperature probe, single-patient use, child/neonatal, 7-pin connector, 1.6 m	MP00997
	Skin temperature probe, single-patient use, child/neonatal, 7-pin connector, 3 m	MP00998



VISTA 120

REUSABLE TEMPERATURE PROBES

A	General-purpose temperature probe, reusable, adult, 7-pin connector, 1.5 m	4329889
A	General-purpose temperature probe, reusable, adult, 7-pin connector, 3 m	5204644
A	General-purpose temperature probe, reusable, child, 7-pin connector, 1.5 m	4329848
A	General-purpose temperature probe, reusable, child, 7-pin connector, 3 m	5204651
B	Skin temperature probe, reusable, with 7-pin connector, 1.5 m	4329822
B	Skin temperature probe, reusable, with 7-pin connector, 3 m	5204669
C	Protective cover for general-purpose temperature probe, contains latex, 10 pcs.	7014616
	Protective cover* for general-purpose temperature probe, latexfree, 100 pcs.	MS40243

*Tradeware



VISTA 120

4.5 INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT* (C.O)

*For supported Vista 120 models only.

A	IBP pressure transducer kit** , BD/Argon, disposable, 5 kits	2606225
B	IBP cable** Becton Dickinson/Argon	2606488
C	IBP cable** Edwards	2606489
D	IBP cable** Abbott, Medex	2606490
E	IBP cable** Utah	2606491
F	IBP cable** 7pin	2607558
G	IBP cable** 10pin	2607559

**Tradeware



VISTA 120

A	Cardiac Output cable*, 3 m	2601201
B	CO In-line Injection temperature probe* Becton Dickinson	2601190
	CO In-line Injection temperature probe housing*	2601191
C	CO Control Syringe*	2601192

*Tradeware




VISTA 120

4.6 CO₂ SIDESTREAM

DRÄGER G2 SIDESTREAM*

A	CO₂ sampling line, disposable, for Vista 120, 100 pcs.	2607550
B	CO₂ nasal cannula, adult, disposable, for Vista 120, 100 pcs.	2607551
C	CO₂ nasal cannula, pediatric, disposable, for Vista 120, 100 pcs.	2607552
D	CO₂ nasal cannula, infant, disposable, for Vista 120, 100 pcs.	2607553
E	CO₂ nasal cannula + O₂, adult, disposable, for Vista 120, 50 pcs.	2607554
F	CO₂ nasal cannula + O₂, child, disposable, for Vista 120, 50 pcs.	2607555
G	CO₂ sidestream water trap, for Vista 120, 20 pcs.	2605124

*Tradeware



VISTA 120

4.7 CO₂ MAINSTREAM

Not all products are available worldwide.

DRÄGER CO₂ MAINSTREAM

Compatible with Vista 120 from software 3.11.

<p>A <u>MCable Mainstream CO₂, for Evita, Infinity® V500, Infinity® M540, Vista120, Vista120 S, and Delta VF9.1 and higher</u></p> <p>For fans and monitors that have a yellow connector for the CO₂ sensor.</p>	<p>6871950</p>
<p>B <u>CO₂ cuvette disposable, adult, 10 pcs.</u></p>	<p>MP01062</p>
<p>C <u>CO₂ cuvette disposable, pediatric, 10 pcs.</u></p>	<p>MP01063</p>
<p>D <u>CO₂ cuvette reusable, adult</u></p>	<p>6870279</p>
<p>E <u>CO₂ cuvette reusable, pediatric</u></p>	<p>6870280</p>




VISTA 120

RESPIRONICS CO₂ MAINSTREAM*

Not all products are available worldwide.

A <u>etCO₂ sensor Capnostat 5, reusable</u>	<u>2606226</u>
B <u>CO₂ airway adapter, adult, disposable, 10 pcs.</u>	<u>2606227</u>
C <u>CO₂ airway adapter, neonatal (infant/pediatric), disposable, 10 pcs.</u>	<u>2606228</u>

*Tradeware



VISTA 120

	Vista 120 rechargeable Lithium-Ion battery*	2606229
A	Vista 120 printing paper*, 4 rolls	2606231
B	BISx adapter cable Vista120	2607560
	BISx pod Vista120	2607561

*Tradeware



VISTA 120

5. VISTA 120 SPOTCHECK

5.1 PULSE OXIMETRY (SPO₂)

DRÄGER SPO₂

A	SpO₂ extension cable, 2 m, reusable	2606487
B	SpO₂ silicone Soft-tip sensor, adult, 1 m, reusable	2606485
	SpO₂ silicone Soft-tip sensor, pediatric, 1 m, reusable	2606486
C	SpO₂ sensor*, adult, 0.5 m, disposable, 25 pcs.	2606208
D	SpO₂ sensor*, pediatric, 0.5 m, disposable, 25 pcs.	2606209
E	SpO₂ sensor*, infant, 0.5 m, disposable, 25 pcs.	2606210
F	SpO₂ sensor*, neonate, 0.5 m, disposable, 25 pcs.	2606211
G	SpO₂ finger sensor, adult, 2.5 m, reusable	2606483
	SpO₂ finger sensor, adult, 1 m, reusable	2606484

Can be used with Vista 120 SC Model A and Model B.

*Tradeware

VISTA 120
VISTA 120 SC



VISTA 120

NELLCOR SPO₂*

A	Nellcor® intermediate cable, 1.2 m	MP00748
	Nellcor® intermediate cable, 3 m	MS20979
B	SpO ₂ finger sensor Nellcor® DURA DS 100A	7262764
C	SpO ₂ multisite sensor Nellcor® DURA-Y™, reusable	MX01004
D	Ear clip for Nellcor® DURA-Y™	MX01005
E	SpO ₂ adhesive sensor Nellcor® Oximax® Max-Fast, disposable, application on forehead, 24 pcs.	MX50070

Can be used with Vista 120 SC Model C.

*Tradeware

VISTA 120
VISTA 120 SC



VISTA 120

5.2 NON-INVASIVE BLOOD PRESSURE (NIBP)*

A	NIBP tube, 3 m	2601195
B	NIBP cuff, infant, 10 cm – 15 cm, reusable, Vista120	2606151
C	NIBP cuff, small child, 13 cm – 17 cm, reusable, Vista120	2606152
D	NIBP cuff, child, 16 cm - 21 cm, reusable, Vista120	2606153
E	NIBP cuff, small adult, 20.5 cm – 28 cm, reusable, Vista120	2606154
F	NIBP cuff, adult, 27 cm – 35 cm, reusable, Vista120	2606155
G	NIBP cuff, larger adult, 34 cm – 43 cm, reusable, Vista120	2606156

Can be used with Vista 120 SC Model A and Model B.

*Tradeware

VISTA 120
VISTA 120 SC



VISTA 120

SUNTECH NIBP*

	APC NIBP Cuff, child, 12 cm – 19 cm, reusable, Vista120 SC	2600930
A	APC NIBP Cuff, small adult, 17 cm – 25 cm, reusable, Vista120 SC	2600932
	APC NIBP Cuff, adult, 23 cm – 33 cm, reusable, Vista120 SC	2600933
B	APC NIBP Cuff, large adult, 31 cm – 40 cm, reusable, Vista120	2600934
	OPC NIBP Cuff, child, 12 cm – 19 cm, reusable, 5 pcs., Vista120 SC	2600935
	OPC NIBP Cuff, child, 17 cm – 25 cm, reusable, 5 pcs., Vista120 SC	2600936
	OPC NIBP Cuff, child, 23 cm – 33 cm, reusable, 5 pcs., Vista120 SC	2600937
	OPC NIBP Cuff, child, 31 cm – 40 cm, reusable, 5 pcs., Vista120 SC	2600938

Can be used with Vista 120 SC Model C.
APC = All Purpose Cuff, OPC= One Piece Cuff

*Tradeware



VISTA 120

5.3. TEMPERATURE

EXERGEN THERMOMETER*

A	TAT-5000S Temporal Scanner, Vista 120 SC	2600946
B	TAT-5000S Probe Caps, single-use, 1,000 pcs., Vista 120 SC	2600948
	TAT-5000S Sheats, single-use, latexfree, 250 pcs., Vista 120 SC	2600949

Can be used with Vista 120 SC Model B and Model C.

*Tradeware



VISTA 120

FILAC 3000*

A	Filac 3000 Probe, oral, reusable, 1.2 m, Vista 120 SC	2600939
	Filac 3000 Probe, oral, reusable, 2.7 m, Vista 120 SC	2600940
	Filac 3000 Isolation Chamber, oral, Vista 120 SC	2600941
B	Filac 3000 Probe, rectal, reusable, 1.2 m, Vista 120 SC	2600942
	Filac 3000 Probe, rectal, reusable, 2.7 m, Vista 120 SC	2600943
	Filac 3000 Isolation Chamber, rectal, Vista 120 SC	2600944
C	Filac 3000 Probe Covers, 20 pcs. Vista 120 SC	2600945

Can be used with Vista 120 SC Model B and Model C.

*Tradeware



MULTI VENDOR ADAPTER

6. MULTI VENDOR ADAPTER

Multi Vendor Accessories (MVA)


6.1 ECG ADAPTER*

A	ECG Adapter, 3 Lead GE	MP04322
	ECG Adapter, 5 Lead GE	MP04320
B	ECG Adapter, 3 Lead Mindray	MP04312
	ECG Adapter, 5 Lead Mindray	MP04310
C	ECG Adapter, 3 Lead NK	MP04316
	ECG Adapter, 6 Lead NK	MP04315
D	ECG Adapter, 3 Lead Philips	MP04325
	ECG Adapter, 5 Lead Philips	MP04326
	ECG Adapter, 6 Lead Philips	MP04327
E	ECG Adapter, 3 Lead Spacelabs	MP04300
	ECG Adapter, 5 Lead Spacelabs	MP04301
F	ECG Adapter, 3 Lead Welch Allyn	MP04305
	ECG Adapter, 5 Lead Welch Allyn	MP04306

*Tradeware



MULTI VENDOR ADAPTER



Not all articles are available worldwide.

MULTI VENDOR ADAPTER

6.2 ECG ADAPTER TELEMETRY*

A	ECG adapter tel, GE-AP-CH, 3 Lead	MP04350
	ECG adapter tel, GE-AP-CH, 5 Lead	MP04351
	ECG adapter tel, GE-AP-CH, 6 Lead	MP04352
B	ECG adapter tel, GE-AP-FH, 5 Lead	MP04353
C	ECG adapter tel, PH MX40, 3 Lead	MP04355
	ECG adapter tel, PH MX40, 5 Lead	MP04356
	ECG adapter tel, PH MX40, 6 Lead	MP04357
D	ECG adapter tel, PH M, 5 Lead	MP04358
	ECG adapter tel, PH M, 6 Lead	MP04359
E	ECG adapter tel, SL AT, 5 Lead	MP04365
F	ECG adapter tel, SL UV, 5 Lead	MP04366


6.3 TEMP ADAPTER

	TEMP Adapter Jack	MP00943
G	TEMP Adapter 2-pin	MP00944

*Tradeware



MULTI VENDOR ADAPTER





Ward equipment

Something you can count on:

With decades of experience in developing and manufacturing high-quality ward accessories, as your acute care specialist, we are driven to improve clinical outcomes through the continuous development and manufacturing of high-quality ward accessories. Our Dräger VarioAir® suction ejector and Dräger compact flowmeter are examples of smart accessories that are designed to meet the high demands throughout every ward and station.

We can help you conceptualise your hospital installations with intelligent workstations integrated with complementing accessory products for safer and more optimized patient care.

CONTENT

1. Oxygen therapy	241
1.1 Flowmeter	241
1.2 Oxy mixer	253
1.3 Pressure reducer	255
1.4 Humidifier, adapter and application	263
2. Medical aspiration	265
2.1 Bronchial aspiration	265
2.2 OR aspiration	285
2.3 Continuous and thoracic drainage	289
3. Accessory for gas supply	299
3.1 CS hoses	299
3.1.1 German standard	299
3.1.2 French standard	301
3.1.3 British standard	303
3.1.4 Sweden standard	305
3.1.5 Swiss standard	306
3.1.6 Italian standard	307
3.1.7 Australian standard	308
3.1.8 Japanese standard	309
3.1.9 US american standard	310
3.1.10 Canadian standard	312
3.1.11 Chinese standard	313
3.2 Adapter	314

FLOWMETER

1. OXYGEN THERAPY

1.1 FLOWMETER

These O₂ Flowmeters are plugged directly into a wall terminal unit for oxygen and are used to control the flow of oxygen in inhalation and insufflation. Flow rates can be set with a high degree of accuracy. The large rotary knob makes setting easier.

Accuracy of flow rate at 4.5 bar ± 0.5 bar (1,013 hPa/20 °C)**
 ± 15% (corresponding to smallest setting value)
 ± 10% (all other setting values)

** Using the flowmeters outside the specified ambient conditions could affect flow accuracy.

Dimensions (H × W × D): 160 × 40 × 130 mm
 (6.3 × 1.6 × 5.1 in)
 Material: Housing: Aluminium
 Pressure dome: Polyamide
 Flow indicator: Glass
 Weight: Approx. 500 g (1.1 lb)

- | | |
|---|----------------|
| <p>A O₂ flowmeter, 4 l/min, CS, DIN, ISO and neutral color, M34×1.5 and 9/16" for accessories and sterile water systems</p> | MP04551 |
| <p>B O₂ flowmeter, 16 l/min, CS, DIN, ISO and neutral color, M34×1.5 and 9/16" for accessories and sterile water systems</p> | MP04558 |
| <p>C O₂ flowmeter, 16 l/min, CS, long CS plug (6 cm; 2.4 in), DIN, ISO and neutral color, M34×1.5 and 9/16" for accessories and sterile water systems</p> | MP04561 |



FLOWMETER

A O ₂ flowmeter, 16 l/min, CS, British Standard, ISO, M34×1.5, adapter 9/16"	MP04565
B O ₂ flowmeter, 16 l/min, CS, French Standard, ISO, M34×1.5, adapter 9/16"	MP04566
C O ₂ flowmeter, 10 l/min, CS, CARBA, including adapter to 9/16" for sterile water	MP04554
D O ₂ flowmeter, 16 l/min, CS, CARBA, including adapter to 9/16" for sterile water	MP04563
E O ₂ flowmeter, 32 l/min, CS, DIN, ISO and neutral color, M34×1.5 and 9/16" for accessories and sterile water systems	MP04571



FLOWMETER

TWIN FLOWMETER

The particular advantage of the twin flowmeter is, that two patients can be treated simultaneously and independently of one another, while occupying only one wall terminal.

Accuracy of flow rate at 4.5 bar ± 0.5 bar (1,013 hPa/20 °C)**
 ± 15% (corresponding to smallest setting value)
 ± 10% (all other setting values)

** Using the flowmeters outside the specified ambient conditions could affect flow accuracy.

Dimensions (H × W × D): 160 × 150 × 190 mm
 (6.3 × 5.9 × 7.15 in)

Material: Housing: Aluminium
 Pressure dome: Polyamide
 Flow indicator: Glass

Weight: Approx. 900 g (1.98 lb)

A O ₂ twin flowmeter, 2 × 16 l/min, CS, DIN, ISO, neutral color, M34×1.5 and 9/16" for accessories and sterile water systems	MP04560
B O ₂ twin flowmeter, 2 × 10 l/min, CS, CARBA, 2 × M34×1.5, including adapter to 9/16" for sterile water	MP04555
C O ₂ twin flowmeter, 2 × 10 l/min, rail fitting with NIST gas inlet, 2 × M34×1.5, adapter 9/16"	MP04557
O ₂ twin flowmeter, 2 × 16 l/min, rail fitting with NIST gas inlet, 2 × M34×1.5, adapter 9/16"	MP04569



FLOWMETER

These O₂ flowmeters for rail attachment can be used to control the flow of oxygen in inhalation and insufflation. Flow rates up to 4 and 16 l/min can be set with a high degree of accuracy. The large rotay knob makes setting easier. Using the rail clamp, the flowmeter can be quickly and safely attached to all rail profiles. The connection to the gas supply can be ensured by a CS hose with NIST coupling nut.

Accuracy of flow rate at 4.5 bar ± 0.5 bar (1,013 hPa/20 °C)**
 ± 15% (corresponding to smallest setting value)
 ± 10% (all other setting values)

** Using the flowmeters outside the specified ambient conditions could affect flow accuracy.

Dimensions (H × W × D):	160 × 40 × 130 mm (6.3 × 1.6 × 5.1 in)
Material:	Housing: Aluminium Pressure dome: Polyamide Flow indicator: Glass
Weight:	Approx. 950 g (2.09 lbs)

A O₂ flowmeter, 4 l/min,
 rail with NIST gas inlet,
 M34×1.5 and 9/16" for accessories
 and sterile water systems

MP04552

B O₂ flowmeter, 16 l/min,
 rail NIST, packed with hose 1.5 m,
 DIN, ISO, M34×1.5 and 9/16" for accessories
 and sterile water systems

MP04573

C O₂ flowmeter, 16 l/min,
 rail NIST, packed with hose 1.5 m,
 DIN, neutral color, M34×1.5 and 9/16" for accessories
 and sterile water systems

MP04575



FLOWMETER

- A
O₂ flowmeter, 4 l/min, rail, 90°, NIST gas inlet, M34×1.5 and 9/16" for accessories and sterile water systems
MP04553
- B
O₂ flowmeter, 16 l/min, rail, 90°, NIST gas inlet, M34×1.5 and 9/16" for accessories and sterile water systems
MP04570
- C
O₂ flowmeter, 32 l/min, rail, NIST, M34×1.5 and adapter 9/16"
MP04580



FLOWMETER

<p>A O₂ flowmeter for anesthesia, 16 l/min, rail, with NIST ISO hose 1.2 m, connector 9/16" UNF to 6 mm</p>	<p>MP04576</p>
<p>B O₂ flowmeter for anesthesia, 16 l/min, rail, with NIST black hose 1 m, connector 9/16-18 UNF to 6 mm</p>	<p>MP04577</p>
<p>C O₂ flowmeter for anesthesia, 16 l/min, 90°, rail, with NIST ISO hose 1.2 m, connector 9/16-18 UNF to 6 mm</p>	<p>MP04578</p>
<p>D O₂ flowmeter for anesthesia, 16 l/min, 90°, rail, with NIST black hose 1 m, connector 9/16-18 UNF to 6 mm</p>	<p>MP04579</p>



FLOWMETER

- A** O₂ flowmeter, 16 l/min, rail, NIST gas inlet, M34×1.5, adapter 9/16" **MP04567**
- B** O₂ flowmeter, 10 l/min, rail fitting with NIST gas inlet, M34×1.5, adapter 9/16" **MP04556**

CS hoses

Several hoses to connect flowmeter with the central supply.
 For CS hoses see chapter 4, „Accessory for gas supply“.



FLOWMETER

These flowmeters are plugged directly into a wall terminal unit for medical air and are used to control the flow of medical air for aerosoltherapy. Flow rates of up to 16 or 32 l/min can be set with a high degree of accuracy. The large rotary knob makes setting easier. With integrated sintered filter.

Accuracy of flow rate at 4.5 bar \pm 0.5 bar (1,013 hPa/20 °C)**
 \pm 15% (corresponding to smallest setting value)
 \pm 10% (all other setting values)

** Using the flowmeters outside the specified ambient conditions could affect flow accuracy.

Dimensions (H \times W \times D): 160 \times 40 \times 130 mm
 (6.3 \times 1.6 \times 5.1 in)
 Material: Housing: Aluminium
 Pressure dome: Polyamide
 Flow indicator: Glass
 Weight: Approx. 500 g (1.1 lb)

A	AIR flowmeter, 16 l/min, CS, DIN, ISO and neutral color, M32\times1.5	MP04559
B	AIR flowmeter, 16 l/min, CS, long cs plug (6 cm; 2.4 in), DIN, ISO and neutral color, M32\times1.5	MP04562
C	AIR flowmeter, 16 l/min, CS, CARBA, ISO, M32\times1.5	MP04564
D	AIR flowmeter, 32 l/min, CS, DIN, ISO and neutral color, M32\times1.5	MP04572



FLOWMETER

These Flowmeters for rail attachment can be used to control the flow of medical air for aerosol therapy. Flow rates of up to 16 l/min can be set with a high degree of accuracy. The large setting knob makes setting easier. Using the rail clamp, the flowmeter can be quickly and safely attached to standard rail profiles. The connection to the gas supply can be ensured by a CS hose with NIST coupling nut.

Accuracy of flow rate at 4.5 bar ± 0.5 bar (1,013 hPa/20 °C)**
 ± 15% (corresponding to smallest setting value)
 ± 10% (all other setting values)


** Using the flowmeters outside the specified ambient conditions could affect flow accuracy.

Dimensions (H × W × D): 160 × 40 × 130 mm
 (6.3 × 1.6 × 5.1 in)
 Material: Housing: Aluminium
 Pressure dome: Polyamide
 Flow indicator: Glass
 Weight: Approx. 950 g (2.09 lbs)

A	AIR flowmeter, 16 l/min, rail, NIST, M32×1.5	MP04568
B	AIR flowmeter, 32 l/min, rail, NIST, M32×1.5	MP04581

CS hoses

Several hoses to connect flowmeter with the central supply.
 For CS hoses see chapter 4, „Accessory for gas supply“.



FLOWMETER

COMPACT FLOWMETER CLICKFLOW

Input pressure:	4.5 ± 0.5 bar*
Adjustable ranges:	0.1 – 1 l/min (0; 0.1; 0.2; 0.3; 0.4; 0.5; 0.6; 0.7; 0.8; 1 l/min) 0.5 – 5 l/min (0; 0.5; 1; 1.5; 2; 2.5; 3; 3.5; 4; 5 l/min) 1 – 16 l/min (0; 1; 2; 3; 4; 6; 8; 10; 12; 16 l/min) 1 – 32 l/min (0; 1; 5; 8; 12; 16; 20; 25; 28; 32 l/min)
Accuracy (at 4.5 ± 0.5 bar):	0.5 – 5 l/min, 1 – 16 l/min and 1 – 32 l/min: ± 20%; 0 – 1 l/min ± 30%
Gas inlet:	CS plug O ₂ or AIR; NIST (rail)
Gas outlet:	6 mm nozzle for application unit, thread 9/16" for sterile water or adapter for reusable humidifier
Weight:	approx. 420 g (CS); approx. 700 g (rail)
Housing material:	nickel-coated brass
Dimensions:	diameter about 38 mm, length about 92 mm (CS version); about 118 mm (rail version)

*1 bar = 1 kPa × 100



A Compact flowmeter Clickflow configurator, gives you the option of arranging the compact flowmeter according to your requirements, selectable options for configuration:

Gas type:	O ₂ ; AIR
Mounting:	CS; rail with NIST gas inlet
CS connection:	DIN; Carbamed; BS (England); NF (France)
Version:	single compact flowmeter; double compact flowmeter
Flow:	0.1 – 1 l/min; 0.5 – 5 l/min; 1 – 16 l/min, 1 – 32 l/min
Gas outlet:	6 mm nozzle, thread 9/16" for sterile water

MP13000

FLOWMETER

- | | |
|--|-----------------------|
| <p>A O₂ compact flowmeter Clickflow,
DIN CS, 1 – 16 l/min, 6 mm nozzle</p> | <p>MP13012</p> |
| <p>B O₂ compact flowmeter Clickflow,
DIN CS, 1 – 16 l/min, 9/16"</p> | <p>MP13011</p> |



FLOWMETER

A	O₂ compact flowmeter Clickflow, rail, NIST, 1 – 16 l/min, 9/16"	MP13013
B	O₂ twin compact flowmeter Clickflow, DIN, 2 × 1 – 16 l/min, 9/16"	MP13014
C	AIR compact flowmeter Clickflow, DIN, 1 – 16 l/min, 9/16"	MP13015
D	AIR compact flowmeter Clickflow, DIN, 1 – 16 l/min, 6 mm nozzle	MP13016
E	AIR compact flowmeter Clickflow, rail, 1 – 16 l/min, 9/16"	MP13017

Accessories for Flowmeter in chapter 1.4 (Humidifier, adapter and application).

Several hoses to connect Clickflow with the central supply. For CS hoses see chapter 4, "Accessory for gas supply".



OXYMIXER*

1.2 OXYMIXER*

Oxymixer enables a continuous and individually adjusted mixture of medical air and medical oxygen to be administered to infants, children and adults. The O₂ concentration is easily adjusted to a highly accurate flow by means of the bleed – even with flow rates of less than 3 l/min.

Oxymixer configuration	
Configurable Oxymixer	MP04200
A Oxymixer High Flow	MP04201
B Oxymixer High Flow with monitor	MP04202
C Oxymixer Low Flow with monitor	MP04204
D Oxymixer Low Flow with 1 – 15 l flowmeter right	MP04229
E Multi-P trolley basic**	MP13020
Including base with 5 castors, 38-mm Ø pole, 3 rail clamps, basket.	
F Multi-P trolley basic**	MP13021
Including base with 5 castors and 38 mm Ø pole for accessories.	

Several hoses to connect Oxymixer with the central supply. For CS hoses see chapter 4, "Accessory for gas supply".

*Tradeware

**Tradeware. This product is expected to be available in April 2021.



OXYMIXER

A <u>Oxymixer sound damper 9/16"</u>	<u>MP04218</u>
B <u>Oxymixer sound damper 22 and 15 mm</u>	<u>MP04219</u>
C <u>Adapter 9/16" to 15/22mm</u>	<u>MP05305</u>
D <u>Adapter, with 6 mm nozzle, e.g., for disposable breathing masks, 9/16" connection</u>	<u>MP00416</u>
<u>Oxymixer oxygen sensor (spare part)</u>	<u>MP04221</u>

*Produced by DEHAS



PRESSURE REDUCER

1.3 PRESSURE REDUCER

A Pressure reducer OxyLine, customized configuration of pressure reducers

MP00100

OxyLine's modular design means you can accurately choose the pressure reducer you need from the following components:

- O₂ or AIR pressure reducer with 200 bar technology
- Manometer, vertical or horizontal
- Flow regulator settings (1, 2, 3, 4, 6, 8, 12 and 15 l/min) and 9/16" sterile water connector
- Flowmeter for up to 16 l/min with connector for Dräger reusable humidifier, sterile water connector and 6 mm (0.2 in) nozzle for an oxygen mask
- Self-closing NIST connector
- Centralized gas supply coupling, e.g. to connect up a mains-operated ventilation device
- Ejector for short-time suction of eg. secret

Type:	Single-stage pre-set pressure reducer
Permissible inlet pressure range:	11 to 200 kPa × 100
Nominal outlet pressure (p2):	non-adjustable, output pressure as per rating plate
Weight:	1.2 kg to 2 kg (depending on connector type)
Material:	Brass with chemical nickel surface



PRESSURE REDUCER

OxyLine® Pressure reducer


MP00100

Order information international


Make your own configuration by setting a cross or a number.

☐ = One position must be chosen

☐☐ = One position can be chosen



PRESSURE REDUCER



* At least one outlet must be selected.
 ** Please check former selection (left/right).
 *** Only possible if no NIST O₂ (4.4) or NIST AIR (4.5).

5 Accessories		
Adapter NIST to DIN CS-Coupling O ₂	M35056	<input type="checkbox"/>
Adapter NIST to DIN CS-Coupling AIR	M35058	<input type="checkbox"/>
Adapter, with 6 mm nozzle, 9/16" connection	MP00416	<input type="checkbox"/>
Humidifier-bubbler, for oxygen humidification	2M85834	<input type="checkbox"/>
Humidifier-nebulizer, for oxygen humidification	2M85835	<input type="checkbox"/>

D-4941-2017

MT-1332-2003

D-8465-2016

MT-1939-2003

MT-1921-2003

PRESSURE REDUCER

A Oxett head OxyLine, pressure reducer G $\frac{3}{4}$ " , 200 bar, NIST, flowmeter, DIN-CS, ejector VarioO2	MP01101
B Oxett head OxyLine, pressure reducer G $\frac{3}{4}$ " , 200 bar, NIST, flow regulator, DIN-CS, ejector VarioO2	MP01102
C Oxator head OxyLine, pressure reducer G $\frac{3}{4}$ " , 200 bar, NIST, 2 × DIN-CS, ejector VarioO2	MP01103
D Pressure reducer w/ flowmeter OxyLine, G $\frac{3}{4}$ " , 200 bar, 16 l/min, M34×1.5, 9/16", nozzle	MP01104
E Pressure reducer with NIST OxyLine, G $\frac{3}{4}$ " , for 200 bar, NIST	MP01105



PRESSURE REDUCER

Oxett

Oxett is a portable oxygen supply unit for mobile use. Oxett ensures consistent treatment, because the device can be mounted to bed, rail and stretcher. All devices for inhalation, insufflation and suction are available on a solid aluminum plate. Precise O₂ delivery is handled through the pressure compensated flow meter or the compact flowmeter. Manual or automatic short-term ventilation is even possible, because the Oxylog[®] can be connected via the O₂ standard coupling. The portable Oxett unit meets the requirements of daily hospital and emergency medical practice in a simple way. It removes all well-practiced temporary supply solutions.

A Oxett carrying frame, for Oxett head+O₂ cylinder up to 2.5 l, with secretion jar and rail for suction ejector	MP04110
Oxett head, configurable via OxyLine[®]	MP00100
B Oxett head OxyLine, pressure reducer G³/₄" , 200 bar, NIST, flowmeter, DIN-CS, ejector VarioO2	MP01101
B Oxett head OxyLine, pressure reducer G³/₄" , 200 bar, NIST, flow regulator, DIN-CS, ejector VarioO2	MP01102
C Oxett adapter plate, to mount Oxett on bed in higher position	2M86205



PRESSURE REDUCER

A Small Oxator	Space-saving solution for transportation of large gas-cylinder. The stable trolley can be used flexible. Set up from components below:	
B Simple cylinder trolley, for one gas cylinders up to a volume of 11 L		MP00038
C Oxator head, configurable via OxyLine®	Oxator head OxyLine, pressure reducer G $\frac{3}{4}$ " , 200 bar, NIST, 2 × DIN-CS, ejector	MP00100
D Ejector VarioO2® B/OR Rail, for bronchial and OR suction, gas connection O₂		MP00552
D NIST-NIST Connecting hose 1.2 m		M36053



PRESSURE REDUCER

- A Compact rail,**
for 38 mm tube, standard rail profile 25 × 10 mm,
each side 10 cm, weight: 0.9 kg, max. load: 30 kg 2M85337
- B Secretion jar set, with 700 ml secretion jars (2 pcs.)**
and 1.5 m suction hose,
maximum capacity up to the overflow safeguard 2 × 1000 ml,
scale in steps of 10 ml up to max. 700 ml 2M85056
- C Rail clamp lever type,**
for attachment of devices to 25 × 10 mm standard rail,
for compact suction unit and secretion jar set M26842

For CS hoses please refer to chapter „Accessory for gas supply“.



PRESSURE REDUCER

A	Simple cylinder trolley, for one gas cylinders up to a volume of 11 L	<u>MP00038</u>
B	Rail holder, for 38 mm tube, standard rail profile 25 × 10 mm, 40 cm, length: 40 cm, weight: 0.9 kg, max. load: 5 kg	<u>2M86185</u>
C	Adapter NIST to DIN CS-Coupling O ₂	<u>M35056</u>
D	Adapter NIST to DIN CS-Coupling AIR	<u>M35058</u>



HUMIDIFIER, ADAPTER AND APPLICATION

1.4 HUMIDIFIER, ADAPTER AND APPLICATION

A	Humidifier-bubbler, for oxygen humidification up to appr. 60% relative humidity and flows up to 5 l/min	2M85834
B	Humidifier-nebulizer, for oxygen humidification up to 100% relative humidity and flows up to 5 l/min	2M85835
C	Adapter, to connect e.g a tube or nasal cannula to O₂ flowmeter, M34×1.5 to 6 mm nozzle	M06258
C	Adapter, to connect e.g a tube or nasal cannula to AIR flowmeter, M32×1.5 to 6 mm nozzle	2M85575
D	Adapter, to connect Dräger humidifier to mixing block, M15×1 to M34×1.5	2M85853
E	Adapter 9/16" to M34×1.5 for Dräger reusable humidifier	MP03325



HUMIDIFIER, ADAPTER AND APPLICATION

A	Adapter, for disposable sterilized water systems to O₂ flowmeters, M34×1.5 to 9/16"	<u>2M86680</u>
A	Adapter, for disposable sterilized water systems to AIR flowmeter, M32×1.5 to 9/16"	<u>MP03366</u>
B	Adapter, with 6 mm nozzle, e.g., for disposable breathing masks, 9/16" connection	<u>MP00416</u>

Oxygen and aerosol therapy masks, venturi mask kids, nasal cannulas and accessories in chapter 5.3, breathing accessories.




MEDICAL ASPIRATION

2.1 Bronchial aspiration

Dräger offers an extensive line of bronchial aspirators, while also providing individual solutions to meet your specific needs in the ICU and OR. Generally you have the choice between vacuum, medical air or oxygen as the drive gas. We differ by the driving units between

the ejectors and the vacuum regulators. In addition, we can supply the attachments and hose brackets you need to ensure an ergonomically efficient workplace. You could also choose the connection you require and the fitting jar system. We offer reusable solutions as well as disposables.



1	MP00501	VarioVac® B DIN	MP00533	VarioAir® B AGA	11	M26859	Wall holder	
	MP00502	VarioVac® B BS	MP00534	VarioAir® B UNI	12	M26842	Rail clamp lever type	
	MP00503	VarioVac® B NF	MP00548	VarioAir® B CARBA	13	2M85119	Ceiling holder	
	MP00504	VarioVac® B AGA	5	MP00535	VarioAir® B/OR Rail	14	2M86207	Secretion jar, 300 ml
	MP00514	VarioVac® B CARBA		MP00545	VarioAir® P Rail		2M85594	Secretion jar, 700 ml
2	MP00505	VarioVac® B/OR Rail		MP03220	VarioAir® MRI B/OR Rail	15	2M86758	Protection jar
	MP00660	VarioVac® P Rail		MP03221	VarioAir® MRI P Rail	16	2M85446	CS connection hose holder
	MP00516	Dual VarioVac® B/OR Rail	6	MP00550	VarioO2® B DIN	17	2M85239	Suction hose holder
	MP03222	VarioVac® MRI B/OR Rail		MP00551	VarioO2® B CARBA	18	MX23023	Secretion jar VacuSmart®, 700 ml
	MP03223	VarioVac® MRI P Rail	7	MP00552	VarioO2® B/OR Rail		MX23025	Secretion jar VacuSmart® Gel, 700 ml
3	MP00506	VarioVac® B compact	8	MP00536	VarioAir® B compact	19	MX23026	Suction tube VacuSmart® Tube
	MP00661	VarioVac® P compact		MP00547	VarioAir® P compact	20	MP00570	Shut-off valve for VarioVac®
4	MP00530	VarioAir® B DIN	9	2M85056	Secretion jar set			
	MP00531	VarioAir® B BS	10	2M85607	Secretion jar set, with protection jar			
	MP00532	VarioAir® B NF						

Not all articles are available worldwide.

BRONCHIAL ASPIRATION

2. MEDICAL ASPIRATION

2.1 BRONCHIAL ASPIRATION

The vacuum regulator is connected directly to a central vacuum supply system or to rails. The vacuum is infinitely variable up to max. -90 kPa (-900 mbar) and is shown on a turnable, manually adjustable pressure gauge. Shut-off valve is included.

You can use the VarioSafe® disposable filter system to reliably protect the **VarioVac®** series and the central vacuum system against contamination. A VarioSafe® filter system is included with every VarioVac® vacuum regulator.

Technical data:

Maximum vacuum: -90 to 0 kPa (-900 to 0 mbar)

Maximum suction flow: 55 l/min

Weight: 600 to 800 g

800 g for rail version

1,700 g for dual version

(MP00516)

Dimensions (W/H/D) in mm: 80 × 210 × 160 (without VarioSafe)

80 × 340 × 160 (with VarioSafe)

MP00516 for dual version:

200 × 210 × 210 (without VarioSafe)

200 × 340 × 210 (with VarioSafe)

Maximum sound level: 43 dB(A)

Hose nozzle: Ø 6 mm

Bacterial retention: 99.99998% (with VarioSafe)*

Viral retention: 99.9998% (with VarioSafe)*

*Test has been performed by Nelson Lab, USA, before 2010

A	Vacuum regulator VarioVac® B DIN, for bronchial suction, gas connection VAC	MP00501
B	Vacuum regulator VarioVac® B BS, for bronchial suction, gas connection VAC	MP00502
C	Vacuum regulator VarioVac® B NF, for bronchial suction, gas connection VAC	MP00503
D	Vacuum regulator VarioVac® B AGA, for bronchial suction, gas connection VAC, Swedish standard	MP00504
E	Vacuum regulator VarioVac® B CARBA, for bronchial suction, gas connection VAC	MP00514

For CS hoses please refer to chapter „Accessory for gas supply“.



BRONCHIAL ASPIRATION

VarioVac® vacuum regulator for rail.

Technical data:

Maximum vacuum: -90 to 0 kPa (-900 to 0 mbar)
 Maximum suction flow: 55 l/min
 Weight: 800 g for rail version
 1,700 g for dual version (MP00516)

Dimensions (W/H/D) in mm: for rail version
 80 × 210 × 160 (without VarioSafe)
 80 × 340 × 160 (with VarioSafe)
 for dual version (MP00516):
 200 × 210 × 210 (without VarioSafe)
 200 × 340 × 210 (with VarioSafe)

Maximum sound level: 43 dB(A)

Hose nozzle: Ø 6 mm

Bacterial retention: 99.99998% (with VarioSafe)*

Viral retention: 99.9998% (with VarioSafe)*

*Test has been performed by Nelson Lab, USA, before 2010

A	Vacuum regulator VarioVac® B/OR Rail, for bronchial and OR suction, gas connection NIST VAC	MP00505
B	Vacuum regulator dual VarioVac® B/OR Rail, for bronchial and OR suction, gas connection NIST VAC	MP00516
C	Vacuum regulator VarioVac® B/OR Rail DISS, for bronchial and OR suction, gas connection DISS VAC	MP00631

For CS hoses please refer to chapter „Accessory for gas supply“.



BRONCHIAL ASPIRATION

VarioVac® vacuum regulator for rail.

The gas supply is ensured by VAC connection hose.

This rail version can be connected to all standard wall rails (10 mm width and 25 mm height).

You can use the VarioSafe® disposable filter system to reliably protect the VarioVac® series and the central vacuum system against contamination.

A VarioSafe® filter system is included with every VarioVac® vacuum regulator.

Technical data:

VarioVac P (MP00660, MP03223)

Maximum vacuum: -55 to 0 kPa (-550 to 0 mbar)
 Maximum suction flow: 20 l/min
 Maximum sound level: 40 dB(A)

VarioVac B/OP (MP03222)

Maximum vacuum: -90 to 0 kPa (-900 to 0 mbar)
 Maximum suction flow: 55 l/min
 Maximum sound level: 43 dB(A)

Weight: 800 g
 Dimensions (W/H/D) in mm: 80 × 210 × 160 (without VarioSafe)
 80 × 340 × 160 (with VarioSafe)

Hose nozzle: Ø 6 mm
 Bacterial retention: 99.99998% (with VarioSafe)*
 Viral retention: 99.99998% (with VarioSafe)*

*Test has been performed by Nelson Lab, USA, before 2010



**A Vacuum regulator VarioVac® P Rail,
 for bronchial suction, gas connection NIST VAC,
 for connection to all standard wall rails** MP00660

**A Vacuum regulator VarioVac® P Rail DISS,
 for bronchial suction, gas connection DISS VAC,
 for connection to all standard wall rails** MP00632

These bronchial aspirators are suited for use in MRI.
 The bronchial aspirators can be used in magnets with static magnetic fields of 1.5 tesla and 3 tesla.
 Minimum distance from the center of the magnetic field:
 Magnetic flux density of 40 millitesla (400 gauss).

**B Vacuum regulator VarioVac® MRI P Rail,
 for bronchial suction, gas connection NIST VAC,
 for connection to all standard wall rails** MP03223

**C Vacuum regulator VarioVac® MRI B/OR Rail,
 for bronchial and OR suction, gas connection NIST VAC,
 for connection to all standard wall rails** MP03222

For CS hoses please refer to chapter „Accessory for gas supply“.

BRONCHIAL ASPIRATION

VACUUM SUCTION

For connecting via CS vacuum connecting hose.

This rail version can be connected to all standard wall rails (10 mm width and 25 mm height). The gas supply is ensured by VAC connection hose.

You can use the bacterial filter MK00514 to reliably protect the central vacuum system against contamination. Two bacterial filters are included within the scope of delivery. These bronchial aspirators are suited for use in MRI.

The bronchial aspirators can be used in magnets with static magnetic fields of 1.5 tesla and 3 tesla. Minimum distance from the center of the magnetic field: Magnetic flux density of 40 millitesla (400 gauss).

Technical data:

Maximum vacuum:	-95 to 0 kPa (-950 to 0 mbar)
Maximum suction flow:	50 l/min
Dimensions (W/H/D) in mm:	130 × 190 × 120
Maximum sound level:	55 dB(A)
Hose nozzle:	Ø 6 mm
Bacterial retention:	99.999% (with filter)
Viral retention:	99.999% (with filter)



A	Vacuum suction NIST, for bronchial suction, gas connection VAC	MK01422
A	Vacuum suction DISS, for bronchial suction, gas connection VAC	MK03140
A	Vacuum suction DISS Canada, for bronchial suction, gas connection VAC	MK03320
B	Vacuum aspirator DISS, version for Atlan A300/ A350 and Perseus A500	MP00686
	Vacuum aspirator DISS Canada, version for Atlan A300/ A350 and Perseus A500	MP00687
	Vacuum aspirator NIST, version for Atlan A300/ A350 and Perseus A500	MP00689

For CS hoses please refer to chapter „Accessory for gas supply“.

BRONCHIAL ASPIRATION

The **VarioAir®** ejector is connected directly to a medical air supply system or to rails. The low-noise ejector generates a vacuum up to max. -90 kPa (-900 mbar) and shows the vacuum level on a turnable, manually adjustable pressure gauge.

All devices offer a pressure relief valve (ex 0.1 kPa) to avoid pressure increase at the patient side.

The vacuum adjusting knob is also the on/off switch to interrupt the suction without reset the values.

A new VarioSafe® disposable filter system reliably protects the VarioAir® series and the patient environment against contamination. One piece of the new VarioSafe® filter system is always included.

Technical data:

Maximum vacuum:	-90 to 0 kPa (-900 to 0 mbar)
Minimum suction flow:	40 l/min
Inlet pressure range:	4 to 5.5 bar
Maximum gas consumption:	55 l/min
Weight:	800 g
Dimensions (W/H/D) in mm:	80 × 200 × 160 (without VarioSafe) 80 × 330 × 160 (with VarioSafe)
Maximum sound level:	57 dB(A)
Hose nozzle:	Ø 6 mm
Pressure relief valve:	Ex 0.1 kPa (1 mbar)
Bacterial retention:	99.99998% (with VarioSafe)*
Viral retention:	99.99998% (with VarioSafe)*

*Test has been performed by Nelson Lab, USA, before 2010

A	Ejector VarioAir® B DIN, for bronchial suction, gas connection AIR	MP00530
B	Ejector VarioAir® B BS, for bronchial suction, gas connection AIR	MP00531
C	Ejector VarioAir® B NF, for bronchial suction, gas connection AIR	MP00532
D	Ejector VarioAir® B AGA, for bronchial suction, gas connection AIR, Swedish standard	MP00533
E	Ejector VarioAir® B UNI, for bronchial suction, gas connection AIR	MP00534
F	Ejector VarioAir® B CARBA, for bronchial suction, gas connection AIR	MP00548

For CS hoses please refer to chapter „Accessory for gas supply“.



BRONCHIAL ASPIRATION

VarioAir® ejector for rail.

Technical data:

Maximum vacuum: -90 to 0 kPa (-900 to 0 mbar)
 Minimum suction flow: 40 l/min
 Inlet pressure range: 4 to 5.5 bar
 Maximum gas consumption: 55 l/min
 Weight: 800 g
 Dimensions (W/H/D) in mm: 80 × 200 × 160 (without VarioSafe)
 80 × 330 × 160 (with VarioSafe)

Maximum sound level: 57 dB(A)
 Hose nozzle: Ø 6 mm
 Pressure relief valve: Ex 0.1 kPa (1 mbar)
 Bacterial retention: 99.99998% (with VarioSafe)*
 Viral retention: 99.99998% (with VarioSafe)*

*Test has been performed by Nelson Lab, USA, before 2010

A	Ejector VarioAir® B/OR Rail, for Bronchial and OR suction, gas connection NIST AIR	MP00535
A	Ejector VarioAir® B/OR Rail DISS, for Bronchial and OR suction, gas connection DISS AIR	MP00638
B	Ejector VarioO2® B DIN, for bronchial suction, gas connection O₂	MP00550
B	Ejector VarioO2® B CARBA, for bronchial suction, gas connection O₂	MP00551
C	Ejector VarioO2® B/OR Rail, for bronchial and OR suction, gas connection NIST O₂	MP00552

For CS hoses please refer to chapter „Accessory for gas supply“.



BRONCHIAL ASPIRATION

VarioAir® ejector for rail.

The gas supply is ensured by AIR connection hose.

This rail version can be connected to all standard wall rails (10 mm width and 25 mm height).

You can use the VarioSafe® disposable filter system to reliably protect the VarioAir® series and the central vacuum system against contamination.

Technical data:

VarioAir P (MP00545, MP03221)

Maximum vacuum: -48 to 0 kPa (-480 to 0 mbar)
 Maximum suction flow: 20 l/min
 Maximum gas consumption: 40 l/min
 Maximum sound level: 47 dB(A)

VarioAir B/OP (MP03220)

Maximum vacuum: -90 to 0 kPa (-900 to 0 mbar)
 Maximum suction flow: 40 l/min
 Maximum gas consumption: 55 l/min
 Maximum sound level: 57 dB(A)

Inlet pressure range: 4 to 5.5 bar
 Weight: 800 g
 Dimensions (W/H/D) in mm: 80 × 200 × 160 (without VarioSafe)
 80 × 330 × 160 (with VarioSafe)

Hose nozzle: Ø 6 mm
 Pressure relief valve: from 0.1 kPa on (1 mbar)
 Bacterial retention: 99.99998% (with VarioSafe)*
 Viral retention: 99.9998% (with VarioSafe)*

*Test has been performed by Nelson Lab, USA, before 2010



**A Ejector VarioAir® P Rail,
 for bronchial suction, gas connection NIST AIR,
 for connection to all standard wall rails** MP00545

**A Ejector VarioAir® P Rail DISS,
 for bronchial suction, gas connection DISS AIR,
 for connection to all standard wall rails** MP00639

These bronchial aspirators are suited for use in MRI.

The bronchial aspirators can be used in magnets with static magnetic fields of 1.5 tesla and 3 tesla. Minimum distance from the center of the magnetic field: Magnetic flux density of 40 millitesla (400 gauss).

**A Ejector VarioAir® MRI B/OR Rail,
 for bronchial suction, gas connection NIST AIR,
 for connection to all standard wall rails** MP03220

**A Ejector VarioAir® MRI P Rail,
 for bronchial suction, gas connection NIST AIR,
 for connection to all standard wall rails** MP03221

For CS hoses please refer to chapter „Accessory for gas supply“.

BRONCHIAL ASPIRATION

EJECTOR SUCTION

For connecting via CS vacuum connecting hose.
The gas supply is ensured by AIR connection hose.
You can use the bacterial filter MK00514 to reliably protect the central vacuum system against contamination. Two bacterial filters are included within the scope of delivery. These bronchial aspirators are suited for use in MRI. The bronchial aspirators can be used in magnets with static magnetic fields of 1.5 tesla and 3 tesla. Minimum distance from the center of the magnetic field: Magnetic flux density of 40 millitesla (400 gauss).

Technical data:

Maximum vacuum:	-90 to 0 kPa (-900 to 0 mbar)
Maximum suction flow:	30 l/min
Pressure range:	2.7 to 6.9 bar
Maximal gas consumption:	60 l/min
Dimensions (W/H/D) in mm:	130 × 190 × 120
Maximum sound level:	55 dB(A)
Pressure relief valve:	ex 1 kPa (10 mbar)
Hose nozzle:	Ø 6 mm
Bacterial retention:	99.999% (with filter)
Viral retention:	99.999% (with filter)



A	Ejector suction NIST AIR O₂ for bronchial suction, gas connection AIR/O₂, for connection to all standard wall rails	MK01418
A	Ejector suction NIST for bronchial suction, gas connection AIR, for connection to all standard wall rails	MK01420
A	Ejector suction NIST, for bronchial suction, gas connection AIR, version for Atlan A300/ A350 and Perseus A500	MP00688

For CS hoses please refer to chapter „Accessory for gas supply“.

BRONCHIAL ASPIRATION

Drive unit (VarioVac® or VarioAir®) and jar set are joined together, so that you have a complete, convenient and easy solution. The ergonomically shaped handle is positioned exactly at the units centre of gravity, making it easy to transport the aspirator quickly. The gas supply is ensured by CS connection hose. You can use the VarioSafe® disposable filter system to reliably protect the device and the patient environment against contamination. This rail version can be connected to all standard wall rails (10 mm width and 25 mm height).

Technical data:

Weight:	1,600 g (empty)
Dimensions (W/H/D) in mm:	300 × 440 × 160
Hose nozzle:	Ø 6 mm
Bacterial retention:	99.99998% (with VarioSafe)*
Viral retention:	99.9998% (with VarioSafe)*

*Test has been performed by Nelson Lab, USA, before 2010

A Vacuum regulator VarioVac® B compact, for bronchial suction, gas connection NIST VAC, including secretion jar set and integrated vacuum regulator **MP00506**

Technical data:

Maximum vacuum:	-90 to 0 kPa (-900 to 0 mbar)
Maximum suction flow:	55 l/min
Maximum sound level:	43 dB(A)

A Vacuum regulator VarioVac® P compact, for bronchial suction, gas connection NIST VAC, including secretion jar set and integrated vacuum regulator **MP00661**

Technical data:

Maximum vacuum:	-55 to 0 kPa (-550 to 0 mbar)
Maximum suction flow:	20 l/min
Maximum sound level:	40 dB(A)

For CS hoses please refer to chapter „Accessory for gas supply“.



BRONCHIAL ASPIRATION

**A Ejector VarioAir® B compact,
for bronchial suction, gas connection NIST AIR,
including secretion jar set and integrated ejector** **MP00536**

Technical data:

Maximum vacuum:	-90 to 0 kPa (-900 to 0 mbar)
Minimum suction flow:	40 l/min
Inlet pressure range:	4 to 5.5 bar
Maximum gas consumption:	55 l/min
Maximum sound level:	57 dB(A)
Pressure relief valve:	Ex 0.1 kPa (1 mbar)



**A Ejector VarioAir® P compact,
for bronchial suction, gas connection NIST AIR,
including secretion jar set and integrated ejector** **MP00547**

Technical data:

Maximum vacuum:	-48 to 0 kPa (-480 to 0 mbar)
Maximum suction flow:	20 l/min
Inlet pressure range:	4 to 5.5 bar
Maximum gas consumption:	40 l/min
Maximum sound level:	47 dB(A)
Pressure relief valve:	Ex 0.1 kPa (1 mbar)

For CS hoses please refer to chapter „Accessory for gas supply“.

BRONCHIAL ASPIRATION

Extra lightweight portable secretion jar set for bronchial aspiration. The set is made of high quality and extremely robust plastic and can be autoclaved at up to 134 °C. The two 700 ml jars, which are used as secretion and rinsing jars, are identical, making hospital logistics considerably easier. The jars are made of high quality polysulfone, are reusable, extremely robust and implosion proof. The long service lives makes the jars both environmentally friendly and cost effective.

An automatic overflow safeguard is fitted in the secretion jar cap to prevent secretion from entering the drive unit and the piped medical gas supply. The ergonomically shaped handle is positioned exactly at the units centre of gravity, making it easy to transport the secretion jar set quickly.

- A** Secretion jar set, with 700 ml secretion jars (2 pcs.) and 1.5 m suction hose, maximum capacity up to the overflow safeguard 2 × 1,000 ml, scale in steps of 10 ml up to max. 700 ml

2M85056

- B** Secretion jar set, with protection jar and 700 ml secretion jars (2 pcs.), maximum capacity up to the overflow safeguard 2 × 1,000 ml, scale in steps of 10 ml up to max. 700 ml, with additional protection jar 300 ml

2M85607



BRONCHIAL ASPIRATION

A <u>Secretion jar set with clamp</u>	MP00646
B <u>Carrier rack CD</u>	2M85380
C <u>Carrying rack bronchial suction</u>	2M85381



BRONCHIAL ASPIRATION

Holders for attaching a compact bronchial aspirator or a secretion jar set to the wall/ rail or to a rail on a ceiling supply unit. The devices are only latched and can be detached and moved easily if this is required.

A Wall holder, with fixing screws, for compact suction unit and secretion jar set **M26859**

B Rail clamp lever type, for attachment of devices to 25 × 10 mm standard rail, for compact suction unit and secretion jar set **M26842**

C Ceiling holder, rail holder for compact suction systems and secretion jar sets **2M85119**

Holders for holding a central supply connecting hose or an aspiration hose. For attachment to an intensive care rail or compact rail.

D CS connection hose holder **2M85446**

E Suction hose holder, suitable for various diameters **2M85239**



BRONCHIAL ASPIRATION

VacuSmart® disposable cartridge for bronchial suction

VacuSmart® is a disposable cartridge for 700 ml secretion jars. This product has been specifically designed and thoroughly tested to work with Dräger suction units. Therefore there is absolutely no need to modify the installed base. An integrated hydrophobic filter acts as an overflow safeguard by stopping suction of secretion once maximum capacity has been reached. The closed and leakproof system, optional with an integrated gelling agent, reduces the risk of cross contamination to a minimum. The optional gelling agent prevent leakages e.g. during the waste disposal in a waste press. The gelling agent is secured in a water soluble bag.

Technical data:

Maximum capacity:	700 ml
Maximum capacity up to the overflow safeguard:	1,000 ml
Overflow safeguard:	Integrated, hydrophobic filter
Recommended duration of use:	24 h
Gelling agent:	Sodium polyacrylate

A	Secretion jar VacuSmart®, PE (Polyethylene), disposable, 700 ml, 25 pcs.	<u>MX23023</u>
B	Secretion jar VacuSmart® Gel, PE (Polyethylene), disposable, 700 ml, 25 pcs.	<u>MX23025</u>
C	Suction tube VacuSmart® Tube, PE (Polyethylene), disposable, 2 m, w/ finger tip, 25 pcs.	<u>MX23026</u>
You can also enjoy some smart savings by choosing any of the following packing unit 25 pieces sets:		
D	Suction set, disposable, VacuSmart®, 700 ml and VacuSmart® Tube, 25 pcs. each	<u>MP00061</u>
D	Set VacuSmart® Gel and Tube, 25 pcs.	<u>MP03211</u>



BRONCHIAL ASPIRATION

A Bacterial filter 767, for ejectors (model range until 2010), 5 pcs. 6723976

A Bacterial filter 767, disposable, for ejectors (model range until 2010) CH00102

The filter 767 reliably protects the ejector and the patient environment against contamination.

Technical data:

Bacterial retention:	99.992%**
Viral retention:	99.99%**
Material:	PS (polystyrol)
Recommended duration of use:	7 days
Filtration method:	Mechanical (HEPA)**

B Bacterial filter disposable, 20 pcs. MK00514

You can use the bacterial filter to reliably protect the suction devices against contamination.

Technical data:

Bacterial retention:	99.999%**
Viral retention:	99.999%**
Material:	Acryl
Recommended duration of use:	7 days
Filtration method:	Hydrophobic (HEPA)**

C Bacterial and viral filter system VarioSafe, for VarioAir®, VarioVac®, VarioO2, disposable, 10 pcs. MP00555

The new VarioSafe® disposable filter system reliably protects the VarioAir®, VarioVac® and VarioO2 series and the patient environment against contamination.

Technical data:

Maximum capacity:	90 ml
Bacterial retention:	99.99998%*
Viral retention:	99.9998%*
Material:	PS (polystyrol)
Recommended duration of use:	7 days
Filtration method:	Mechanical and hydrophobic (HEPA)*

*Test has been performed by Nelson Lab, USA, before 2010

**According to EN 1822-1:1998 Filter for suspended particles (HEPA and ULPA)



MT-3005-2004



MT-4617-2005



D-28537-2009

BRONCHIAL ASPIRATION

A	Suction hose, silicone, reusable, 1.5 m, for medical suction	M25780
B	Connection hose, silicone, reusable, ID 5 mm, wall thickness 2 mm, by meter	1203606
	Silicone hose 6 × 2.5, 2 m	5001330
C	Cap, for 700 ml secretion jar, with overflow safeguard	2M85011
D	Cap, for secretion jar, for fistula indicator for continuous and thoracic drainage	2M85013
E	Cap, for secretion jar, w/ overflow safeguard and pressure relief valve (≥ 0.1 kPa)	2M85012



BRONCHIAL ASPIRATION

A	Secretion jar, PSU (Polysulfone), reusable, 300 ml, autoclavable up to 134°C	2M86207
B	Secretion jar, PSU (Polysulfone), reusable, 700 ml, autoclavable up to 134°C	2M85594
C	Elbow, angled hose connection for secretion jar caps	2M19063
D	Shut-off valve for VarioVac®, for temporary opening and closing of suction flow	MP00570
E	Secretion control glass	M07582



BRONCHIAL ASPIRATION

A Pressure gauge for VarioVac® + VarioAir®, double scale kPa/mmHg, -100 kPa (-1000 mbar)	MP00578
B Pressure gauge for VarioVac® + VarioAir®, double scale kPa/mmHg, -60 kPa (-600 mbar)	MP00580
C Pressure gauge -100 kPa MRI, double scale kPa/mmHg, -100 kPa (-1000 mbar)	MP03589
D Pressure gauge -60 kPa MRI, double scale kPa/mmHg, -60 kPa (-600 mbar)	MP03587



BRONCHIAL ASPIRATION

<p>A Universal holder with groove 25 × 5 for wall rails 25 × 8 to 35 × 10 mm, for compact suction system and secretion jar set</p>	<p>2M86757</p>
<p>B Universal holder profile 30 × 5 for wall rails 25 × 8 to 35 × 10 mm, for secretion jars Medela</p>	<p>MP00634</p>
<p>C Universal holder for wall rails 25 × 8 to 35 × 10 mm with M5 drill hole 15 mm distance</p>	<p>MP00635</p>
<p>D Universal holder for wall rails 25 × 8 to 35 × 10 mm with M5 drill hole 22 mm distance</p>	<p>MP00636</p>
<p>E Universal holder flex 15 for wall rails 25 × 8 to 35 × 10 mm with bottle screw</p>	<p>MP00637</p>




MEDICAL ASPIRATION

2.2 OR aspiration

During surgical, endoscopic and minimally invasive procedures you do not have to abandon the easy use of these products. A modular design facilitates the easy replacement of components and allows the system to be upgraded with any of Dräger's rail-mounted accessories. The negative pressure can be generated either by a vacuum regulator or an ejector.

An overflow safeguard in the secretion jar and an additional protection jar reduce the risk of contamination of the drive element and the pressure or vacuum generating system.

The OR aspirators can be connected either to the central vacuum system or, when used with an ejector drive unit, to the piped oxygen or medical air supply system.



1	MP00505	VarioVac® B/OR Rail
	MP00516	Dual VarioVac® B/OR Rail
2	MP00535	VarioAir® B/OR Rail
3	MP00552	VarioO2® B/OR Rail
4	2M85441	Trolley, for OR suction unit
5	MP03231	Cap secretion jar Medela
6	MP03230	Secretion jar 3 L Medela

7	MP03233	Connection hose Medela
8	MP03232	Switchover valve Medela
9	MP00634	Universal holder profile 30 × 5
10	2M86758	Protection jar
11	2M85446	CS connection hose holder
12	2M85239	Suction hose holder
13	MX37021	Bacterial filter, disposable, for Evac 40

OR ASPIRATION

2.2 OR ASPIRATION

A	Vacuum regulator VarioVac® B/OR Rail, for bronchial suction, gas connection VAC	MP00505
Technical data:		
Maximum vacuum:	-90 to 0 kPa (-900 to 0 mbar)	
Maximum suction flow:	55 l/min	
Weight:	600 to 800 g (800 g for rail versions)	
Dimensions (W/H/D) in mm:	80 × 200 × 160 (without VarioSafe) 80 × 330 × 160 (with VarioSafe)	
Maximum sound level:	43 dB(A)	
Hose nozzle:	Ø 6 mm	
Bacterial retention:	99.99998% (with VarioSafe)*	
Viral retention:	99.9998% (with VarioSafe)*	
*Test has been performed by Nelson Lab, USA, before 2010		
B	Vacuum regulator dual VarioVac® B/OR Rail, for bronchial suction, gas connection VAC	MP00516
Weight:	1,700 g	
Dimensions (W/H/D) in mm:	200 × 210 × 210 (without VarioSafe) 200 × 340 × 210 (with VarioSafe)	
C	Ejector VarioAir® B/OR Rail, for bronchial and OR suction, gas connection AIR	MP00535
C	Ejector VarioO2® B/OR Rail, for bronchial and OR suction, gas connection O₂	MP00552
Technical data:		
Maximum vacuum:	-90 to 0 kPa (-900 to 0 mbar)	
Minimum suction flow:	40 l/min	
Inlet pressure range:	4 to 5.5 bar	
Maximum gas consumption:	55 l/min	
Weight:	800 g	
Dimensions (W/H/D) in mm:	80 × 210 × 160 (without VarioSafe) 80 × 340 × 160 (with VarioSafe)	
Maximum sound level:	57 dB(A)	
Hose nozzle:	Ø 6 mm	
Pressure relief valve:	Ex 0.1 kPa (1 mbar)	
Bacterial retention:	99.99998% (with VarioSafe)*	
Viral retention:	99.9998% (with VarioSafe)*	
*Test has been performed by Nelson Lab, USA, before 2010		

For CS hoses please refer to chapter „Accessory for gas supply“.



OR ASPIRATION

A	Trolley, for OR suction unit, with protection jar, w/o 4 L secretion jars	2M85441
B	Secretion jar 3 L Medela*	MP03230
C	Cap secretion jar Medela*	MP03231
D	Switchover valve Medela*	MP03232
	Connection hose Medela*	MP03233

*Made by Medela AG, Schweiz



OR ASPIRATION

<p>A <u>Universal holder with groove 25 × 5</u> <u>for wall rails 25 × 8 to 35 × 10 mm,</u> <u>for compact suction system and secretion jar set</u></p>	<p><u>2M86757</u></p>
<p>B <u>Universal holder profile 30 × 5</u> <u>for wall rails 25 × 8 to 35 × 10 mm,</u> <u>for secretion jars Medela</u></p>	<p><u>MP00634</u></p>
<p>C <u>Bacterial filter, disposable, for Evac 40, 10 pcs.</u></p>	<p><u>MX37021</u></p>
<p>D <u>CS connection hose holder</u></p>	<p><u>2M85446</u></p>
<p>E <u>Suction hose holder, suitable for various diameters</u></p>	<p><u>2M85239</u></p>




MEDICAL ASPIRATION

2.3 Continuous and thoracic drainages

Continuous drainages are used for drainage of secretion, blood and/or air from body cavities over long periods, following operations, particularly after open-thorax surgery.

All of Dräger's continuous drainages are made from high-quality materials and are designed with space in mind.

Individual solutions allows you to choose between pneumatic or electrical driven drainages, while also assisting you in optimizing your specific needs and requirements.



1	MP00507	VarioVac® D DIN	
	MP00508	VarioVac® D BS	
	MP00509	VarioVac® D NF	
	MP00510	VarioVac® D AGA	
	MP00515	VarioVac® D CARBA	
	MP00664	VarioVac® T DIN	
2	MP00511	VarioVac® D Rail	
	MP00663	VarioVac® T Rail	
3	MP00512	VarioVac® T Rail WV	
4	MP00537	VarioAir® D DIN	
	MP00538	VarioAir® D BS	
	MP00539	VarioAir® D NF	
	MP00540	VarioAir® D AGA	
	MP00541	VarioAir® D UNI	
	MP00549	VarioAir® D CARBA	
	MP00553	VarioAir® T DIN	
	5	MP00542	VarioAir® D Rail
		MP00543	VarioAir® T Rail

6	MP00544	VarioAir® T Rail WV
7	2M85153	Continuous drainage 3
	2M85151	Continuous drainage 1
9	2M85056	Secretion jar set
10	2M85607	Secretion jar set, with protection jar
11	2M85163	Secretion jar set, with rail holder and secretion jar 700 ml
12	MP00518	Water vacuum gauge
13	M26859	Wall holder
14	M26842	Rail clamp lever type
15	2M85119	Ceiling holder
16	2M85446	CS connection hose holder
17	2M85239	Suction hose holder
18	6723976	Bacterial filter 767, for ejectors (until 2010)

CONTINUOUS AND THORACIC DRAINAGES

2.3 CONTINUOUS AND THORACIC DRAINAGES

The vacuum regulator is directly connected to a central vacuum supply, or mounted on a rail. The smoothly adjustable vacuum, up to max. -160 mbar (-16 kPa), is displayed on a rotating manometer, legible from all sides.

All vacuum regulators include a shut-off valve.

You can use the VarioSafe® disposable filter system to reliably protect the **VarioVac®** series and the central vacuum system against contamination. A VarioSafe® filter system is included with every VarioVac® vacuum regulator.

Technical data:

Maximum vacuum: -16 to 0 kPa (-160 to 0 mbar)

Maximum suction flow: 18 l/min

Weight: 600 to 800 g

(800 g for rail versions)

Dimensions (W/H/D) in mm: 80 × 210 × 160 (without VarioSafe)

80 × 340 × 160 (with VarioSafe)

Maximum sound level: 50 dB(A)

Hose nozzle: Ø 6 mm

Bacterial retention: 99.99998% (with VarioSafe)*

Viral retention: 99.9998% (with VarioSafe)*

*Test has been performed by Nelson Lab, USA, before 2010

A	Vacuum regulator VarioVac® D DIN, for continuous and wound drainage, gas connection VAC	MP00507
B	Vacuum regulator VarioVac® D BS, for continuous and wound drainage, gas connection VAC	MP00508
C	Vacuum regulator VarioVac® D NF, for continuous and wound drainage, gas connection VAC	MP00509
D	Vacuum regulator VarioVac® D AGA, for continuous and wound drainage, gas connection VAC	MP00510
E	Vacuum regulator VarioVac® D CARBA, for continuous and wound drainage, gas connection VAC	MP00515
F	Vacuum regulator VarioVac® D Rail, for continuous and wound drainage, gas connection VAC	MP00511

For CS hoses please refer to chapter „Accessory for gas supply“.



CONTINUOUS AND THORACIC DRAINAGES

- A Vacuum regulator VarioVac® T Rail WV, for thoracic drainage, gas connection VAC, water vacuum gauge included, for connection to all standard wall rails, double-scaled immersion pipe (kPa and cmH₂O)** MP00512

For connecting via CS vacuum connection hose.
The filter MK00514 protects the product and the central vacuum supply against contamination.
Two filters are included in the scope of delivery.

Technical data:

Maximum vacuum:	-5 to 0 kPa (-50 to 0 mbar)
Minimum suction flow:	15 l/min
Weight:	1,100 g
Dimensions (W/H/D) in mm:	80 × 860 × 160
Maximum sound level:	40 dB(A)
Hose nozzle:	Ø 6 mm
Bacterial retention:	99.999%
Viral retention:	99.999%

- B Vacuum regulator VarioVac® T Rail, for thoracic drainage, gas connection VAC, for connection to all standard wall rails** MP00663

For connecting via CS vacuum connecting hose.
The gas supply is ensured by VAC connection hose.

Technical data:

Maximum vacuum:	-7 to 0 kPa (-70 to 0 mbar)
Minimum Flow:	15 l/min
Weight:	800 g
Dimensions (W/H/D) in mm:	80 × 210 × 160 (without VarioSafe) 80 × 340 × 160 (with VarioSafe)
Maximum sound level:	50 dB(A)
Hose nozzle:	Ø 6 mm
Bacterial retention:	99.99998% (with VarioSafe)*
Viral retention:	99.9998% (with VarioSafe)*

*Test has been performed by Nelson Lab, USA, before 2010

- C Vacuum regulator VarioVac® T DIN, for thoracic drainage, gas connection VAC, for connecting to the central vacuum supply** MP00664

Technical data:

Maximum vacuum:	-7 to 0 kPa (-70 to 0 mbar)
Minimum Flow:	15 l/min
Weight:	800 g
Dimensions (W/H/D) in mm:	80 × 210 × 160 (without VarioSafe) 80 × 340 × 160 (with VarioSafe)
Maximum sound level:	50 dB(A)
Hose nozzle:	Ø 6 mm
Bacterial retention:	99.99998% (with VarioSafe)*
Viral retention:	99.9998% (with VarioSafe)*

*Test has been performed by Nelson Lab, USA, before 2010

For CS hoses please refer to chapter „Accessory for gas supply“.



CONTINUOUS AND THORACIC DRAINAGES

The **VarioAir®** ejector is connected directly to a medical air supply system or to rails. The low-noise ejector generates a vacuum up to max. -16 kPa (-160 mbar) and shows the vacuum level on a turnable, manually adjustable pressure gauge. All devices offer a pressure relief valve (ex 0.1 kPa) to avoid pressure increase at the patient side.

A new VarioSafe® disposable filter system reliably protects the VarioAir® series and the patient environment against contamination. One piece of the new VarioSafe® filter system is always included.

Technical data:

Maximum vacuum:	-16 to 0 kPa (-160 to 0 mbar)
Maximum suction flow:	18 l/min
Inlet pressure range:	4 to 5.5 bar
Maximum gas consumption:	25 l/min
Weight:	800 g
Dimensions (W/H/D) in mm:	80 × 200 × 160 (without VarioSafe) 80 × 330 × 160 (with VarioSafe)
Maximum sound level:	45 dB(A)
Hose nozzle:	Ø 6 mm
Pressure relief valve:	Ex 0.1 kPa (1 mbar)
Bacterial retention:	99.99998% (with VarioSafe)*
Viral retention:	99.9998% (with VarioSafe)*

*Test has been performed by Nelson Lab, USA, before 2010

- A Ejector VarioAir® D DIN,
for continuous and wound drainage, gas connection AIR** MP00537

 - B Ejector VarioAir® D BS,
for continuous and wound drainage, gas connection AIR** MP00538

 - C Ejector VarioAir® D NF,
for continuous and wound drainage, gas connection AIR** MP00539

 - D Ejector VarioAir® D AGA,
for continuous and wound drainage, gas connection AIR** MP00540

 - E Ejector VarioAir® D UNI,
for continuous and wound drainage, gas connection AIR** MP00541

 - F Ejector VarioAir® D CARBA,
for continuous and wound drainage, gas connection AIR** MP00549

 - G Ejector VarioAir® D Rail,
for continuous and wound drainage, gas connection AIR,
for connection to all standard wall rails** MP00542

- For gas supply via CS vacuum connection hose.
Connection thread: NIST.

For CS hoses please refer to chapter „Accessory for gas supply“.

Not all articles are available worldwide.



CONTINUOUS AND THORACIC DRAINAGES

A Ejector VarioAir® T Rail WV, for thoracic drainage, with water vacuum gauge, for connection to all standard wall rails

MP00544

For gas supply via CS vacuum connection hose.
Connection thread: NIST.
Double-scaled immersion pipe (kPa and cmH₂O).
The filter MK00514 protects the product and the
central vacuum supply against contamination.
Two filters are included in the scope of delivery.

Technical data:

Maximum vacuum:	-5 to 0 kPa (-50 to 0 mbar)
Minimum suction flow:	15 l/min
Maximum gas consumption:	30 l/min
Weight:	1,100 g
Dimensions (W/H/D) in mm:	80 × 860 × 160
Maximum sound level:	50 dB(A)
Hose nozzle:	Ø 6 mm
Bacterial retention:	99.999%
Viral retention:	99.999%



B Ejector VarioAir® T Rail, for thoracic drainage, gas connection NIST AIR, for connection to all standard wall rails

MP00543

The gas supply is ensured by AIR connection hose.

Technical data:

Maximum vacuum:	-7 to 0 kPa (-70 to 0 mbar)
Minimum suction flow:	15 l/min
Maximum gas consumption:	30 l/min
Maximum sound level:	40 dB(A)
Bacterial retention:	99.99998% (with VarioSafe)*
Viral retention:	99.9998% (with VarioSafe)*

*Test has been performed by Nelson Lab, USA, before 2010

C Ejector VarioAir® T DIN, for thoracic drainage, gas connection DIN, for connecting to the central AIR supply according to DIN standard

MP00553

Technical data:

Maximum vacuum:	-7 to 0 kPa (-70 to 0 mbar)
Minimum suction flow:	15 l/min
Maximum gas consumption:	30 l/min
Maximum sound level:	40 dB(A)
Bacterial retention:	99.99998% (with VarioSafe)*
Viral retention:	99.9998% (with VarioSafe)*

*Test has been performed by Nelson Lab, USA, before 2010

For CS hoses please refer to chapter „Accessory for gas supply“.

CONTINUOUS AND THORACIC DRAINAGES

The vacuum can either be generated by an ejector or via a vacuum regulator. When used with the ejector, a bacterial filter reliably protects against contamination of the environment. All these pneumatic continuous drainages can be used in potentially explosive areas.

All parts which may become contaminated can be autoclaved at up to 134 °C.

The continuous drainage systems 1 and 3 can be used for continuous- and wound drainage as well as for thoracic drainage in the combination with a regulator from the VarioVac® D and VarioAir® D series. An additional precision regulator make it easy to adjust lowest vacuum levels.

- A Continuous drainage 1,
for continuous and wound drainage,
precision regulator, fistula indicator
and bacterial filter 767 included, capacity 700 ml,
maximum capacity up to the overflow safeguard 1,000 ml,
scale in steps of 10 ml up to max. 700 ml** **2M85151**

Technical data:

Maximum vacuum:	-10 to 0 kPa (-100 to 0 mbar)
Maximum suction flow:	14 l/min
Weight:	3 kg (empty)
Dimensions (W/H/D) in mm:	285 × 340 × 160

- B Continuous drainage 3,
for continuous, wound, and thoracic drainage,
precision regulator, water vacuummeter, fistula indicator
and bacterial filter 767 included, capacity 700 ml,
maximum capacity up to the overflow safeguard 1,000 ml,
scale in steps of 10 ml up to max. 700 ml** **2M85153**


Technical data:

Maximum vacuum:	-5 to 0 kPa (-50 to 0 mbar)
Maximum suction flow:	14 l/min
Weight:	5.5 kg (empty)
Dimensions (W/H/D) in mm:	260 × 800 × 180



CONTINUOUS AND THORACIC DRAINAGES

- A Vacuum regulator VarioVac® T Rail WV, for thoracic drainage, gas connection VAC, water vacuum gauge included, for connection to all standard wall rails, double-scaled immersion pipe (kPa and cmH₂O)** MP00512
- For connecting via CS vacuum connection hose.
The filter MK00514 protects the product and the central vacuum supply against contamination.
Two filters are included in the scope of delivery.
- Technical data:
- | | |
|---------------------------|-----------------------------|
| Maximum vacuum: | -5 to 0 kPa (-50 to 0 mbar) |
| Minimum suction flow: | 15 l/min |
| Weight: | 1,100 g |
| Dimensions (W/H/D) in mm: | 80 × 860 × 160 |
| Maximum sound level: | 40 dB(A) |
| Hose nozzle: | Ø 6 mm |
| Bacterial retention: | 99.999% |
| Viral retention: | 99.999% |
- For CS hoses please refer to chapter „Accessory for gas supply“.
- B Water vacuum gauge, for thoracic drainage, combination w/ VarioVac® D and VarioAir® D, for connection to all standard wall rails, double-scaled immersion pipe (kPa and cmH₂O)** MP00518
- Technical data:
- | | |
|---------------------------|-----------------------------|
| Maximum vacuum: | -5 to 0 kPa (-50 to 0 mbar) |
| Maximum suction flow: | 10 l/min |
| Pressure relief valve: | from 0.1 kPa on (1 mbar) |
| Hose nozzle: | 2 × Ø 6 mm |
| Weight: | 1 kg (empty) |
| Dimensions (W/H/D) in mm: | 80 × 860 × 160 |
- C Secretion jar set, with rail holder and secretion jar 700 ml, for continuous drainage units** 2M85163
- D Cylinder support** 2M85180



CONTINUOUS AND THORACIC DRAINAGES

A Bacterial filter 767, for ejectors (model range until 2010), 5 pcs. **6723976**

A Bacterial filter 767, disposable, for ejectors (model range until 2010) **CH00102**

The filter 767 reliably protects the ejector and the patient environment against contamination.

Technical data:

Bacterial retention:	99.992%**
Viral retention:	99.99%**
Material:	PS (polystyrol)
Recommended duration of use:	7 days
Filtration method:	Mechanical (HEPA)**

B Bacterial filter disposable, 20 pcs. **MK00514**

You can use the bacterial filter to reliably protect the suction devices against contamination.

Technical data:

Bacterial retention:	99.999%**
Viral retention:	99.999%**
Material:	Acryl
Recommended duration of use:	7 days
Filtration method:	Hydrophobic (HEPA)**

C Bacterial and viral filter system VarioSafe, for VarioAir®, VarioVac®, VarioO2, disposable, 10 pcs. **MP00555**

The new VarioSafe® disposable filter system reliably protects the VarioAir®, VarioVac® and VarioO2 series and the patient environment against contamination.

Technical data:

Maximum capacity:	90 ml
Bacterial retention:	99.99998%*
Viral retention:	99.9998%*
Material:	PS (polystyrol)
Recommended duration of use:	7 days
Filtration method:	Mechanical and hydrophobic (HEPA)*


*Test has been performed by Nelson Lab, USA, before 2010

**According to EN 1822-1:1998 Filter for suspended particles (HEPA and ULPA)




CONTINUOUS AND THORACIC DRAINAGES

A	Immersion tube, for continuous drainages, not scaled	M16395
	Rubber plug, for immersion tube of water vacuum gauge	2M85139
B	Water container, for continuous drainage system 2 – 4, w/o screw thread	M20668
C	Pressure gauge for VarioVac® + VarioAir®, double scale kPa/mmHg, -16 kPa (-160 mbar)	MP00579
D	Pressure gauge for VarioVac® + VarioAir®, double scale kPa/mmHg, -8 kPa (-80 mbar)	MP03597



CONTINUOUS AND THORACIC DRAINAGES

A Immersion tube, for water vacuum gauge of for VarioVac® T + VarioAir® T, scaled	MP00569
B Locking screw, for immersion tube, with gaskets, for VarioVac® T Rail WV (MP00512), VarioAir® T Rail WV (MP00544) and water vacuum gauge (MP00518)	MP00596
C Water container with screw thread + gaskets, for VarioVac® T Rail WV (MP00512), VarioAir® T Rail WV (MP00544) and water vacuum gauge (MP00518)	MP00565
D Cap for water vacuum gauge, for VarioVac® T Rail WV (MP00512), VarioAir® T Rail WV (MP00544) and water vacuum gauge (MP00518), including gaskets, combination possible with filter MK00514 and plug nozzle MP00566	MP00595
E Plug nozzle water vacuum gauge, for VarioVac® T Rail WV (MP00512), VarioAir® T Rail WV (MP00544) and water vacuum gauge (MP00518)	MP00566
E Hose nozzle 8 mm small, connection nozzle double sided 8 mm	5000833



ACCESSORY FOR GAS SUPPLY

3. ACCESSORY FOR GAS SUPPLY


3.1 CS HOSES

CS hoses,
several hoses to connect flowmeter
with the central supply

8601697

3.1.1 GERMAN STANDARD

A	O ₂ CS hose 0.9 m (2.95 ft) NIST EN DIN	M36729
	O ₂ CS hose 1.5 m (4.9 ft) NIST EN DIN	M35489
	O ₂ CS hose 3 m (9.8 ft) NIST EN DIN	M35490
	O ₂ CS hose 5 m (16.4 ft) NIST EN DIN	M35491
B	AIR CS hose 0.9 m (2.95 ft) NIST EN DIN	M36730
	AIR CS hose 1.5 m (4.9 ft) NIST EN DIN	M35495
	AIR CS hose 3 m (9.8 ft) NIST EN DIN	M35496
	AIR CS hose 5 m (16.4 ft) NIST EN DIN	M35497
C	VAC CS hose 1.5 m (4.9 ft) NIST EN DIN	M35498
	VAC CS hose 3 m (9.8 ft) NIST EN DIN	M35499
	VAC CS hose 5 m (16.4 ft) NIST EN DIN	M36000
D	AIR/O ₂ CS hose 1.5 m (4.9 ft) NIST EN DIN	M36001
	AIR/O ₂ CS hose 3 m (9.8 ft) NIST EN DIN	M36002
	AIR/O ₂ CS hose 5 m (16.4 ft) NIST EN DIN	M36003
E	N ₂ O CS hose 0.9 m (2.95 ft) NIST EN DIN	M36731
	N ₂ O CS hose 1.5 m (4.9 ft) NIST EN DIN	M35492
	N ₂ O CS hose 3 m (9.8 ft) NIST EN DIN	M35493
	N ₂ O CS hose 5 m (16.4 ft) NIST EN DIN	M35494



ACCESSORY FOR GAS SUPPLY

A	O₂ CS hose 1.5 m (4.9 ft) NIST NEUTRAL DIN	M36004
	O₂ CS hose 3 m (9.8 ft) NIST NEUTRAL DIN	M36005
	O₂ CS hose 5 m (16.4 ft) NIST NEUTRAL DIN	M36006
B	AIR CS hose 1.5 m (4.9 ft) NIST NEUTRAL DIN	M36010
	AIR CS hose 3 m (9.8 ft) NIST NEUTRAL DIN	M36011
	AIR CS hose 5 m (16.4 ft) NIST NEUTRAL DIN	M36012
C	VAC CS hose 1.5 m (4.9 ft) NIST NEUTRAL DIN	M36013
	VAC CS hose 3 m (9.8 ft) NIST NEUTRAL DIN	M36014
	VAC CS hose 5 m (16.4 ft) NIST NEUTRAL DIN	M36015
D	AIR/O₂ CS hose 1.5 m (4.9 ft) NIST NEUTRAL DIN	M36016
	AIR/O₂ CS hose 3 m (9.8 ft) NIST NEUTRAL DIN	M36017
	AIR/O₂ CS hose 5 m (16.4 ft) NIST NEUTRAL DIN	M36018
E	N₂O CS hose 1.5 m (4.9 ft) NIST NEUTRAL DIN	M36007
	N₂O CS hose 3 m (9.8 ft) NIST NEUTRAL DIN	M36008
	N₂O CS hose 5 m (16.4 ft) NIST NEUTRAL DIN	M36009



ACCESSORY FOR GAS SUPPLY

3.1.2 FRENCH STANDARD

A	O₂ CS hose 1.5 m (4.9 ft) NIST EN NF	M35416
	O₂ CS hose 3 m (9.8 ft) NIST EN NF	M35417
	O₂ CS hose 5 m (16.4 ft) NIST EN NF	M35330
B	AIR CS hose 1.5 m (4.9 ft) NIST EN NF	M35420
	AIR CS hose 3 m (9.8 ft) NIST EN NF	M35421
	AIR CS hose 5 m (16.4 ft) NIST EN NF	M35332
C	VAC CS hose 1.5 m (4.9 ft) NIST EN NF	M35422
	VAC CS hose 3 m (9.8 ft) NIST EN NF	M35423
	VAC CS hose 5 m (16.4 ft) NIST EN NF	M35424
D	N₂O CS hose 1.5 m (4.9 ft) NIST EN NF	M35418
	N₂O CS hose 3 m (9.8 ft) NIST EN NF	M35419
	N₂O CS hose 5 m (16.4 ft) NIST EN NF	M35331
E	O₂ CS hose 1.5 m (4.9 ft) NIST NEUTRAL NF	M35434
	O₂ CS hose 3 m (9.8 ft) NIST NEUTRAL NF	M35435
	O₂ CS hose 5 m (16.4 ft) NIST NEUTRAL NF	M35436
F	AIR CS hose 1.5 m (4.9 ft) NIST NEUTRAL NF	M35452
	AIR CS hose 3 m (9.8 ft) NIST NEUTRAL NF	M35453
	AIR CS hose 5 m (16.4 ft) NIST NEUTRAL NF	M35454
G	VAC CS hose 1.5 m (4.9 ft) NIST NEUTRAL NF	M35455
	VAC CS hose 3 m (9.8 ft) NIST NEUTRAL NF	M35456
	VAC CS hose 5 m (16.4 ft) NIST NEUTRAL NF	M35457



Not all articles are available worldwide.

ACCESSORY FOR GAS SUPPLY

A	<u>N₂O CS hose 1.5 m (4.9 ft) NIST NEUTRAL NF</u>	<u>M35437</u>
	<u>N₂O CS hose 3 m (9.8 ft) NIST NEUTRAL NF</u>	<u>M35438</u>
	<u>N₂O CS hose 5 m (16.4 ft) NIST NEUTRAL NF</u>	<u>M35439</u>
B	<u>O₂ CS hose 0.9 m (2.95 ft) NF EN NF</u>	<u>M36723</u>
	<u>O₂ CS hose 1.5 m (4.9 ft) NF EN NF</u>	<u>M35425</u>
	<u>O₂ CS hose 3 m (9.8 ft) NF EN NF</u>	<u>M35426</u>
	<u>O₂ CS hose 5 m (16.4 ft) NF EN NF</u>	<u>M35342</u>
C	<u>AIR CS hose 0.9 m (2.95 ft) NF EN NF</u>	<u>M36724</u>
	<u>AIR CS hose 1.5 m (4.9 ft) NF EN NF</u>	<u>M35429</u>
	<u>AIR CS hose 3 m (9.8 ft) NF EN NF</u>	<u>M35430</u>
	<u>AIR CS hose 5 m (16.4 ft) NF EN NF</u>	<u>M35343</u>
D	<u>VAC CS hose 1.5 m (4.9 ft) NF EN NF</u>	<u>M35431</u>
	<u>VAC CS hose 3 m (9.8 ft) NF EN NF</u>	<u>M35432</u>
	<u>VAC CS hose 5 m (16.4 ft) NF EN NF</u>	<u>M35433</u>
E	<u>N₂O CS hose 0.9 m (2.95 ft) NF EN NF</u>	<u>M36725</u>
	<u>N₂O CS hose 1.5 m (4.9 ft) NF EN NF</u>	<u>M35427</u>
	<u>N₂O CS hose 3 m (9.8 ft) NF EN NF</u>	<u>M35428</u>
	<u>N₂O CS hose 5 m (16.4 ft) NF EN NF</u>	<u>M35344</u>



ACCESSORY FOR GAS SUPPLY

3.1.3 BRITISH STANDARD

A	O ₂ CS hose 0.9 m (2.95 ft) NIST EN BS	M36726
	O ₂ CS hose 1.5 m (4.9 ft) NIST EN BS	M35389
	O ₂ CS hose 3 m (9.8 ft) NIST EN BS	M35390
	O ₂ CS hose 5 m (16.4 ft) NIST EN BS	M35333
B	AIR CS hose 0.9 m (2.95 ft) NIST EN BS	M36727
	AIR CS hose 1.5 m (4.9 ft) NIST EN BS	M35393
	AIR CS hose 3 m (9.8 ft) NIST EN BS	M35394
	AIR CS hose 5 m (16.4 ft) NIST EN BS	M35335
C	VAC CS hose 1.5 m (4.9 ft) NIST EN BS	M35395
	VAC CS hose 3 m (9.8 ft) NIST EN BS	M35396
	VAC CS hose 5 m (16.4 ft) NIST EN BS	M35397
D	N ₂ O CS hose 0.9 m (2.95 ft) NIST EN BS	M36728
	N ₂ O CS hose 1.5 m (4.9 ft) NIST EN BS	M35391
	N ₂ O CS hose 3 m (9.8 ft) NIST EN BS	M35392
	N ₂ O CS hose 5 m (16.4 ft) NIST EN BS	M35334



ACCESSORY FOR GAS SUPPLY

A	<u>O₂ CS hose 1.5 m (4.9 ft) NIST EN BS straight</u>	<u>M35398</u>
	<u>O₂ CS hose 3 m (9.8 ft) NIST EN BS straight</u>	<u>M35399</u>
	<u>O₂ CS hose 5 m (16.4 ft) NIST EN BS straight</u>	<u>M35339</u>
B	<u>AIR CS hose 1.5 m (4.9 ft) NIST BS straight</u>	<u>M35402</u>
	<u>AIR CS hose 3 m (9.8 ft) NIST BS straight</u>	<u>M35403</u>
	<u>AIR CS hose 5 m (16.4 ft) NIST BS straight</u>	<u>M35340</u>
C	<u>VAC CS hose 1.5 m (4.9 ft) NIST BS straight</u>	<u>M35404</u>
	<u>VAC CS hose 3 m (9.8 ft) NIST BS straight</u>	<u>M35405</u>
	<u>VAC CS hose 5 m (16.4 ft) NIST BS straight</u>	<u>M35406</u>
D	<u>N₂O CS hose 1.5 m (4.9 ft) NIST EN BS straight</u>	<u>M35400</u>
	<u>N₂O CS hose 3 m (9.8 ft) NIST EN BS straight</u>	<u>M35401</u>
	<u>N₂O CS hose 5 m (16.4 ft) NIST EN BS straight</u>	<u>M35341</u>



ACCESSORY FOR GAS SUPPLY

3.1.4 SWEDEN STANDARD

A	O ₂ CS hose 1.5 m (4.9 ft) NIST EN SS	M35375
	O ₂ CS hose 3 m (9.8 ft) NIST EN SS	M35376
	O ₂ CS hose 5 m (16.4 ft) NIST EN SS	M35377
B	AIR CS hose 1.5 m (4.9 ft) NIST EN SS	M35383
	AIR CS hose 3 m (9.8 ft) NIST EN SS	M35384
	AIR CS hose 5 m (16.4 ft) NIST EN SS	M35385
C	VAC CS hose 1.5 m (4.9 ft) NIST EN SS	M35386
	VAC CS hose 3 m (9.8 ft) NIST EN SS	M35387
	VAC CS hose 5 m (16.4 ft) NIST EN SS	M35388
D	N ₂ O CS hose 1.5 m (4.9 ft) NIST EN SS	M35378
	N ₂ O CS hose 3 m (9.8 ft) NIST EN SS	M35379
	N ₂ O CS hose 5 m (16.4 ft) NIST EN SS	M35382



ACCESSORY FOR GAS SUPPLY

3.1.5 SWISS STANDARD

A	<u>O₂ CS hose 1.5 m (4.9 ft) NIST EN Carba</u>	<u>M35469</u>
	<u>O₂ CS hose 3 m (9.8 ft) NIST EN Carba</u>	<u>M35472</u>
	<u>O₂ CS hose 5 m (16.4 ft) NIST EN Carba</u>	<u>M35345</u>
B	<u>AIR CS hose 1.5 m (4.9 ft) NIST EN Carba</u>	<u>M35475</u>
	<u>AIR CS hose 3 m (9.8 ft) NIST EN Carba</u>	<u>M35476</u>
	<u>AIR CS hose 5 m (16.4 ft) NIST EN Carba</u>	<u>M35346</u>
C	<u>VAC CS hose 1.5 m (4.9 ft) NIST EN Carba</u>	<u>M35477</u>
	<u>VAC CS hose 3 m (9.8 ft) NIST EN Carba</u>	<u>M35478</u>
	<u>VAC CS hose 5 m (16.4 ft) NIST EN Carba</u>	<u>M35479</u>
D	<u>N₂O CS hose 1.5 m (4.9 ft) NIST EN Carba</u>	<u>M35473</u>
	<u>N₂O CS hose 3 m (9.8 ft) NIST EN Carba</u>	<u>M35474</u>
	<u>N₂O CS hose 5 m (16.4 ft) NIST EN Carba</u>	<u>M35347</u>



ACCESSORY FOR GAS SUPPLY

3.1.6 ITALIAN STANDARD


A	O₂ CS hose 1.5 m (4.9 ft) NIST EN UNI	M35407
	O₂ CS hose 3 m (9.8 ft) NIST EN UNI	M35408
	O₂ CS hose 5 m (16.4 ft) NIST EN UNI	M35357
B	AIR CS hose 1.5 m (4.9 ft) NIST EN UNI	M35411
	AIR CS hose 3 m (9.8 ft) NIST EN UNI	M35412
	AIR CS hose 5 m (16.4 ft) NIST EN UNI	M35358
C	VAC CS hose 1.5 m (4.9 ft) NIST EN UNI	M35413
	VAC CS hose 3 m (9.8 ft) NIST EN UNI	M35414
	VAC CS hose 5 m (16.4 ft) NIST EN UNI	M35415
D	N₂O CS hose 1.5 m (4.9 ft) NIST EN UNI	M35409
	N₂O CS hose 3 m (9.8 ft) NIST EN UNI	M35410
	N₂O CS hose 5 m (16.4 ft) NIST EN UNI	M35359



ACCESSORY FOR GAS SUPPLY

3.1.7 AUSTRALIAN STANDARD


A	O₂ CS hose 1.5 m (4.9 ft) NIST EN AS	M36153
	O₂ CS hose 3 m (9.8 ft) NIST EN AS	M36152
	O₂ CS hose 5 m (16.4 ft) NIST EN AS	M36151
B	AIR CS hose 1.5 m (4.9 ft) NIST EN AS	M36150
	AIR CS hose 3 m (9.8 ft) NIST EN AS	M36149
	AIR CS hose 5 m (16.4 ft) NIST EN AS	M36148
C	N₂O CS hose 1.5 m (4.9 ft) NIST EN AS	M36156
	N₂O CS hose 3 m (9.8 ft) NIST EN AS	M36155
	N₂O CS hose 5 m (16.4 ft) NIST EN AS	M36154
D	VAC CS hose 1.5 m (4.9 ft) NIST EN AS	M36826
	VAC CS hose 3 m (9.8 ft) NIST EN AS	M36827
	VAC CS hose 5 m (16.4 ft) NIST EN AS	M36828



ACCESSORY FOR GAS SUPPLY

3.1.8 JAPANESE STANDARD


A	<u>O₂ CS hose 1.5 m (4.9 ft) DISS US KAWA</u>	<u>M35806</u>
	<u>O₂ CS hose 3 m (9.8 ft) DISS US KAWA</u>	<u>M35805</u>
	<u>O₂ CS hose 5 m (16.4 ft) DISS US KAWA</u>	<u>M35804</u>
	<u>O₂ CS hose 8 m (26,25 ft) DISS US KAWA</u>	<u>M35866</u>
B	<u>AIR CS hose 1.5 m (4.9 ft) DISS US KAWA</u>	<u>M35803</u>
	<u>AIR CS hose 3 m (9.8 ft) DISS US KAWA</u>	<u>M35802</u>
	<u>AIR CS hose 5 m (16.4 ft) DISS US KAWA</u>	<u>M35801</u>
	<u>AIR CS hose 8 m (26,25 ft) DISS US KAWA</u>	<u>M35865</u>
C	<u>N₂O CS hose 1.5 m (4.9 ft) DISS US KAWA</u>	<u>M35809</u>
	<u>N₂O CS hose 3 m (9.8 ft) DISS US KAWA</u>	<u>M35808</u>
	<u>N₂O CS hose 5 m (16.4 ft) DISS US KAWA</u>	<u>M35807</u>
	<u>N₂O CS hose 8 m (26,25 ft) DISS US KAWA</u>	<u>M35867</u>
D	<u>VAC CS hose 5 m (16.4 ft) DISS JIS KAWA</u>	<u>M35820</u>



ACCESSORY FOR GAS SUPPLY

3.1.9 US AMERICAN STANDARD

A	<u>O₂ CS hose DISS N/DISS N 10L</u>	<u>4185140</u>
	<u>O₂ CS hose DISS N/DISS N 15L</u>	<u>4185141</u>
	<u>O₂ CS hose DISS N/DISS N 20L</u>	<u>4199714</u>
B	<u>O₂ CS hose DISS Hand 10L</u>	<u>4199592</u>
	<u>O₂ CS hose DISS Hand 15L</u>	<u>4199591</u>
C	<u>AIR CS hose DISS N/DISS N 10L</u>	<u>4199605</u>
	<u>AIR CS hose DISS N/DISS N 15L</u>	<u>4199604</u>
	<u>AIR CS hose DISS N/DISS N 20L</u>	<u>4199712</u>
D	<u>AIR CS hose DISS Hand 10L</u>	<u>4199594</u>
	<u>AIR CS hose DISS Hand 15L</u>	<u>4199593</u>
E	<u>VAC CS hose DISS N/DISS N 10L</u>	<u>4199602</u>
	<u>VAC CS hose DISS N/DISS N 15L</u>	<u>4199601</u>
	<u>VAC CS hose DISS N/DISS N 20L</u>	<u>4199600</u>
F	<u>VAC CS hose DISS Hand 10L</u>	<u>4199590</u>
	<u>VAC CS hose DISS Hand 15L</u>	<u>4199589</u>



ACCESSORY FOR GAS SUPPLY

A	N₂O CS hose DISS N/DISS N 10L	4185142
	N₂O CS hose DISS N/DISS N 15L	4185143
	N₂O CS hose DISS N/DISS N 20L	4199713
B	N₂O CS hose DISS Hand 10L	4199596
	N₂O CS hose DISS Hand 15L	4199595
C	Hose ASM-WAGD DISS N/ DISS N 10L	MP20022
	Hose ASM-WAGD DISS N/ DISS N 15L	MP20023
	Hose ASM-WAGD DISS N/ DISS N 20L	MP20024
D	Hose ASM-WAGD HAND DISS N 10L	MP20029
	Hose ASM-WAGD HAND DISS N 15L	MP20030



ACCESSORY FOR GAS SUPPLY

3.1.10 CANADIAN STANDARD

Now with check valve as standard.

A	<u>O₂ CS hose 1.5 m (4.9 ft) DISSB EN HAND</u>	<u>M36290</u>
	<u>O₂ CS hose 3 m (9.8 ft) DISSB EN HAND</u>	<u>M36291</u>
	<u>O₂ CS hose 5 m (16.4 ft) DISSB EN HAND</u>	<u>M36292</u>
B	<u>AIR CS hose 1.5 m (4.9 ft) DISSB EN HAND</u>	<u>M36296</u>
	<u>AIR CS hose 3 m (9.8 ft) DISSB EN HAND</u>	<u>M36297</u>
	<u>AIR CS hose 5 m (16.4 ft) DISSB EN HAND</u>	<u>M36298</u>
C	<u>VAC CS hose 1.5 m (4.9 ft) DISSB EN HAND</u>	<u>M36299</u>
	<u>VAC CS hose 3 m (9.8 ft) DISSB EN HAND</u>	<u>M36300</u>
	<u>VAC CS hose 5 m (16.4 ft) DISSB EN HAND</u>	<u>M36301</u>
D	<u>N₂O CS hose 1.5 m (4.9 ft) DISSB EN HAND</u>	<u>M36293</u>
	<u>N₂O CS hose 3 m (9.8 ft) DISSB EN HAND</u>	<u>M36294</u>
	<u>N₂O CS hose 5 m (16.4 ft) DISSB EN HAND</u>	<u>M36295</u>
E	<u>Hose ASM-WAGD HAND DISS N 10L</u>	<u>MP20029</u>
	<u>Hose ASM-WAGD HAND DISS N 15L</u>	<u>MP20030</u>



ACCESSORY FOR GAS SUPPLY

3.1.11 CHINESE STANDARD

	O₂ CS hose 3 m (9.8 ft) NIST GB BS	M36732
	O₂ CS hose 5 m (16.4 ft) NIST GB BS	M36733
	AIR CS hose 3 m (9.8 ft) NIST GB BS	M36736
	AIR CS hose 5 m (16.4 ft) NIST GB BS	M36737
	N₂O CS hose 3 m (9.8 ft) NIST GB BS	M36734
	N₂O CS hose 5 m (16.4 ft) NIST GB BS	M36735
	O₂ CS hose 0.9 m (2.95 ft) NIST GB DIN	M36784
	O₂ CS hose 1.5 m (4.9 ft) NIST GB DIN	M36785
	O₂ CS hose 3 m (9.8 ft) NIST GB DIN	M36738
A	O₂ CS hose 5 m (16.4 ft) NIST GB DIN	M36739
	N₂O CS hose 0.9 m (2.95 ft) NIST GB DIN	M36788
	N₂O CS hose 1.5 m (4.9 ft) NIST GB DIN	M36789
	N₂O CS hose 3 m (9.8 ft) NIST GB DIN	M36740
B	N₂O CS hose 5 m (16.4 ft) NIST GB DIN	M36741
	AIR CS hose 0.9 m (2.95 ft) NIST GB DIN	M36786
	AIR CS hose 1.5 m (4.9 ft) NIST NEUTRAL DIN	M36010
	AIR CS hose 3 m (9.8 ft) NIST NEUTRAL DIN	M36011
	AIR CS hose 5 m (16.4 ft) NIST NEUTRAL DIN	M36012



ACCESSORY FOR GAS SUPPLY

3.2 ADAPTER

A	Adapter DISS M/QC-N₂O-Chemetron	4119065
	Adapter DISS M/QC-AIR-Chemetron	4119066
	Adapter DISS M/QC-VAC-Chemetron	4119067
	Adapter DISS M/QC-O₂-Chemetron	4119068
	Adapter DISS M/QC-EVAC-Chemetron	4119069
B	Adapter DISS M/QC-N₂O-Ohmeda	4119070
	Adapter DISS M/QC-AIR-Ohmeda	4119071
	Adapter DISS M/QC-VAC-Ohmeda	4119072
	Adapter DISS M/QC-O₂-Ohmeda	4119073
	Adapter DISS M/QC-EVAC-Ohmeda	4119074
C	Adapter DISS M/QC-N₂O-Pur Ben	4119075
	Adapter DISS M/QC-AIR-Pur Ben	4119076
	Adapter DISS M/QC-VAC-Pur Ben	4119077
	Adapter DISS M/QC-O₂-Pur Ben	4119078
	Adapter DISS M/QC-EVAC-Pur Ben	4119079
	Adapter DISS M/QC-N₂O-Schrader	4119080
	Adapter DISS M/QC-AIR-Schrader	4119081
	Adapter DISS M/QC-VAC-Schrader	4119082
	Adapter DISS M/QC-O₂-Schrader	4119083
D	Double-Plug coupling AIR	G01166
	Double-Plug coupling O₂	G01168
	Double-Plug coupling VAC	G01169



ACCESSORY FOR GAS SUPPLY

A	Adapter O ₂ NIST/DIN	M32493
	Adapter N ₂ O NIST/DIN	M32494
	Adapter AIR NIST/DIN	M32495
	Adapter VAC NIST/DIN	M32496
	Adapter AIR/O ₂ NIST/DIN	M32497
B	Adapter O ₂ , DISS-NIST	M34875
	Adapter N ₂ O, DISS-NIST	M34876
	Adapter AIR, DISS-NIST	M34877
	Adapter VAC, DISS-NIST	M34878
C	Adapter O ₂ NIST/DIN	M35056
	Adapter N ₂ O NIST/DIN	M35057
	Adapter AIR NIST/DIN	M35058
	Adapter AIR-O ₂ /O ₂ NIST/DIN	M36042
D	T-piece AIR NIST	M36056
	T-piece O ₂ NIST	M36250
E	Adapter O ₂ NF/NIST	M35336
	Adapter N ₂ O NF/NIST	M35337
	Adapter AIR NF/NIST	M35338





Rail accessories and examination lights

Something you can count on:

Hospital lighting has a vital impact on the health and well-being of your patients. Our smart solutions equip you with ideally suited lightning giving you excellent illumination and working conditions.

Sophisticated without being complicated, our Quickstop Hinged Arms are easy to handle, allowing you more flexibility and improved patient care.

We can help you conceptualise your hospital installations with intelligent workstations integrated with complementing accessory products for safer and more optimized patient care.


CONTENT

1. Rail accessories	319
2. Examination light	322
3. Hinged arms	324
4. Device related accessories	325

RAIL ACCESSORIES AND EXAMINATION LIGHT

1. RAIL ACCESSORIES

A Rail clamp, for attachment to poles of different diameters, rotatable by 90° to left and right, length of standard rail (profile 25 × 10 mm): 20 cm	2M85274
B Rail clamp lever type, for attachment of devices to 25 × 10 mm standard rail, for compact suction unit and secretion jar set	M26842
C CS connection hose holder	2M85446
D Suction hose holder, suitable for various diameters	2M85239



RAIL ACCESSORIES AND EXAMINATION LIGHT

A Ceiling holder, rail holder for compact suction systems and secretion jar sets	2M85119
Wire baskets*	
<p>The wire baskets are used for storage of disposable catheters or dispoables gloves. The catheters can be simply stored in bundles and are then easy to take out one by one. The baskets are chromeplated and are thus easy to clean and can be autoclaved at up to 134 °C. The amount of space for a basket on the rails is around 150 mm (5.9 in).</p>	
B Basket 150, 15 × 20 × 10 cm, e.g., for disposable gloves	M26146
B Basket 300, 15 × 28 × 10 cm, e.g., for 300 mm catheters	M26145
B Basket 600, 15 × 48 × 10 cm, e.g., for 600 mm catheters	M25121
C Litter bag holder, stainless steel, with base plate and litter bags (100 pcs.)	M24695
Litter bags, disposable, for litter bag holder, 100 pcs.	M26240

*Tradeware



RAIL ACCESSORIES AND EXAMINATION LIGHT

- | | |
|--|-----------------------|
| <p>A Cable holder for rail,
10 pcs., cable holder set for guiding cables
and hoses along standard rails (25 × 10 mm),
consisting of 10 plastic rail clips</p> | <p>G15225</p> |
| <p>A Cable holder for support pole,
4 pcs., cable holder set for guiding cables
and hoses along support tubes with a
diameter of 38 mm (1.5 in),
consisting of 4 two-part plastic clamps and screws</p> | <p>G13171</p> |
| <p>B Compact rail,
for 38 mm tube, standard rail profile 25 × 10 mm,
each side 10 cm, weight: 0.9 kg, max. load: 30 kg</p> | <p>2M85337</p> |
| <p>C Extension arm set,
for cables and hoses, with cable/hose guide channels</p> | <p>G13040</p> |



RAIL ACCESSORIES AND EXAMINATION LIGHT

2. EXAMINATION LIGHT

The Dräger **VarioLux®** offers cool, highly efficient, and variable intensity examination light and was specially designed for use in neonatology and pediatric settings. Made for single-handed operation, it features adjustable color temperature settings as well as a dimmer function.


Operating mode:	Continuous operation
Weight:	1.5 kg (3.3 lbs)
Electrical values:	100 – 240 V, 50/60 Hz
Max. illumination intensity E_c at 0.5 m:	30,000 lx
Dimming levels:	30,000 lx, 24,000 lx, 18,000 lx, 12,000 lx, 7,000 lx
Light field diameter d_{10} at 0.5 m:	20 cm (7.9 in)
Light field diameter d_{50} at 0.5 m:	9 cm (3.5 in)
Color temperature adjustable:	Cool white (blue) 4,700 K, Neutral white (white) 4,100 K, Warm white (red) 3,500 K
Min. service life of bulb (LEDs):	> 50,000 h
Color reproduction index:	$R_a \geq 96$ (at 3,500 K) $R_9 = 89$ (at 3,500 K)
Max. radiant power at 0.5 m:	105 W/m ²

A	Medical examination light VarioLux® with LED technology, EU	MP00601
	Medical examination light VarioLux® with LED technology, US	MP00602
	Medical examination light VarioLux® with LED technology, GB	MP00603
	Medical examination light VarioLux® with LED technology, AUS	MP00606
	Medical examination light VarioLux® with LED technology, ZA	MP00607
	Medical examination light VarioLux® with LED technology, JPN	MP00608
	Power cable EU, 1.8 m, 2 pin	MP00591
	Power cable US/JPN, 1.8 m, 2 pin	MP00592
	Power cable GB, 1.8 m, 2 pin	MP00593
	Power cable AUS, 1.8 m, 2 pin	MP00626
	Power cable ZA, 1.8 m, 2 pin	MP00597



RAIL ACCESSORIES AND EXAMINATION LIGHT

A	Rail claw for lamp	MP00615
B	Turn knob, compl.	MP00587
C	Control panel	MP00589
D	Rail clamp, for attachment to poles of different diameters, rotable by 90° to left and right, length of standard rail (profile 25 × 10 mm): 20 cm	2M85274
E	Compact rail, for 38 mm tube, standard rail profile 25 × 10 mm, each side 10 cm, weight: 0.9 kg, max. load: 30 kg	2M85337



RAIL ACCESSORIES AND EXAMINATION LIGHT

3. HINGED ARMS

Keeping everything close at hand. To leave your hands free to care for the patient, all the joints can be fixed into place and released with just one quick hand movement. All cables, lines and hose systems can be arranged in such a way as to more or less completely prevent accidental disconnection.

- | | |
|--|-----------------------|
| <p>A Hinged arm Infinity® ACS, for positioning and fixation of breathing hoses, this arm can be fixed into place without a hand movement through a patent registered friction torque-breaking system, length 1,080 mm, max. load 0.5 kg, includes hose clamps: MP00693 (1×), 8417396 (2×)</p> | <p>MP00690</p> |
| <p>B Hinged arm 240°, 3 hinges, fixable, ball holder system, length 1,155 mm, max. load 0.3 kg, includes hose clamps: MP00493 (1×), 8409841 (1×), 8409746 (1×)</p> | <p>8409609</p> |
| <p>C Hinged arm Quickstop 2, with universal ball holder system for optional accessories length 858 mm, max. load 0.4 kg, includes hose clamps: MP00493 (1×), 8404761 (2×), 8409841 (1×)</p> | <p>2M85706</p> |
| <p>D Hinged arm Quickstop 1, length 847 mm, max. load 0.4 kg, includes hose clamps: MP00493 (1×), 8404761 (3×)</p> | <p>2M85705</p> |
| <p>E Hinged arm Quickstop short, with universal tube holder plate, for various cable and tube dimensions and coaxial hoses, specifically designed for OR tables, length 323 mm, max. load 1 kg</p> | <p>2M86463</p> |



DEVICE RELATED ACCESSORIES

4. DEVICE RELATED ACCESSORIES

A Disposable Handle Polaris, Dual, for Polaris 100/200, 600 and Multimedia, adapter required, 60 pcs.	MP05700
A Disposable Handle Polaris, Single, for Polaris 100/200, 600 and Multimedia, adapter required, 120 pcs.	MP05701



CONVERSION KITS

Polaris 100 with sterilizable handle (G92099), 1 pc.	G35332
Polaris 200 with sterilizable handle (G92099), 1 pc.	G35614
Polaris 100/200 with sterilizable handle E (G36993), 1 pc.	G35325
Polaris 600 with sterilizable handles (G92099 or G36993), 1 pc.	G35324
Polaris Multimedia (display adapter) with sterilizable handles (G92099 or G36993), 1 pc.	G35333



Neonatal care and thermoregulation

Something you can count on:

NICU equipment by Dräger provides complete neonatal care solutions, right down to the accessories. We offer you a wide range of specialised products to meet the most diverse needs of your smallest patients. To ensure safe and optimal care, we are committed on using high quality materials. Our solutions support you with effective clinical therapies that respect your specific budget.

CONTENT

1. Warming therapy	329
Babyleo® TN500	329
Caleo®	331
Isolette® 8000/8000 plus	333
Air-Shields® Isolette® C2000/8000	335
Babytherm® 8000 WB/8004/8010/4200	337
Air-Shields® Resuscitaire®	340
Globe-Trotter GT5400	343
Air-Shields® TI 500 Globe-Trotter	346
Air-Shields® Isolette® TI 500	349
Photo Therapy	351
Developmental Care	352
Miscellaneous	354
2. Ventilation accessories	355
3. Sensors	391
4. Monitoring accessories	393
5. Ward equipment	402
6. Rail accessories and examination light	417

BABYLEO® TN500**1. WARMING THERAPY**

A	Skin temperature probe ThermoTrace, disposable, yellow, central, 5 pcs.	MX11000
B	Skin temperature probe ThermoTrace, disposable, white, peripheral, 5 pcs.	MX11001
C	Mattress SoftBed, for Babyleo TN500, reusable, lining: 100% polyurethane, fabric: 100% polyester	2M60390
D	Incubator cover, for Babyleo TN500, reusable, outer fabric: 100% polyester, inner fabric: 100% polyester	MP03730
E	Towel doll Babyleo TN500*, lion, orange	MP03737
F	O₂ sensor Oxycell, for Babyleo® TN500	6873065

*Tradeware



BABYLEO® TN500

A	Ventilation hose holder, reusable, 40 cm	8411075
B	Air intake filter for Caleo® and Babyleo TN500, reusable, 20 pcs.	MX17015
C	Water transfer hose for Caleo® and Babyleo TN500, disposable, 20 pcs.	MX17018
D	Gastroschisis arm, complete	2M60180
E	Holder for cylinder packet for GCX profile	4118453
F	Rail, 100 mm for GCX profile	4118555
	Clamp for GCX rail, 5 pcs.	2M60401



CALEO®

A	Skin temperature probe ThermoTrace, disposable, yellow, central, 5 pcs.	MX11000
B	Skin temperature probe ThermoTrace, disposable, white, peripheral, 5 pcs.	MX11001
C	Mattress SoftBed, for Caleo®, reusable, lining: 100% polyurethane, fabric: 100% polyester	MX17012
D	Incubator cover, for Caleo®, reusable, outer fabric: 100% polyester, inner fabric: 100% polyester	MP01423
E	Tubing grommet for Caleo®, reusable, angle	2M50385
F	Tubing grommet for Caleo®, reusable, flap	2M50412



CALEO®

A	Ventilation hose holder, reusable, 40 cm	8411075
B	O₂ sensor OxyTrace INCU, for Caleo®	MX01050
C	Air intake filter for Caleo® and Babyleo TN500, reusable, 20 pcs.	MX17015
D	Water transfer hose for Caleo® and Babyleo TN500, disposable, 20 pcs.	MX17018
E	Water tank and water transfer hose, for Caleo®, reusable	2M50040
F	Infusion holder, reusable, 3 hooks, for poles with Ø 38 mm	2M21514
G	Swivel table, reusable, for poles with Ø 38 mm	2M21186




ISOLETTE® 8000/8000 PLUS

A Skin temperature probe Premi-Probe for Isolette® 8000 plus, disposable, yellow, central, 10 pcs.	MU26041
B Skin temperature probe Premi-Probe for Isolette® 8000 plus, disposable, white, peripheral, 10 pcs.	MU26042
C Mattress SoftBed, for Isolette® C2000, 8000 and 8000 plus, reusable, lining: 100% polyurethane, fabric: 100% polyester	MP01401
D Incubator cover, for Isolette® C2000, 8000 and 8000 plus, reusable, outer fabric: 100% polyester, inner fabric: 100% polyester	MP01424



ISOLETTE® 8000/8000 PLUS

A	Tubing grommet for Isolette® C2000, 8000 and 8000 plus, reusable	MU12609
B	O₂ sensor for Isolette® C2000, 8000 and 8000 plus, reusable, 2 pcs.	MU24903
C	Air intake filter for Isolette® C2000, 8000 and 8000 plus, reusable, 4 pcs.	MU12504
D	Condensate management hoses for Isolette® 8000 and 8000 plus, disposable, 20 pcs.	MU21120
E	Suction bottle with filter and tube for Isolette® 8000, disposable, 800 mL, 20 pcs.	MU10918
F	Iris port sleeve, disposable, 100 pcs.	MU03876




AIR-SHIELDS® ISOLETTE® C2000/8000

A	Skin temperature probe Premi-Probe 5, reusable	MU12533
B	Skin temperature probe Premi-Probe 5, disposable, 10 pcs.	MU12551
C	Mattress SoftBed, for Isolette® C2000, 8000 and 8000 plus, reusable, lining: 100% polyurethane, fabric: 100% polyester	MP01401
D	Incubator cover, for Isolette® C2000, 8000 and 8000 plus, reusable, outer fabric: 100% polyester, inner fabric: 100% polyester	MP01424



AIR-SHIELDS® ISOLETTE® C2000/8000

A	Tubing grommet for Isolette® C2000, 8000 and 8000 plus, reusable	MU12609
B	O₂ sensor for Isolette® C2000, 8000 and 8000 plus, reusable, 2 pcs.	MU24903
C	Air intake filter for Isolette® C2000, 8000 and 8000 plus, reusable, 4 pcs.	MU12504
	Humidifier chamber for Isolette® C2000, reusable	MU17191
D	Condensate management hoses for Isolette® 8000 and 8000 plus, disposable, 20 pcs.	MU21120
E	Suction bottle with filter and tube for Isolette® 8000, disposable, 800 mL, 20 pcs.	MU10918
F	Iris port sleeve, disposable, 100 pcs.	MU03876
G	Hand port cuff, disposable, oval, 100 pcs.	MU06570



BABYTHERM® 8000 WB/8004/8010/4200

A	Skin temperature probe ThermoTrace, disposable, yellow, central, 5 pcs.	<u>MX11000</u>
B	Skin temperature probe ThermoTrace, disposable, white, peripheral, 5 pcs.	<u>MX11001</u>
C	Gel mattress for Babytherm® 8000 / 8010, reusable	<u>2M20827</u>
D	Mattress SoftBed, for Babytherm®, reusable, lining: 100% polyurethane, fabric: 100% polyester	<u>2M21012</u>



BABYTHERM® 8000 WB/8004/8010/4200

A	Holder for hinged hood for Babytherm® 8000 WB, 8004 and 8010, reusable, neonatal, mounts to hand rail	2M21342
B	Deposit plate for Babytherm® 8000	2M21158
C	Handle, complete for Babytherm® 8000	2M21161
D	Breathing hose holder for Babytherm®, neonatal, for 10 mm breathing hose	2M21191
	Tubing grommet, reusable	2M20434



BABYTHERM® 8000 WB/8004/8010/4200

A	Infusion holder, reusable, 3 hooks, for poles with Ø 38 mm	2M21514
B	Infusion bottle holder for Babytherm®, reusable, neonatal	2M16520
C	Swivel table, reusable, for poles with Ø 38 mm	2M21186
	Multiple socket for Babytherm® 8000, 220/240 V	2M20914




AIR-SHIELDS® RESUSCITAIRE®

A <u>Skin temperature probe Premi-Probe 3, reusable</u>	<u>MU11225</u>
B <u>Skin temperature probe Premi-Probe 3, disposable, 10 pcs.</u>	<u>MU11228</u>
C <u>Mattress SoftBed, for Resuscitaire®, reusable, with scale, lining: 100% polyurethane, fabric: 100% polyester</u>	<u>MP01404</u>
C <u>Mattress SoftBed, for Resuscitaire®, reusable, without scale, lining: 100% polyurethane, fabric: 100% polyester</u>	<u>MP01402</u>



AIR-SHIELDS® RESUSCITAIRE®

A	Breathing hose for Resuscitaire® with AutoBreath, disposable, 25 pcs.	MU10841
B	Breathing hose for breathing bag, disposable, 15 mm, 25 pcs.	MU10900
C	VentStar® Resuscitation Neo, disposable, N, 1 m, 25 pcs., not made with natural rubber latex	MP00310
D	Breathing circuit for Resuscitaire VentStar®, disposable, N, press. meas. line, 1 m, 25 pcs., not made with natural rubber latex	MP00311
E	T-piece adapter for MX 300/MX 300i and Resuscitaire® breathing circuit, disposable, 20 pcs.	MP01880
F	Silicone mask, reusable, size 00, premature baby	MP02900
F	Silicone mask, reusable, size 0, small neonate	MP01910
F	Silicone mask, reusable, size 1, large neonate	MP01911



AIR-SHIELDS® RESUSCITAIRE®

A	T-connector, disposable, Ø 15 mm, 25 pcs.	MU10902
B	Suction bottle with holder for Resuscitaire, disposable, 40 mL	MU10916
C	Suction bottle, disposable, 40 mL, 10 pcs.	MU10917
D	Filter for suction bottle 40 ml for Resuscitaire®, disposable, 10 pcs.	MU10915
E	Suction bottle with filter and tube, disposable, 800 mL, 20 pcs.	MU10918



GLOBE-TROTTER GT5400


A	Skin temperature probe Premi-Probe 1, disposable, 10 pcs.	MU06933
B	Skin temperature probe Premi-Probe 1, reusable	MU06951
C	Mattress SoftBed, for TI 500 and TI 500 Globe-Trotter, reusable, lining: 100% polyurethane, fabric: 100% polyester	MP01419
D	Restraining strap, disposable, 10 pcs.	MU06011
	Tubing grommet for TI 500 and TI 500 Globe-Trotter, reusable	MU04366
E	Iris port sleeve, disposable, 100 pcs.	MU03876
F	Hand port cuff, disposable, oval, 100 pcs.	MU06570



GLOBE-TROTTER GT5400

A <u>Air intake filter for TI 500 and TI 500 Globe-Trotter, disposable, 6 pcs.</u>	<u>MU04472</u>
B <u>Humidity pad, disposable, antibacterial, 25 pcs.</u>	<u>MU06008</u>
<u>Water nozzle for humidity pad, disposable, 25 pcs.</u>	<u>MU25426</u>
C <u>O₂ sensor* for Crossvent 2i+</u>	<u>MU24402</u>
D <u>Flow sensor* for Crossvent 2i+, disposable, infant, 10 pcs.</u>	<u>MU24401</u>
E <u>Breathing circuit* for active humidification, disposable, neonate, 20 pcs., not made with natural rubber latex</u>	<u>MU24409</u>

*Tradeware



GLOBE-TROTTER GT5400

- | | |
|---|----------------|
| A SpO ₂ adhesive sensor* Masimo® LNCS Neo, disposable, neonate, 20 pcs. | MP00792 |
| B SpO ₂ adhesive sensor* Masimo® LNCS NeoPt, disposable, premature baby, 20 pcs. | MP00794 |

*Tradeware



AIR-SHIELDS® TI 500 GLOBE-TROTTER

A	Skin temperature probe Premi-Probe 1, disposable, 10 pcs.	MU06933
B	Skin temperature probe Premi-Probe 1, reusable	MU06951
C	Mattress SoftBed, for TI 500 and TI 500 Globe-Trotter, reusable, lining: 100% polyurethane, fabric: 100% polyester	MP01419
	Tubing grommet for TI 500 and TI 500 Globe-Trotter, reusable	MU04366
	Breathing hose for TI 500 Globe-Trotter, disposable, 20 pcs.	MU04771
	O₂ sensor for TI 500 Globe-Trotter, reusable	MU04804



AIR-SHIELDS® TI 500 GLOBE-TROTTER

A Air intake filter for TI 500 and TI 500 Globe-Trotter, disposable, 6 pcs.	MU04472
B Iris port sleeve, disposable, 100 pcs.	MU03876
C Hand port cuff, disposable, oval, 100 pcs.	MU06570



AIR-SHIELDS® TI 500 GLOBE-TROTTER

- A Humidity pad, disposable, antibacterial, 25 pcs. MU06008
- B Restraining strap, disposable, 10 pcs. MU06011



AIR-SHIELDS® ISOLETTE® TI 500

A	Skin temperature probe Premi-Probe 1, disposable, 10 pcs.	MU06933
B	Skin temperature probe Premi-Probe 1, reusable	MU06951
C	Mattress SoftBed, for TI 500 and TI 500 Globe-Trotter, reusable, lining: 100% polyurethane, fabric: 100% polyester	MP01419
	Tubing grommet for TI 500 and TI 500 Globe-Trotter, reusable	MU04366
D	Air intake filter for TI 500 and TI 500 Globe-Trotter, disposable, 6 pcs.	MU04472
E	Iris port sleeve, disposable, 100 pcs.	MU03876
F	Hand port cuff, disposable, oval, 100 pcs.	MU06570



AIR-SHIELDS® ISOLETTE® TI 500

- A Humidity pad, disposable, antibacterial, 25 pcs. MU06008
- B Restraining strap, disposable, 10 pcs. MU06011



PHOTO THERAPY

A	Light shield curtain for BiliLux, reusable, woven fabric: 100% cotton, miscellaneous: Polyester (PES)	MP03760
B	Phototherapy mask Eyemax 2*, disposable, micro, head circumference 20-25 cm, 20 pcs.	MP03770
C	Phototherapy mask Eyemax 2*, disposable, preemie, head circumference 26-32 cm, 20 pcs.	MP03771
D	Phototherapy mask Eyemax 2*, disposable, regular, head circumference 33-38 cm, 20 pcs.	MP03772
E	Light for Photo Therapy 4000*, fluorescent bulb, white	2M21009
E	Light for Photo Therapy 4000*, fluorescent bulb, blue	2M21010

*Tradeware



DEVELOPMENTAL CARE

- A Towel doll Cally, reusable, light blue or pink* 2M30462
- B Towel doll Babyleo TN500*, lion, orange MP03737
- C Towel doll Isi*, deer, green MP03738

*Tradeware



DEVELOPMENTAL CARE

- | | | |
|---|--|----------------|
| A | Incubator cover, for Babyleo TN500, reusable,
outer fabric: 100% polyester, inner fabric: 100% polyester | MP03730 |
| B | Incubator cover, for Caleo®, reusable,
outer fabric: 100% polyester, inner fabric: 100% polyester | MP01423 |
| C | Incubator cover,
for Isolette® C2000, 8000 and 8000 plus, reusable,
outer fabric: 100% polyester, inner fabric: 100% polyester | MP01424 |



MISCELLANEOUS

- A** Warming mattress TransWarmer®*, disposable, self warming for approx. 2 h, 6 pcs. MP01414
- B** Cover for skin temperature probe CARE-FOR-ME, hydrogel, disposable, small, 100 pcs. MU06944
- C** Cover for skin temperature probe CARE-FOR-ME, hydrogel, disposable, large, 100 pcs. MU06943

*Tradeware



VENTILATION ACCESSORIES

2. VENTILATION ACCESSORIES

MX 300-i

A	<u>O₂ analyzer MX 300-i*</u>	<u>MP01440</u>
B	<u>O₂ sensor* for MX 300 and MX 300-i, reusable</u>	<u>MP01442</u>
C	<u>Holder* for MX 300 and MX 300-i</u>	<u>MP01443</u>
D	<u>Connection cable* for MX 300 and MX 300-i</u>	<u>MP01444</u>
E	<u>T-piece adapter* for MX 300 and MX 300-i, reusable</u>	<u>MP01445</u>
F	<u>T-piece adapter for MX 300/MX 300i and Resuscitaire® breathing circuit, disposable, 20 pcs.</u>	<u>MP01880</u>

*Tradeware



VENTILATION ACCESSORIES

SEATTLE PAP PLUS – BUBBLE CPAP SYSTEM

Helping infants with respiratory distress breathe easier. The Seattle-Positive Airway Pressure (PAP) system is an innovation, which uses the proven advantages of Bubble CPAP therapy, such as oscillatory effects similar to high frequency ventilation and combines it with an unique design.

Seattle-PAP plus is safe, effective and easy to use. It was designed to:

- Promote infant safety with a uniquely designed pressure manifold with pressure relief valve.
- Safety tube lock to avoid unintended changes of the PEEP level.
- Provide comfort and optimum CPAP support to the infant due to disposable BabyFlow plus interfaces complementing the system.
- Include funnel with the filling tube which minimises spillages.
- The swivel connector to the expiratory limb prevents unnecessary disconnections and pressure loss.
- The water trap in the expiratory limb prevents unwanted pressure peaks due to condensation in the expiratory limb.

It requires only oxygen and compressed air, both to be administered by an O₂ blender like the Oxymixer from Dräger and a humidification source for the circuit.

A	Seattle PAP plus	MP02260
	Trolley	5790148
B	Multi-P trolley* basic	MP13020
	Including base with 5 castors, 38-mm Ø pole, 3 rail clamps, basket.	
C	Multi-P trolley* basic	MP13021
	Including base with 5 castors and 38 mm Ø pole for accessories.	


*Tradeware. This product is expected to be available in April 2021.



VENTILATION ACCESSORIES

A Compact rail, for 38 mm tube, standard rail profile 25 × 10 mm, each side 10 cm, weight: 0.9 kg, max. load: 30 kg	2M85337
B Universal holder profile 30 × 5 for wall rails 25 × 8 to 35 × 10 mm, for secretion jars Medela	MP00634
C Adapter, with 6 mm nozzle, e.g., for disposable breathing masks, 9/16" connection	MP00416
D Rail clamp for F&P humidifier and Seattle PAP bubble box*	8411074
E Rail clamp, for attachment to poles of different diameters, rotatable by 90° to left and right, length of standard rail (profile 25 × 10 mm): 20 cm	2M85274

*Produced by Fisher & Paykel



VENTILATION ACCESSORIES

ACCESSORIES FOR SEATTLE PAP PLUS

A	BabyFlow plus, disposable, size S, 20 pcs.	MP03700
	BabyFlow plus, disposable, size M, 20 pcs.	MP03701
	BabyFlow plus, disposable, size L, 20 pcs.	MP03702
B	Demo package BabyFlow plus, disposable, size S	MP03703
	Demo package BabyFlow plus, disposable, size M	MP03704
C	Soft connector N, disposable, 20 pcs.	MP03826
	Prong BabyFlow, standard, disposable, size XS, 10 pcs.	8418415
	Prong BabyFlow, standard, disposable, size S, 10 pcs.	8418605
	Prong BabyFlow, standard, disposable, size M, 10 pcs.	8418416
D	Prong BabyFlow, standard, disposable, size L, 10 pcs.	8418531
	Prong BabyFlow, standard, disposable, size XL, 10 pcs.	8418417
	Prong BabyFlow, standard, disposable, size XXL, 10 pcs.	8418617
	Prong BabyFlow, wide, disposable, size 3, 10 pcs.	8418603
	Prong BabyFlow, wide, disposable, size 4, 10 pcs.	8418607
	Prong BabyFlow, wide, disposable, size 5, 10 pcs.	8418609
	Prong BabyFlow, wide, disposable, size 6, 10 pcs.	8418611
E	Neo-mask, silicone, disposable, size S, 10 pcs.	8418491
	Neo-mask, silicone, disposable, size M, 10 pcs.	8418490
	Neo-mask, silicone, disposable, size L, 10 pcs.	8418619
	Neo-mask, TPE, disposable, size 4, 10 pcs.	MP01494
	Neo-mask, TPE, disposable, size 5, 10 pcs.	MP01495
	Neo-mask, TPE, disposable, size 6, 10 pcs.	MP01496



VENTILATION ACCESSORIES

A	Headgear, disposable, size XXS, 17 – 20 cm (6.7 – 7.9 in) head circumference, 5 pcs.	MP03880
	Headgear, disposable, size XS, 20 – 23 cm (7.9 – 9.1 in) head circumference, 5 pcs.	MP03881
	Headgear, disposable, size S, 23 – 27 cm (9.1 – 10.6 in) head circumference, 5 pcs.	MP03882
	Headgear, disposable, size M, 27 – 31 cm (10.6 – 12.2 in) head circumference, 5 pcs.	MP03883
	Headgear, disposable, size L, 31 – 37 cm (12.2 – 14.6 in) head circumference, 5 pcs.	MP03884
	Headgear, disposable, size XL, 37 – 42 cm (14.6 – 16.5 in) head circumference, 5 pcs.	MP03885
	Cap BabyFlow, disposable, size XS, white, 18 – 20.5 cm (7.1 – 8.1 in) head circumference, 5 pcs.	8418533
	Cap BabyFlow, disposable, size S, yellow, 20.5 – 23 cm (8.1 – 9.1 in) head circumference, 5 pcs.	8418534
	Cap BabyFlow, disposable, size M, red, 23 – 25.5 cm (9.1 – 10 in) head circumference, 5 pcs.	8418535
	Cap BabyFlow, disposable, size L, green, 25.5 – 28 cm (10 – 11 in) head circumference, 5 pcs.	8418536
	Cap BabyFlow, disposable, size XL, orange, 28 – 30.5 cm (11 – 12 in) head circumference, 5 pcs.	8418537
	Cap BabyFlow, disposable, size XXL, blue, 30.5 – 33 cm (12 – 13 in) head circumference, 5 pcs.	8418538
B	Cap BabyFlow, disposable, size XXL+, white/black, 33 – 36 cm (13 – 14.2 in) head circumference, 5 pcs.	8418539



VENTILATION ACCESSORIES

OXYMIXER*

Oxymixer enables a continuous and individually adjusted mixture of medical air and medical oxygen to be administered to infants, children and adults. The O₂ concentration is easily adjusted to a highly accurate flow by means of the bleed – even with flow rates of less than 3 l/min.

Oxymixer configuration Configurable Oxymixer

MP04200

A Oxymixer Low Flow

MP04203

B Oxymixer Low Flow with monitor

MP04204

C Oxymixer Low Flow with 1 – 15 l flowmeter right

MP04229

Several hoses to connect Oxymixer with the central supply.
For CS hoses see chapter 4, "Accessory for gas supply".

*Tradeware



VENTILATION ACCESSORIES

A <u>Oxymixer* sound damper 9/16"</u>	<u>MP04218</u>
B <u>Oxymixer* sound damper 22 and 15 mm</u>	<u>MP04219</u>
C <u>Adapter, with 6 mm nozzle, e.g., for disposable breathing masks, 9/16" connection</u>	<u>MP00416</u>
<u>Oxymixer* oxygen sensor (spare part)</u>	<u>MP04221</u>

*Produced by DEHAS




VENTILATION ACCESSORIES

BABYFLOW® PLUS

BabyFlow® plus – The superior non-invasive respiratory support system, designed to maximise performance and patient comfort.

A	BabyFlow plus, disposable, size S, 20 pcs.	MP03700
	BabyFlow plus, disposable, size M, 20 pcs.	MP03701
	BabyFlow plus, disposable, size L, 20 pcs.	MP03702
B	Demo package BabyFlow plus, disposable, size S	MP03703
	Demo package BabyFlow plus, disposable, size M	MP03704
	Demo package BabyFlow plus, disposable, size L	MP03705
C	Soft connector N, disposable, 20 pcs.	MP03826



VENTILATION ACCESSORIES



STANDARD PRONGS

Soft anatomically formed nasale silicone prongs, disposable.

A	① Prong BabyFlow, standard, disposable, size XS, 10 pcs.	8418415
	② Prong BabyFlow, standard, disposable, size S, 10 pcs.	8418605
	③ Prong BabyFlow, standard, disposable, size M, 10 pcs.	8418416
	④ Prong BabyFlow, standard, disposable, size L, 10 pcs.	8418531
	⑤ Prong BabyFlow, standard, disposable, size XL, 10 pcs.	8418417
B	Prong BabyFlow, standard, disposable, size XXL, 10 pcs.	8418617

WIDE PRONGS

C	① Prong BabyFlow, wide, disposable, size 3, 10 pcs.	8418603
	② Prong BabyFlow, wide, disposable, size 4, 10 pcs.	8418607
	③ Prong BabyFlow, wide, disposable, size 5, 10 pcs.	8418609
	④ Prong BabyFlow, wide, disposable, size 6, 10 pcs.	8418611




VENTILATION ACCESSORIES

MASKS

Nasal masks of silicone and TPE complete the portfolio and increase the comfort for the patient!

A	① Neo-mask, silicone, disposable, size S, 10 pcs.	8418491
	② Neo-mask, silicone, disposable, size M, 10 pcs.	8418490
	③ Neo-mask, silicone, disposable, size L, 10 pcs.	8418619
B	Neo-mask, TPE, disposable, size 4, 10 pcs.	MP01494
C	Neo-mask, TPE, disposable, size 5, 10 pcs.	MP01495
D	Neo-mask, TPE, disposable, size 6, 10 pcs.	MP01496



VENTILATION ACCESSORIES

HEADGEARS

The new headgear enable the customer to choose the most comfortable fit and combination for each of their tiny patients.

A	Headgear, disposable, size XXS, 17 – 20 cm (6.7 – 7.9 in) head circumference, 5 pcs.	MP03880
	Headgear, disposable, size XS, 20 – 23 cm (7.9 – 9.1 in) head circumference, 5 pcs.	MP03881
B	Headgear, disposable, size S, 23 – 27 cm (9.1 – 10.6 in) head circumference, 5 pcs.	MP03882
	Headgear, disposable, size M, 27 – 31 cm (10.6 – 12.2 in) head circumference, 5 pcs.	MP03883
C	Headgear, disposable, size L, 31 – 37 cm (12.2 – 14.6 in) head circumference, 5 pcs.	MP03884
	Headgear, disposable, size XL, 37 – 42 cm (14.6 – 16.5 in) head circumference, 5 pcs.	MP03885



VENTILATION ACCESSORIES

CAPS

The disposable and breathable microfiber caps (95% cotton, 5% spandex) are available in seven sizes (color-coded).

A	① Cap BabyFlow, disposable, size XS, white, 18 – 20.5 cm (7.1 – 8.1 in) head circumference, 5 pcs.	8418533
	Cap BabyFlow, disposable, size S, yellow, 20.5 – 23 cm (8.1 – 9.1 in) head circumference, 5 pcs.	8418534
	Cap BabyFlow, disposable, size M, red, 23 – 25.5 cm (9.1 – 10 in) head circumference, 5 pcs.	8418535
	② Cap BabyFlow, disposable, size L, green, 25.5 – 28 cm (10 – 11 in) head circumference, 5 pcs.	8418536
	③ Cap BabyFlow, disposable, size XL, orange, 28 – 30.5 cm (11 – 12 in) head circumference, 5 pcs.	8418537
	Cap BabyFlow, disposable, size XXL, blue, 30.5 – 33 cm (12 – 13 in) head circumference, 5 pcs.	8418538
B	Cap BabyFlow, disposable, size XXL+, white/black, 33 – 36 cm (13 – 14.2 in) head circumference, 5 pcs.	8418539



VENTILATION ACCESSORIES

The **MiniMe2*** nasal mask is designed for children ages 2 – 12. It features an ergonomic silicone gel cushion and a shapeable shell mask to fit individual needs and thus ensuring an effective seal and a comfortable fit.


A	Pediatric nasal mask MiniMe2 non vented, disposable, size S	MP01555
	Pediatric nasal mask MiniMe2 non vented, disposable, size L	MP01556
B	Pediatric nasal mask MiniMe2 vented, disposable, size S	MP01553
	Pediatric nasal mask MiniMe2 vented, disposable, size L	MP01554

*Tradeware



VENTILATION ACCESSORIES

A VentStar® Resuscitation Neo, disposable, N, 1 m, 25 pcs., not made with natural rubber latex	MP00310
B Breathing circuit for Resuscitaire VentStar®, disposable, N, press. meas. line, 1 m, 25 pcs., not made with natural rubber latex	MP00311
C Breathing circuit VentStar®, disposable, N, basic, 1.8 m, 25 pcs., not made with natural rubber latex	MP00353
D Breathing circuit VentStar®, disposable, N, water trap, 1.8 m, 25 pcs., not made with natural rubber latex	MP00363
E Breathing circuit VentStar®, disposable, N, MRI, 3 m, 10 pcs., not made with natural rubber latex	MP00329
F Breathing bag set VentStar®, disposable, N, 0.5 L, 1.1 m, 25 pcs., not made with natural rubber latex	MP00383
Anesthesia set VentStar®, disposable, N, 1.8 m/1.1 m, 25 pcs., not made with natural rubber latex	MP00333
G VentStar® Breathing Bag 0.5 L, 25 pcs.	MP02710



VENTILATION ACCESSORIES

- | | |
|---|----------------|
| A Breathing circuit Infinity® ID,
disposable, N, basic, 1.8 m, 25 pcs.,
not made with natural rubber latex | MP01327 |
| Breathing circuit Infinity® ID,
disposable, N, water trap, 1.8 m, 25 pcs.,
not made with natural rubber latex | MP01328 |
| B Breathing bag set Infinity® ID,
disposable, N, 0.5 L, 1.1 m, 25 pcs.,
not made with natural rubber latex | MP01329 |



VENTILATION ACCESSORIES

A Breathing circuit VentStar®, disposable, N, heated, 1.2 m, 10 pcs., not made with natural rubber latex	MP00308
B Breathing circuit VentStar®, disposable, N, heated, w/o chamber, 1.2 m, 10 pcs., not made with natural rubber latex	MP00309
C Breathing circuit Infinity® ID, disposable, N, heated, 1.2 m, 10 pcs., not made with natural rubber latex	MP00343
D Breathing circuit VentStar® Helix, disposable, N, dual heated, 1.7 m, 10 pcs., not made with natural rubber latex	MP02650
E Breathing circuit VentStar® Helix, disposable, N, heated, 1.7 m, 10 pcs., not made with natural rubber latex	MP02608
VentStar® Aquapor, dual heated, N plus, 10 pcs.	MP07150
VentStar® Aquapor, heated, N plus, 10 pcs.	MP07151



VENTILATION ACCESSORIES

- A Humidifier chamber VentStar®, disposable, 10 pcs. MP00234
- B Humidifier chamber VentStar®, disposable, N, 10 pcs. MP02590
- C Double connector 11ID/15OD, disposable, 10 pcs. MP02655



VENTILATION ACCESSORIES

REUSABLE BREATHING SYSTEMS: BLUESET VENTILATION


A	BlueSet Ventilation (N)	8412344
	Consists of:	
①	Y-piece, reusable, N, 90°, with suction opening	8403075
②	Corrugated hose, reusable, N/P, 14 cm, connector 10 mm/10 mm, Ø 10 mm	8403333
③	Temperature sensor mount, reusable, N	8403056
④	Water trap with outlet, reusable N/P	8404760
⑤	Breathing hose, silicone, reusable, N/P, 60 cm, connector 10 mm/10 mm, Ø 10 mm	2165848
⑥	Water trap, reusable, N/P	8409627
⑦	Red cap, 7 mm	8401645
⑧	Breathing hose, silicone, reusable, N/P, 40 cm, connector 10 mm/22 mm, Ø 10 mm	2165856
⑨	Breathing hose, silicone, reusable, N/P, 60 cm, connector 10 mm/22 mm, Ø 10 mm	2165821



VENTILATION ACCESSORIES

REUSABLE ANESTHESIA SYSTEMS:
BLUESSET ANESTHESIA

A	BlueSet Anesthesia (N)	M27542
Consists of:		
1	Breathing hose, silicone, reusable, N/P, 1.5 m, connector 10 mm/22 mm, Ø 10 mm	2165961
2	Breathing hose, silicone, reusable, N/P, 1.1 m, connector 22 mm/22 mm, Ø 10 mm	2165678
3	Breathing bag, silicone, reusable, 0.5 L, not made with natural rubber latex	2166054
4	Adapter, reusable, 22 mm/22 mm	M25647
5	Y-piece, reusable, N, 90°, with suction opening	8403075
6	Elbow, reusable, N/P, metal, Luer Lock	M34568
6	Cap for Luer Lock	M34461
7	Set of 5 red caps, 7 mm	8402953



VENTILATION ACCESSORIES


Silicone breathing hose (pediatric) with standard sleeves 10 mm (0.4 in) on both sides and 10 mm (0.4 in) inner diameter

A Breathing hose, silicone, reusable, N/P, 60 cm, connector 10 mm/10 mm, Ø 10 mm

2165848

A

D-36216-2011



VENTILATION ACCESSORIES

Silicone breathing hose (pediatric) with standard sleeves with one 10 mm (0.4 in) and one 22 mm (0.9 in) sleeve and 10 mm (0.4 in) inner diameter

A	Breathing hose, silicone, reusable, N/P, 40 cm, connector 10 mm/22 mm, Ø 10 mm	2165856
B	Breathing hose, silicone, reusable, N/P, 60 cm, connector 10 mm/22 mm, Ø 10 mm	2165821
C	Breathing hose, silicone, reusable, N/P, 1.1 m, connector 10 mm/22 mm, Ø 10 mm	2165651
D	Breathing hose, silicone, reusable, N/P, 1.5 m, connector 10 mm/22 mm, Ø 10 mm	2165961



VENTILATION ACCESSORIES

A <u>Y-piece straight, reusable, N/P</u>	<u>M27077</u>
B <u>Y-piece, reusable, N, 90°, with suction opening</u>	<u>8403075</u>
C <u>Elbow, reusable, N/P, metal, Luer Lock</u>	<u>M34568</u>



VENTILATION ACCESSORIES

Transparent breathing bags of silicone elastomer

A	Breathing bag, silicone, reusable, 0.5 L, not made with natural rubber latex	2166054
B	Breathing bag, silicone, reusable, 1.5 L, not made with natural rubber latex	2166127
C	Neo Testlung*, disposable, N, 10 pcs., not made with natural rubber latex	MP02425
D	Demo lung to simulate neonatal lungs, with suitcase	8418077
E	Neonatal Test Lung, reusable, 50 mL, not made with natural rubber latex	MP20050

*Tradeware



VENTILATION ACCESSORIES

The TwinStar® filter/HME from Dräger is a combination of an efficient HME and a high-performance breathing system filter, thereby significantly contributing to infection prophylaxis in ventilation treatment.

- Combination of efficient HME and high-performance breathing system filter
- High retention rates for bacteria and viruses
- High return of heat and moisture
- Sampling connector with tethered cap
- Sampling port in convenient 45° angle
- Transparent housing for visual control
- Standardized connectors for safe connection to other components

A Electrostatic filter and HME TwinStar® 8, disposable, 8 mL deadspace, 50 pcs.

MP01820

HumidStar® heat and moisture exchangers from Dräger partially take over the function of the upper airways and efficiently heat and humidify the inspired air.

- High return of heat and moisture
- Sampling connector with tethered cap
- Sampling port in convenient 45° angle
- Transparent housing for visual control
- Standardized connectors for safe connection to other components

B HME HumidStar® 10A, disposable, 10 mL deadspace, angled, 50 pcs.

MP01740

C HME HumidStar® 2 Plus, disposable, 2 mL deadspace, 100 pcs.

MP05845




VENTILATION ACCESSORIES

CO₂ cuvettes are designed for the monitoring of CO₂ concentration during patient ventilation.

A	CO₂ cuvette disposable, pediatric, 10 pcs.	MP01063
B	CO₂ cuvette reusable, pediatric	6870280
C	CO₂ mainstream sensor, for Evita® 2 dura, Evita® 4 Edition and Evita® XL	6871500
D	MCable Mainstream CO₂, for Evita, Infinity® V500, Infinity® M540, Vista120, Vista120 S, and Delta VF9.1 and higher	6871950

For fans and monitors that have a yellow connector for the CO₂ sensor.



VENTILATION ACCESSORIES

A Anesthesia mask LiteStar[®],
disposable, w/o hook ring, size 1, premature baby, 30 pcs. MP01501

B Anesthesia mask LiteStar[®],
disposable, w/o hook ring, size 2, baby, 30 pcs. MP01502


Additional disposable hook rings and disposable headgears for fixation are available (cf. Mask accessories).



VENTILATION ACCESSORIES

A	Anesthesia mask ComfortStar®, disposable, hook ring, standard, size 0, premature baby, 20 pcs.	MP01510
B	Anesthesia mask ComfortStar®, disposable, hook ring, standard, size 1, neonatal, 20 pcs.	MP01511
C	Anesthesia mask ComfortStar®, disposable, hook ring, standard, size 2, baby, 20 pcs.	MP01512
D	Anesthesia mask ComfortStar®, disposable, hook ring, strawberry, size 1, neonatal, 20 pcs.	MP01521
E	Anesthesia mask ComfortStar®, disposable, hook ring, strawberry, size 2, baby, 20 pcs.	MP01522
F	Anesthesia mask ComfortStar®, disposable, hook ring, bubble gum, size 1, neonatal, 20 pcs.	MP01531
G	Anesthesia mask ComfortStar®, disposable, hook ring, bubble gum, size 2, baby, 20 pcs.	MP01532

Pumpball as well as different headgears for fixation are available (cf. Mask accessories).



VENTILATION ACCESSORIES

- | | | |
|----------|---|----------------|
| A | Silicone mask, reusable, size 00, premature baby | MP02900 |
| B | Silicone mask, reusable, size 0, small neonate | MP01910 |
| C | Silicone mask, reusable, size 1, large neonate | MP01911 |

Additional mask accessories, e. g. reusable hook rings as well as reusable headgears are available for fixation (cf. Mask accessories).




VENTILATION ACCESSORIES

A	O2Star™ Oxygen nasal cannula straight with connection tube 2.1 m, disposable, S, 50 pcs.	MP02920
	O2Star™ Oxygen nasal cannula straight with connection tube 2.1 m, disposable, M, 50 pcs.	MP02921
B	O2Star™ Oxygen nasal cannula curved with connection tube 2.1 m, disposable, S, 50 pcs.	MP02924
	O2Star™ Oxygen nasal cannula curved with connection tube 2.1 m, disposable, M, 50 pcs.	MP02925
C	O2Star™ Oxygen nasal cannula flared with connection tube 2.1 m, disposable, S, 50 pcs.	MP02928
	O2Star™ Oxygen nasal cannula flared with connection tube 2.1 m, disposable, M, 50 pcs.	MP02929
D	O2Star™ Oxygen nasal cannula curved-flared with connection tube 2.1 m, disposable, S, 50 pcs.	MP02932
	O2Star™ Oxygen nasal cannula curved-flared with connection tube 2.1 m, disposable, M, 50 pcs.	MP02933



VENTILATION ACCESSORIES

A	Headgear, disposable, soft fabric, small	MP01559
B	Headgear, disposable, soft rubber, small	MP01561
C	Hook ring for LiteStar® anesthesia masks, disposable, 15 mm OD, for sizes 1 – 2, 30 pcs.	MP01551
D	Hook ring for silicone masks, reusable, 15 mm OD, for sizes 00 – 1, 10 pcs.	MP01916
E	Two-sided pump ball for air management	MP01590



VENTILATION ACCESSORIES

SET2GO

With Dräger's Set2go solutions we offer you totally customised sets consisting of an individual selection of single-patient-use accessories. Dräger Set2go makes using and ordering consumables and accessories much simpler for you. You just need one article number to get all the items in a single package and accomplish your specific task.

Please contact your local Dräger sales organisation to create your individual accessory solution.

VENTILATION ACCESSORIES

TRADEWARE

A	Humidifier chamber for F&P MR 290, disposable, 10 pcs.*	8418282
B	Humidifier chamber for F&P MR 340, reusable, N/P*	8411047
C	Rail clamp for F&P humidifier and Seattle PAP bubble box*	8411074
D	Holder for F&P humidifier U-shaped, for trolley, with rail clamp*	MP01002
E	Hose heater for F&P MR 700/730, 70 cm*	8411154
F	Hose heater for F&P MR 700/730 and MR 850, for reusable breathing circuit, 1.1 m*	8414993

*Produced by Fisher & Paykel



VENTILATION ACCESSORIES

TRADEWARE

A	Temperature probe/flow sensor for F&P MR 850 for all breathing circuits, 1.1 m*	8414989
A	Temperature probe/flow sensor for F&P MR 850, for all breathing circuits, 1.5 m*	8414966
B	Hose heater adapter for F&P MR 850, for reusable breathing circuit*	8414968
C	Hose heater adapter for F&P MR 850, for third-party breathing circuit*	MP01001
D	Draw wire for hose heater 1.5 m, for reusable breathing circuit*	8411050

*Produced by Fisher & Paykel



VENTILATION ACCESSORIES

AEROGEN PRO*

A	Medication nebulizer Aerogen Pro	MP01010
B	Nebulizer unit with filler cap for Aerogen Pro	MP01030
C	T-piece set with plug for Aerogen Pro, N, 15 mm (0.6 in), w/ adapter 10 mm (0.4 in), 5 pcs.	MP01032
D	T-connector for Aerogen Pro, 12 mm, with plug, 5 pcs.	MP01037
	Sealing plug for Y-piece, 5 pcs.	8411024

AEROGEN SOLO*

E	Aerogen Solo Starter Kit, Int.	MP01071
	Aerogen Solo Starter Kit, FR, NL, IT, GE	MP01072
	Aerogen Solo Starter Kit, ES, IT, PT, GR, TK	MP01073
	Aerogen Solo Starter Kit, SW, NO, FI, DK	MP01074
	Aerogen Solo Starter Kit, UK	MP01075
	Aerogen Solo Starter Kit, US	MP01076
F	Nebulizer head, 5 pcs.	MP01078
G	Nebulizer head, 10 pcs.	MP01079
	T-Adapter, pediatric, 10 pcs.	MP01086
	T-Adapter, neonate, 10 pcs.	MP02689
	Kit T-Adapter, Pediatric with Neo connectors, 10 pcs.	MP01087
	Aerogen USB Controler	MP01089
	Aerogen USB Controler	MP01095

*Produced by Aerogen



VENTILATION ACCESSORIES

INTUBATION KITS

TRADEWARE

The practical design of the laryngoscope family* ensures optimum hygiene and reliable functioning in every situation. Its ergonomic design guarantees problem free handling.

*Made by Kirchner&Wilhelm, Asperg, Germany

WARM LIGHT (WL) LARYNGOSCOPES

	Blade size 0 (Mac), reusable, 79 × 13 mm	MX03302
A	Blade size 1 (Mac), reusable, 93 × 20 mm	MX03303
	Blade size 0 (Miller), reusable, 77 × 11 mm	MX03307
B	Blade size 1 (Miller), reusable, 102 × 11 mm	MX03308
C	Laryngoscope set, pediatric, reusable (Battery grip pediatric; blade size 0 (Miller); blade size 1 (Miller), blade size 2 (Mac))	MX03312
D	Battery grip, pediatric, 2.5 V, 19 mm Ø**	MX03314
E	Vacuum lamp for blade (size 00 – 1)	MX03316

**Battery grip can be used with standard batteries.



VENTILATION ACCESSORIES

TRADEWARE

Made by Kirchner&Wilhelm, Asperg, Germany

FIBER OPTIC (F.O.) LARYNGOSCOPES

	F.O. blade size 0 (Mac), reusable, 82 × 14 mm	MX03319
A	F.O. blade size 1 (Mac), reusable, 93 × 14 mm	MX03320
	F.O. blade size 00 (Miller), reusable, 66 × 11 mm	MX50052
	F.O. blade size 0 (Miller), reusable, 78 × 11 mm	MX03324
	F.O. blade size 1 (Miller), reusable, 103 × 11 mm	MX03325
B	F.O. laryngoscope set, pediatric, reusable (F.O. battery grip pediatric; F.O. blade size 0 (Miller); F.O. blade size 1 (Miller); F.O. blade size 2 (Mac))	MX03329
C	F.O. battery grip, pediatric, 2.5 V, 19 mm Ø*	MX03331
	Xenon lamps for battery grip, 2.5 V	MX03328

*Battery grip can be used with standard batteries.



SENSORS

3. SENSORS

A	Neonatal flow sensor with Y-piece, PSU, sterilizable	8410185
B	Neonatal flow sensor ISO 15, PSU, sterilizable	8411130
C	Insert for neonatal flow sensor, PSU, sterilizable, 5 pcs.	8410179
D	Flow sensor cable, for neonatal flow sensor, e.g., Babylog	8409626



SENSORS

A	<u>O₂ sensor capsule, for mainstream measurement</u>	<u>6850645</u>
B	<u>O₂ sensor Oxycell, for Babyleo® TN500</u>	<u>6873065</u>
C	<u>O₂ sensor housing Oxydig, for O₂ sensor capsule, with spiral cable</u>	<u>6850250</u>



MONITORING ACCESSORIES

4. MONITORING ACCESSORIES

Infinity® Monitoring: Gamma, Gamma XL, Gamma X XL, Delta, Delta XL, Kappa, Kappa XLT.

ELECTROCARDIOGRAPHY (ECG)

A	Multiparameter cable NeoMed Pod, for ECG, resp., SpO ₂ , temp., and FiO ₂ , 2.5 m	5590539
B	ECG electrodes, single-patient use, neonate, 300 pcs.	5195024
C	Electrode adapter, to connect neonatal electrodes to MultiMed® pod, 10 pcs.	5194779
D	ECG intermediate cable, 3-lead, for NeoMed Pod, 1.5 m	5592162

INFINITY®
MONITORING



Not all articles are available worldwide.

MONITORING ACCESSORIES

PULSE OXIMETRY (SPO₂)

DRÄGER/NELLCOR® CABLES

A	SpO₂ intermediate cable Dräger/Nellcor®, for MultiMed® 5/6 and NeoMed pods, 1 m	3368433
	SpO₂ intermediate cable Dräger/Nellcor®, for MultiMed® 5/6 and NeoMed pods, 2 m	3375834
B	SpO₂ intermediate cable Dräger/Nellcor®, for MultiMed® Plus/Plus OR, 1.2 m	MS18683
C	SpO₂ intermediate cable Dräger/Nellcor®, for MultiMed® Plus/Plus OR, 3 m	MS17330

INFINITY
MONITORING
MICRO₂+



MONITORING ACCESSORIES

DRÄGER DISPOSABLE SENSORS

A SpO ₂ adhesive sensor Dräger, cloth, disposable, baby, 24 pcs.	MS16447
B SpO ₂ adhesive sensor Dräger, cloth, disposable, neonate, 24 pcs.	MS16446

NELLCOR® SENSORS


C SpO ₂ adhesive sensor* Nellcor® Oximax® Max-I, disposable, child, 24 pcs.	MX50067
D SpO ₂ adhesive sensor* Nellcor® Oximax® Max-N, disposable, neonate/adult, 24 pcs.	MX50068

NELLCOR® ACCESSORIES

E Adhesive wrap*, for Nellcor® Oxiband™ A/N, 100 pcs.	8201012
--	----------------

*Tradeware

INFINITY
MONITORING
MICRO₂+



MONITORING ACCESSORIES

INFINITY®
MONITORING
MICRO₂+

MASIMO® CABLES*

SpO₂ intermediate cables for connection to Masimo® SET Pod.

- A SpO₂ intermediate cable Masimo® LNCS, 3 m MS17522
- A SpO₂ intermediate cable Masimo® LNCS, 1.2 m MS24303

MASIMO® RD-SET ADAPTER CABLES*

- B Adapter cable RD-SET to LNOP, for connection of RD-SET sensors to Masimo® SET Pod via the LNOP intermediate cables MS18680 and MS17041, as well as to MultiMed® 5/6/12, NeoMed Pods and MultiMed® Plus/Plus OR via the according intermediate cables MS13926/7492601 or MS20163* MS33731
- C Adapter cable RD-SET to LNCS, for connection of RD-SET sensors to Masimo® SET Pod via the LNCS intermediate cables MS24303 or MS17522 MS33732
- C Adapter cable RD-SET to MultiMed®, for connection of RD-SET sensors to MultiMed® 5/6/12, NeoMed Pods as well as MultiMed® Plus/Plus OR via the according intermediate cables 3368433/3375834 or MS18683/MS17330 MS33733

*Tradeware
 **Products are not available any more.
 Adapter is to be used to switch from sensors to the installed base.



MONITORING ACCESSORIES

MASIMO® LNCS SENSORS*

For Masimo® accessories, specific part numbers for USA and Japan apply. Please contact your local Dräger Sales representative for further information.

- A** SpO₂ adhesive sensor Masimo® LNCS Neo, disposable, neonate, 20 pcs. **MP00792**
- B** SpO₂ adhesive sensor Masimo® LNCS NeoPt, disposable, premature baby, 20 pcs. **MP00794**
- SpO₂ Masimo® sensor LNCS-YI Multisite, reusable, neonate/pediatric/adult **MP00789**

MASIMO® LNCS TRAUMA DISPOSABLE SENSORS*

Masimo® LNCS Trauma sensors are for use with Masimo® SET technology only.


- C** Masimo® Trauma sensor LNCS, neonate, 20 pcs. **MP03192**

MASIMO® RD-SET DISPOSABLE SENSORS*

- D** Masimo® RD-SET sensor, neonatal, disposable **MS33729**
- E** Masimo® RD-SET sensor, neonatal preterm, disposable **MS33730**

*Tradeware

INFINITY MONITORING MICRO₂+




MONITORING ACCESSORIES

INFINITY®
MONITORING
MICRO₂+

MASIMO® ACCESSORIES*

A	SpO₂ adhesive wrap Masimo® Posey-Wrap, for NeoPt SpO₂ sensor, 12 pcs.	7496933
B	SpO₂ adhesive wrap Masimo®, for NeoPt SpO₂ sensor, 100 pcs.	7496925
C	SpO₂ adhesive wrap Masimo® Multisite-Wrap, for LNOP YI SpO₂ sensor, 100 pcs.	7496917
D	SpO₂ adhesive wrap Masimo® Petite-Wrap, for LNOP YI SpO₂ sensor, 100 pcs.	7496909
E	SpO₂ foam wrap Masimo® Foam-Wrap, neonate, LNOP YI SpO₂ sensor, 12 pcs.	7496891

*Tradeware



MONITORING ACCESSORIES

TEMPERATURE

SINGLE-PATIENT USE TEMPERATURE PROBES

A Skin temperature probe, single-patient use, child/neonatal, 7-pin connector, 1.6 m	MP00997
B Skin temperature probe, single-patient use, child/neonatal, 7-pin connector, 3 m	MP00998

REUSABLE TEMPERATURE PROBES

C Skin temperature probe, reusable, with 7-pin connector, 1.5 m	4329822
C Skin temperature probe, reusable, with 7-pin connector, 3 m	5204669

INFINITY®
MONITORING



MONITORING ACCESSORIES

NON-INVASIVE BLOOD PRESSURE CUFFS (NIBP)

A	NIBP hose, neonate, 2.4 m	2870298
B	NIBP cuff, disposable, neonate, size 1, 3.1 – 5.7 cm, 10 pcs.	2870181
C	NIBP cuff, disposable, neonate, size 2, 4.3 – 8 cm, 10 pcs.	2870199
D	NIBP cuff, disposable, neonate, size 3, 5.8 – 10.9 cm, 10 pcs.	2870207
E	NIBP cuff, disposable, neonate, size 4, 7.1 – 13.1 cm, 10 pcs.	2870215
F	NIBP cuff, disposable, neonate, size 5, 8.3 – 15 cm, 10 pcs.	2870173

INFINITY
MONITORING

MONITORING ACCESSORIES

ETCO₂ AND RESPIRATORY MECHANICS

For Gamma X XL, Delta, Delta XL, Kappa.

A	etCO ₂ airway adapter* Microstream®, neonate/child, max. 72 h, 25 pcs.	7869550
B	etCO ₂ nasal cannula* Microstream®, child, max. 12 h, 25 pcs.	7869469
	etCO ₂ nasal cannula Microstream®, child, max. 24 h, 25 pcs.	7869600
	etCO ₂ nasal cannula Microstream®, + O ₂ , child, max. 24 h, 25 pcs.	7869485
C	etCO ₂ nasal/mouth cannula Microstream®, + O ₂ , child, max. 12 h, 25 pcs.	7869584

For Gamma X XL, Delta, Delta XL, Kappa, Kappa XLT.


D	etCO ₂ airway adapter, reusable, neonate	4721788
E	CO ₂ airway adapter*, neonatal (infant/pediatric), disposable, 10 pcs.	2606228

RECORDER PAPER

F	Recording paper for Infinity® R 50, 50 mm, approx. 30 m, 10 rolls	4711201
----------	---	----------------

*Tradeware

INFINITY
MONITORING



WARD EQUIPMENT

5. WARD EQUIPMENT

Please find more information in chapter 5 „Ward equipment“.

FLOWMETER

These O₂ Flowmeters are plugged directly into a wall terminal unit for oxygen and are used to control the flow of oxygen in inhalation and insufflation. Flow rates can be set with a high degree of accuracy. The large rotary knob makes setting easier.

Accuracy of flow rate at 4.5 bar \pm 0.5 bar (1,013 hPa/20 °C)**
 \pm 15% (corresponding to smallest setting value)
 \pm 10% (all other setting values)

** Using the flowmeters outside the specified ambient conditions could affect flow accuracy.

Dimensions (H x W x D):	160 x 40 x 130 mm (6.3 x 1.6 x 5.1 in)
Material:	Housing: Aluminium Pressure dome: Polyamide Flow indicator: Glass
Weight:	Approx. 500 g (1.1 lb)

A O₂ flowmeter, 4 l/min, CS, DIN, ISO and neutral color, M34x1.5 and 9/16“ for accessories and sterile water systems

MP04551



WARD EQUIPMENT

TWIN FLOWMETER

The particular advantage of the twin flowmeter is, that two patients can be treated simultaneously and independently of one another, while occupying only one wall terminal.

Accuracy of flow rate at 4.5 bar \pm 0.5 bar (1,013 hPa/20 °C)**
 \pm 15% (corresponding to smallest setting value)
 \pm 10% (all other setting values)

** Using the flowmeters outside the specified ambient conditions could affect flow accuracy.

Dimensions (H \times W \times D): 160 \times 150 \times 190 mm
 (6.3 \times 5.9 \times 7.15 in)

Material: Housing: Aluminium
 Pressure dome: Polyamide
 Flow indicator: Glass

Weight: Approx. 900 g (1.98 lb)



A	O₂ twin flowmeter, CS, 2 \times 16 l/min, CS, DIN, ISO, neutral color, M34\times1.5 and 9/16" for accessories and sterile water systems	MP04560
	O₂ twin flowmeter, 2 \times 16 l/min, rail fitting with NIST gas inlet, 2 \times M34\times1.5, adapter 9/16"	MP04569

WARD EQUIPMENT

These O₂ flowmeters for rail attachment can be used to control the flow of oxygen in inhalation and insufflation. Flow rates up to 4 and 16 l/min can be set with a high degree of accuracy. The large rotay knob makes setting easier. Using the rail clamp, the flowmeter can be quickly and safely attached to all rail profiles. The connection to the gas supply can be ensured by a CS hose with NIST coupling nut.

Accuracy of flow rate at 4.5 bar \pm 0.5 bar (1,013 hPa/20 °C)**
 \pm 15% (corresponding to smallest setting value)
 \pm 10% (all other setting values)

** Using the flowmeters outside the specified ambient conditions could affect flow accuracy.

Dimensions (H \times W \times D): 160 \times 40 \times 130 mm
 (6.3 \times 1.6 \times 5.1 in)

Material: Housing: Aluminium
 Pressure dome: Polyamide
 Flow indicator: Glass

Weight: Approx. 950 g (2.09 lbs)

- | | | |
|----------|---|----------------|
| A | O₂ flowmeter, 4 l/min, rail with NIST gas inlet, M34\times1.5 and 9/16" for accessories and sterile water systems | MP04552 |
| B | O₂ flowmeter, 4 l/min, rail, 90°, NIST gas inlet, M34\times1.5 and 9/16" for accessories and sterile water systems | MP04553 |
| C | O₂ flowmeter, 16 l/min, rail, NIST gas inlet, M34\times1.5, adapter 9/16" | MP04567 |

CS hoses

Several hoses to connect flowmeter with the central supply.
 For CS hoses see chapter 5, „Accessory for gas supply“.



WARD EQUIPMENT

COMPACT FLOWMETER

Input pressure:	4.5 ± 0.5 bar*
Adjustable ranges:	0.1 – 1 l/min (0; 0.1; 0.2; 0.3; 0.4; 0.5; 0.6; 0.7; 0.8; 1 l/min) 0.5 – 5 l/min (0; 0.5; 1; 1.5; 2; 2.5; 3; 3.5; 4; 5 l/min) 1 – 16 l/min (0; 1; 2; 3; 4; 6; 8; 10; 12; 16 l/min) 1 – 32 l/min (0; 1; 5; 8; 12; 16; 20; 25; 28; 32 l/min)
Accuracy (at 4.5 ± 0.5 bar):	0.5 – 5 l/min, 1 – 16 l/min and 1 – 32 l/min: ± 20%; 0 – 1 l/min ± 30%
Gas inlet:	CS plug O ₂ or AIR; NIST (rail)
Gas outlet:	6 mm nozzle for application unit, thread 9/16" for sterile water or adapter for reusable humidifier
Weight:	approx. 420 g (CS); approx. 700 g (rail)
Housing material:	nickel-coated brass
Dimensions:	diameter about 38 mm, length about 92 mm (CS version); about 118 mm (rail version)

*1 bar = 1 kPa × 100



- A Compact flowmeter Clickflow configurator, gives you the option of arranging the compact flowmeter according to your requirements, selectable options for configuration: **MP13000****
- | | |
|----------------|---|
| Gas type: | O ₂ ; AIR |
| Mounting: | CS; rail with NIST gas inlet |
| CS connection: | DIN; Carbamed; BS (England); NF (France) |
| Version: | single compact flowmeter;
double compact flowmeter |
| Flow: | 0.1 – 1 l/min; 0.5 – 5 l/min;
1 – 16 l/min, 1 – 32 l/min |
| Gas outlet: | 6 mm nozzle, thread 9/16" for sterile water |
- B O₂ compact flowmeter Clickflow, DIN CS, 1 – 16 l/min, 6 mm nozzle **MP13012****
- C O₂ compact flowmeter Clickflow, DIN CS, 1 – 16 l/min, 9/16" **MP13011****

Accessories for flowmeter: See section Ward Equipment, chapter 1.4 (humidifier, adapter and application).

WARD EQUIPMENT

A	Humidifier-bubbler, for oxygen humidification up to appr. 60% relative humidity and flows up to 5 l/min	2M85834
B	Adapter, to connect e.g a tube or nasal cannula to O₂ flowmeter, M34×1.5 to 6 mm nozzle	M06258
C	Adapter, for disposable sterilized water systems to O₂ flowmeters, M34×1.5 to 9/16"	2M86680
C	Adapter, for disposable sterilized water systems to AIR flowmeter, M32×1.5 to 9/16"	MP03366
D	Adapter, with 6 mm nozzle, e.g., for disposable breathing masks, 9/16" connection	MP00416
E	Adapter 9/16" to M34×1.5 for Dräger reusable humidifier	MP03325



WARD EQUIPMENT

MEDICAL ASPIRATION

The vacuum regulator is directly connected to a central vacuum supply, or mounted on a rail. The smoothly adjustable vacuum, up to max. -160 mbar (-16 kPa), is displayed on a rotating manometer, legible from all sides.

All vacuum regulators include a shut-off valve.

You can use the VarioSafe® disposable filter system to reliably protect the **VarioVac®** series and the central vacuum system against contamination. A VarioSafe® filter system is included with every VarioVac® vacuum regulator.

Technical data:

Maximum vacuum:	-16 to 0 kPa (-160 to 0 mbar)
Maximum suction flow:	18 l/min
Weight:	600 to 800 g (800 g for rail versions)
Dimensions (W/H/D) in mm:	80 × 210 × 160 (without VarioSafe) 80 × 340 × 160 (with VarioSafe)
Maximum sound level:	50 dB (A)
Hose nozzle:	Ø 6 mm
Bacterial retention:	99.99998% (with VarioSafe)*
Viral retention:	99.9998% (with VarioSafe)*

*Test has been performed by Nelson Lab, USA, before 2010



A **Vacuum regulator VarioVac® D Rail, for continuous and wound drainage, gas connection VAC** **MP00511**

For CS hoses please refer to chapter „Accessory for gas supply“.

WARD EQUIPMENT

VarioVac® vacuum regulator for rail.

The gas supply is ensured by VAC connection hose.

This rail version can be connected to all standard wall rails (10 mm width and 25 mm height).

You can use the VarioSafe® disposable filter system to reliably protect the VarioVac® series and the central vacuum system against contamination.

A VarioSafe® filter system is included with every VarioVac® vacuum regulator.

Technical data:

VarioVac P (MP00660, MP03223)

Maximum vacuum: -55 to 0 kPa (-550 to 0 mbar)

Maximum suction flow: 20 l/min

Maximum sound level: 40 dB(A)

Weight: 800 g

Dimensions (W/H/D) in mm: 80 × 210 × 160 (without VarioSafe)
80 × 340 × 160 (with VarioSafe)

Hose nozzle: Ø 6 mm

Bacterial retention: 99.99998% (with VarioSafe)*

Viral retention: 99.9998% (with VarioSafe)*

*Test has been performed by Nelson Lab, USA, before 2010



- A Vacuum regulator VarioVac® P Rail,
for bronchial suction, gas connection VAC,
for connection to all standard wall rails**

MP00660

The bronchial aspirator can be used in magnets with static magnetic fields of 1.5 tesla and 3 tesla.

Minimum distance from the center of the magnetic field:

Magnetic flux density of 40 millitesla (400 gauss).

- B Vacuum regulator VarioVac® MRI P Rail,
for bronchial suction, gas connection VAC,
for connection to all standard wall rails**

MP03223

For CS hoses please refer to chapter „Accessory for gas supply“.

WARD EQUIPMENT

Drive unit VarioVac® and jar set are joined together, so that you have a complete, convenient and easy solution. The ergonomically shaped handle is positioned exactly at the unit's centre of gravity, making it easy to transport the aspirator quickly. The gas supply is ensured by CS connection hose. You can use the VarioSafe® disposable filter system to reliably protect the device and the patient environment against contamination. This rail version can be connected to all standard wall rails (10 mm width and 25 mm height).

Technical data:

Weight:	1,600 g (empty)
Dimensions (W/H/D) in mm:	300 × 440 × 160
Hose nozzle:	Ø 6 mm
Bacterial retention:	99.99998% (with VarioSafe)*
Viral retention:	99.9998% (with VarioSafe)*
*Test has been performed by Nelson Lab, USA, before 2010	



A Vacuum regulator VarioVac® P compact, for bronchial suction, gas connection VAC, including secretion jar set and integrated vacuum regulator MP00661

Technical data:

Maximum vacuum:	-55 to 0 kPa (-550 to 0 mbar)
Maximum suction flow:	20 l/min
Maximum sound level:	40 dB(A)

For CS hoses please refer to chapter „Accessory for gas supply“.

WARD EQUIPMENT

The **VarioAir®** ejector is connected directly to a medical air supply system or to rails. The low-noise ejector generates a vacuum up to max. -16 kPa (-160 mbar) and shows the vacuum level on a turnable, manually adjustable pressure gauge. All devices offer a pressure relief valve (ex 0.1 kPa) to avoid pressure increase at the patient side.

A new VarioSafe® disposable filter system reliably protects the VarioAir® series and the patient environment against contamination. One piece of the new VarioSafe® filter system is always included.

Technical data:

Maximum vacuum:	-16 to 0 kPa (-160 to 0 mbar)
Maximum suction flow:	18 l/min
Inlet pressure range:	4 to 5.5 bar
Maximum gas consumption:	25 l/min
Weight:	800 g
Dimensions (W/H/D) in mm:	80 × 200 × 160 (without VarioSafe) 80 × 330 × 160 (with VarioSafe)
Maximum sound level:	45 dB (A)
Hose nozzle:	Ø 6 mm
Pressure relief valve:	Ex 0.1 kPa (1 mbar)
Bacterial retention:	99.99998% (with VarioSafe)*
Viral retention:	99.9998% (with VarioSafe)*

*Test has been performed by Nelson Lab, USA, before 2010



**A Ejector VarioAir® D Rail,
for continuous and wound drainage, gas connection AIR,
for connection to all standard wall rails**

MP00542

For gas supply via CS vacuum connection hose.
Connection thread: NIST.

For CS hoses please refer to chapter „Accessory for gas supply“.

WARD EQUIPMENT

VarioAir® ejector for rail.

The gas supply is ensured by AIR connection hose.

This rail version can be connected to all standard wall rails (10 mm width and 25 mm height).

You can use the VarioSafe® disposable filter system to reliably protect the VarioAir® series and the central vacuum system against contamination.

Technical data:

VarioAir P (MP00545, MP03221)

Maximum vacuum:	-48 to 0 kPa (-480 to 0 mbar)
Maximum suction flow:	20 l/min
Maximum gas consumption:	40 l/min
Maximum sound level:	47 dB(A)
Inlet pressure range:	4 to 5.5 bar
Weight:	800 g
Dimensions (W/H/D) in mm:	80 × 200 × 160 (without VarioSafe) 80 × 330 × 160 (with VarioSafe)
Hose nozzle:	Ø 6 mm
Pressure relief valve:	from 0.1 kPa on (1 mbar)
Bacterial retention:	99.99998% (with VarioSafe)*
Viral retention:	99.99998% (with VarioSafe)*

*Test has been performed by Nelson Lab, USA, before 2010



- A Ejector VarioAir® P Rail,
for bronchial suction, gas connection AIR,
for connection to all standard wall rails** MP00545

The bronchial aspirator can be used in magnets with static magnetic fields of 1.5 tesla and 3 tesla.

Minimum distance from the center of the magnetic field:

Magnetic flux density of 40 millitesla (400 gauss).

- A Ejector VarioAir® MRI P Rail,
for bronchial suction, gas connection AIR,
for connection to all standard wall rails** MP03221

For CS hoses please refer to chapter „Accessory for gas supply“.

WARD EQUIPMENT

Drive unit VarioAir® and jar set are joined together, so that you have a complete, convenient and easy solution. The ergonomically shaped handle is positioned exactly at the units centre of gravity, making it easy to transport the aspirator quickly.

The gas supply is ensured by CS connection hose. You can use the VarioSafe® disposable filter system to reliably protect the device and the patient environment against contamination.

This rail version can be connected to all standard wall rails (10 mm width and 25 mm height).

Technical data:

Weight:	1,600 g (empty)
Dimensions (W/H/D) in mm:	300 × 440 × 160
Hose nozzle:	Ø 6 mm
Bacterial retention:	99.99998% (with VarioSafe)*
Viral retention:	99.9998% (with VarioSafe)*

*Test has been performed by Nelson Lab, USA, before 2010

A Ejector VarioAir® P compact, for bronchial suction, gas connection AIR, including secretion jar set and integrated ejector

MP00547

Technical data:

Maximum vacuum:	-48 to 0 kPa (-480 to 0 mbar)
Maximum suction flow:	20 l/min
Inlet pressure range:	4 to 5.5 bar
Maximum gas consumption:	40 l/min
Maximum sound level:	47 dB(A)
Pressure relief valve:	Ex 0.1 kPa (1 mbar)

For CS hoses please refer to chapter „Accessory for gas supply“.



WARD EQUIPMENT

Extra lightweight portable secretion jar set for bronchial aspiration. The set is made of high quality and extremely robust plastic and can be autoclaved at up to 134 °C. The two 700 mL jars, which are used as secretion and rinsing jars, are identical, making hospital logistics considerably easier. The jars are made of high quality polysulfone, are reusable, extremely robust and implosion proof. The long service lives makes the jars both environmentally friendly and cost effective.

An automatic overflow safeguard is fitted in the secretion jar cap to prevent secretion from entering the drive unit and the piped medical gas supply. The ergonomically shaped handle is positioned exactly at the units centre of gravity, making it easy to transport the secretion jar set quickly.



- | | |
|--|-----------------------|
| <p>A Secretion jar set, with 700 mL secretion jars (2 pcs.) and 1.5 m suction hose, maximum capacity up to the overflow safeguard 2 × 1000 mL, scale in steps of 10 mL up to max. 700 mL</p> | <p>2M85056</p> |
| <p>B Secretion jar set, with protection jar and 700 mL secretion jars (2 pcs.), maximum capacity up to the overflow safeguard 2 × 1000 mL, scale in steps of 10 mL up to max. 700 mL, with additional protection jar 300 mL</p> | <p>2M85607</p> |

WARD EQUIPMENT

VacuSmart disposable cartridge for bronchial suction

VacuSmart is a disposable cartridge for 700 ml secretion jars. This product has been specifically designed and thoroughly tested to work with Dräger suction units. Therefore there is absolutely no need to modify the installed base. An integrated hydrophobic filter acts as an overflow safeguard by stopping suction of secretion once maximum capacity has been reached. The closed and leakproof system, optional with an integrated gelling agent, reduces the risk of cross contamination to a minimum. The optional gelling agent prevent leakages e.g. during the waste disposal in a waste press. The gelling agent is secured in a water soluble bag.



Technical data:

Maximum capacity:	700 mL
Maximum capacity up to the overflow safeguard:	1,000 mL
Overflow safeguard:	Integrated, hydrophobic filter
Recommended duration of use:	24 h
Gelling agent:	Sodium polyacrylate

- | | | |
|----------|---|----------------|
| A | Secretion jar VacuSmart®,
PE (Polyethylene), disposable, 700 mL, 25 pcs. | MX23023 |
| B | Secretion jar VacuSmart® Gel,
PE (Polyethylene), disposable, 700 mL, 25 pcs. | MX23025 |
| C | Suction tube VacuSmart® Tube,
PE (Polyethylene), disposable, 2 m, w/ finger tip, 25 pcs. | MX23026 |

You can also enjoy some smart savings by choosing any of the following packing unit 25 pieces sets:


- | | | |
|----------|--|----------------|
| D | Suction set, disposable,
VacuSmart®, 700 mL and VacuSmart® Tube, 25 pcs. each | MP00061 |
| D | Set VacuSmart® Gel and Tube, 25 pcs. | MP03211 |



WARD EQUIPMENT

<p>A Bacterial filter 767, for ejectors (model range until 2010), 5 pcs.</p>	<p>6723976</p>
<p>B Bacterial and viral filter system VarioSafe, for VarioAir®, VarioVac®, VarioO2, disposable, 10 pcs.</p>	<p>MP00555</p>
<p>The new VarioSafe® disposable filter system reliably protects the VarioAir®, VarioVac® and VarioO2 series and the patient environment against contamination.</p>	
<p>Technical data: Maximum capacity: 90 mL Bacterial retention: 99.99998%* Viral retention: 99.9998%* Material: PS (polystyrol) Recommended duration of use: 7 days Filtration method: Mechanical and hydrophobic (HEPA)*</p>	
<p>C Suction hose, silicone, reusable, 1.5 m, for medical suction</p>	<p>M25780</p>
<p>D Connection hose, silicone, reusable, ID 5 mm, wall thickness 2 mm, by meter</p>	<p>1203606</p>
<p>E Secretion jar, PSU (Polysulfone), reusable, 300 mL, autoclavable up to 134°C</p>	<p>2M86207</p>
<p>F Secretion jar, PSU (Polysulfone), reusable, 700 mL, autoclavable up to 134°C</p>	<p>2M85594</p>
<p>G Elbow, angled hose connection for secretion jar caps</p>	<p>2M19063</p>

*Test has been performed by Nelson Lab, USA, before 2010



Not all articles are available worldwide.

WARD EQUIPMENT

Holders for attaching a compact bronchial aspirator or a secretion jar set to the wall/ rail or to a rail on a ceiling supply unit. The devices are only latched and can be detached and moved easily if this is required.

A Wall holder, with fixing screws, for compact suction unit and secretion jar set **M26859**

B Rail clamp lever type, for attachment of devices to 25 × 10 mm standard rail, for compact suction unit and secretion jar set **M26842**

C Ceiling holder, rail holder for compact suction systems and secretion jar sets **2M85119**

Holders for holding a central supply connecting hose or an aspiration hose. For attachment to an intensive care rail or compact rail.

D CS connection hose holder **2M85446**

E Suction hose holder, suitable for various diameters **2M85239**



RAIL ACCESSORIES AND EXAMINATION LIGHT

6. RAIL ACCESSORIES AND EXAMINATION LIGHT

RAIL ACCESSORIES

Wire baskets*

The wire baskets are used for storage of disposable catheters or disposable gloves. The catheters can be simply stored in bundles and are then easy to take out one by one. The baskets are chromeplated and are thus easy to clean and can be autoclaved at up to 134 °C. The amount of space for a basket on the rails is around 150 mm (5.9 in).



A	Basket 150, 15 × 20 × 10 cm, e.g., for disposable gloves	M26146
A	Basket 300, 15 × 28 × 10 cm, e.g., for 300 mm catheters	M26145
A	Basket 600, 15 × 48 × 10 cm, e.g., for 600 mm catheters	M25121
B	Litter bag holder, stainless steel, with base plate and litter bags (100 pcs.)	M24695
	Litter bags, disposable, for litter bag holder, 100 pcs.	M26240

*Tradeware

RAIL ACCESSORIES AND EXAMINATION LIGHT

EXAMINATION LIGHT

The Dräger **VarioLux**[®] offers cool, highly efficient, and variable intensity examination light and was specially designed for use in neonatology and pediatric settings. Made for single-handed operation, it features adjustable color temperature settings as well as a dimmer function.


Operating mode:	Continuous operation
Weight:	1.5 kg (3.3 lbs)
Electrical values:	100 – 240 V, 50/60 Hz
Max. illumination intensity E _c at 0.5 m:	30,000 lx
Dimming levels:	30,000 lx, 24,000 lx, 18,000 lx, 12,000 lx, 7,000 lx
Light field diameter d ₁₀ at 0.5 m:	20 cm (7.9 in)
Light field diameter d ₅₀ at 0.5 m:	9 cm (3.5 in)
Color temperature adjustable:	Cool white (blue) 4,700 K, Neutral white (white) 4,100 K, Warm white (red) 3,500 K
Min. service life of bulb (LEDs):	> 50,000 h
Color reproduction index:	R _a ≥ 96 (at 3,500 K) R ₉ = 89 (at 3,500 K)
Max. radiant power at 0.5 m:	105 W/m ²

A	Medical examination light VarioLux[®] with LED technology, EU	MP00601
	Medical examination light VarioLux[®] with LED technology, US	MP00602
	Medical examination light VarioLux[®] with LED technology, GB	MP00603
	Medical examination light VarioLux[®] with LED technology, AUS	MP00606
	Medical examination light VarioLux[®] with LED technology, ZA	MP00607
	Medical examination light VarioLux[®] with LED technology, JPN	MP00608
	Power cable EU, 1.8 m, 2 pin	MP00591
	Power cable US/JPN, 1.8 m, 2 pin	MP00592
	Power cable GB, 1.8 m, 2 pin	MP00593
	Power cable AUS, 1.8 m, 2 pin	MP00626
	Power cable ZA, 1.8 m, 2 pin	MP00597



RAIL ACCESSORIES AND EXAMINATION LIGHT

A	Rail claw for lamp	MP00615
B	Turn knob, compl.	MP00587
C	Control panel	MP00589
D	Rail clamp, for attachment to poles of different diameters, rotatable by 90° to left and right, length of standard rail (profile 25 × 10 mm): 20 cm	2M85274
E	Compact rail, for 38 mm tube, standard rail profile 25 × 10 mm, each side 10 cm, weight: 0.9 kg, max. load: 30 kg	2M85337



RAIL ACCESSORIES AND EXAMINATION LIGHT

HINGED ARMS

Keeping everything close at hand. To leave your hands free to care for the patient, all the joints can be fixed into place and released with just one quick hand movement.

All cables, lines and hose systems can be arranged in such a way as to more or less completely prevent accidental disconnection.

- | | | |
|----------|--|----------------|
| A | Hinged arm Quickstop 2,
w/ universal ball holder system for optional accessories
length 858 mm, max. load 0.4 kg,
includes hose clamps: MP00493 (1x),
8404761 (2x), 8409841 (1x) | 2M85706 |
| B | Hinged arm Quickstop short,
with universal tube holder plate,
for various cable and tube dimensions
and coaxial hoses, specifically designed for OR tables,
length 323 mm, max. load 1 kg | 2M86463 |





NOTICE

Size classification to adults (A), pediatrics (P) and neonats (N)

Not made with natural rubber latex: product is produced without latex

INDEX BY ORDER NUMBER

1	1203606	281, 415	2606210	215, 228	2870215	145, 193, 400	
			2606211	215, 228	2870298	142, 190, 400	
2	2111764	95	2606225	222			
	2112760	37, 38	2606226	226	3	3368383	152
	2120461	95	2606227	163, 226		3368391	111
	2120488	95	2606228	163, 226, 401		3368425	112, 147, 194
	2120496	95	2606229	227		3368433	121, 124, 134, 394
	2165619	32, 39	2606231	227		3368458	155, 195
	2165627	32, 35, 39	2606247	214		3375834	121, 124, 134, 394
	2165651	41, 375	2606248	214		3375933	154
	2165678	36, 40, 373	2606249	214		3375941	150
	2165821	31, 41, 372, 375	2606483	215, 228		3375958	150, 157
	2165848	31, 40, 372, 374	2606484	215, 228			
	2165856	31, 41, 372, 375	2606485	215, 228	4	4118453	330
	2165961	36, 41, 373, 375	2606486	215, 228		4118555	330
	2166038	34, 35, 39	2606487	215, 228		4119065	314
	2166046	33, 34, 37, 38, 39	2606488	222		4119066	314
	2166054	36, 45, 375, 377	2606489	222		4119067	314
	2166062	34, 35, 45	2606490	222		4119068	314
	2166070	45	2606491	222		4119069	314
	2166127	45, 377	2606492	214		4119070	314
	2170221	135	2606493	214		4119071	314
	2600930	231	2606494	214		4119072	314
	2600932	231	2606495	214		4119073	314
	2600933	231	2606496	214		4119074	314
	2600934	231	2606497	214		4119075	314
	2600935	231	2606498	214		4119076	314
	2600936	231	2607034	218		4119077	314
	2600937	231	2607035	218		4119078	314
	2600938	231	2607036	218		4119079	314
	2600939	233	2607037	218		4119080	314
	2600940	233	2607038	218		4119081	314
	2600941	233	2607550	224		4119082	314
	2600942	233	2607551	224		4119083	314
	2600943	233	2607552	224		4185140	310
	2600944	233	2607553	224		4185141	310
	2600945	233	2607554	224		4185142	311
	2600946	232	2607555	224		4185143	311
	2600948	232	2607558	222		4199589	310
	2600949	232	2607559	222		4199590	310
	2601190	223	2607560	227		4199591	310
	2601191	223	2607561	227		4199592	310
	2601192	223	2612000	211		4199593	310
	2601195	217, 230	2612001	211		4199594	310
	2601197	219	2612002	211		4199595	311
	2601198	219	2612003	211		4199596	311
	2601199	219	2612020	210		4199600	310
	2601200	219	2612021	210		4199601	310
	2601201	223	2612024	210		4199602	310
	2605124	224	2612025	210		4199604	310
	2606151	217, 230	2612026	210		4199605	310
	2606152	217, 230	2612027	210		4199712	310
	2606153	217, 230	2612028	210		4199713	311
	2606154	217, 230	2612029	210		4199714	310
	2606155	217, 230	2870173	145, 193, 400		4321563	153
	2606156	217, 230	2870181	145, 193, 400		4329822	140, 188, 221, 399
	2606208	215, 228	2870199	145, 193, 400		4329848	140, 188, 221
	2606209	215, 228	2870207	145, 193, 400		4329889	140, 188, 221

INDEX BY ORDER NUMBER

4527750	119, 174	6871950	54, 164, 196, 225, 379	8407475	37
4528741	154	6871980	105	8408950	79
4711201	169, 401	6872020	168	8409609	324
4721416	151	6872130	168	8409626	106, 391
4721424	151	6873065	107, 329, 392	8409627	31, 44, 372
4721614	151			8409897	44
4721788	163, 401	7 7014616	140, 188, 219, 221	8410049	32
4721796	163	7257988	112, 194	8410179	105, 391
5 5000833	298	7262764	135, 186, 208, 216, 229	8410185	105, 391
5001330	281	7265155	195	8410547	95
5191221	111	7265163	195	8410580	79
5192112	151	7270460	151	8410929	38
5194779	119, 393	7485621	112, 147, 148	8411024	91, 388
5195024	119, 174, 214, 393	7486140	120	8411030	90
5195180	153	7489417	153	8411044	44
5195198	112, 194	7489433	153	8411045	87
5196980	150	7496875	132, 183, 207	8411047	86, 386
5196998	150	7496891	132, 183, 207, 398	8411050	89, 387
5198333	139	7496909	132, 183, 207, 398	8411074	87, 357, 386
5202747	112	7496917	132, 183, 207, 398	8411075	330, 332
5204644	140, 188, 221	7496925	398	8411130	105, 391
5204651	140, 188, 221	7496933	398	8411154	87, 386
5204669	140, 188, 221, 399	7498947	153	8412001	38
5206581	154	7864155	153	8412015	79
5206607	152	7864908	153	8412034	38, 105
5207415	168	7869469	166, 197, 401	8412068	38
5588095	152	7869477	166, 197	8412217	86
5588822	148	7869485	167, 198, 401	8412235	38, 43
5589663	111	7869493	167, 198	8412344	31, 372
5590539	111, 393	7869501	167, 198	8412710	165, 196
5591925	148	7869535	166, 197	8412860	33
5591933	148	7869543	166, 197	8412888	43
5592147	152	7869550	166, 197, 401	8412913	38
5592154	139, 187	7869584	167, 198, 401	8412935	90
5592162	119, 393	7869592	166, 197	8412985	90
5598128	112	7869600	401	8413125	79
5703041	24	7872174	162	8413146	32
5704962	26	8 8201012	135, 395	8413293	38
5704964	25	8290274	32	8413660	80
5731281	152	8290286	168	8414776	79
5736744	161	8306370	106	8414966	88, 387
5741975	155, 195	8401645	31, 43, 372	8414968	88, 387
5790124	95	8402041	32	8414969	87
5790148	356	8402868	168	8414989	88, 387
5947226	120	8402918	32	8414992	88
5947804	161	8402953	36, 373	8414993	87, 386
5950196	111	8403056	31, 44, 372	8415270	79
5954859	161	8403075	31, 36, 43, 372, 373, 376	8415296	79
6 6723976	280, 296, 415	8403076	32, 44	8416352	165, 196
6850250	107, 392	8403201	46	8416600	106
6850435	165, 196	8403333	31, 372	8416750	80
6850645	107, 392	8403566	32	8417050	80
6870279	54, 164, 196, 225	8403735	105	8418077	377
6870280	54, 164, 196, 225, 379	8404760	31, 372	8418282	86, 386
6870281	165, 196	8404985	32, 35, 44	8418289	43
6871500	54, 379	8405000	90	8418415	358, 363
		8405435	32, 43	8418416	358, 363
				8418417	358, 363

INDEX BY ORDER NUMBER

8418462	88	2M85380	277	M26842	261, 278, 319, 416
8418490	358, 364	2M85381	277	M26859	278, 416
8418491	358, 364	2M85441	287	M27077	43, 376
8418531	358, 363	2M85446	278, 288, 319, 416	M27542	36, 373
8418533	359, 366	2M85575	263	M30146	34
8418534	359, 366	2M85594	282, 415	M32493	315
8418535	359, 366	2M85607	276, 413	M32494	315
8418536	359, 366	2M85705	324	M32495	315
8418537	359, 366	2M85706	324, 406	M32496	315
8418538	359, 366	2M85834	263, 406	M32497	315
8418539	359, 366	2M85835	263	M32692	168
8418603	358, 363	2M85853	263	M33278	34, 35, 42
8418605	358, 363	2M86185	262	M34461	36, 373
8418607	358, 363	2M86205	259	M34568	36, 44, 373, 376
8418609	358, 363	2M86207	282, 415	M34875	315
8418611	358, 363	2M86291	95	M34876	315
8418617	358, 363	2M86292	95	M34877	315
8418619	358, 364	2M86293	95	M34878	315
8419160	155, 195	2M86463	324, 420	M35056	262, 315
8420077	155, 195	2M86680	264, 406	M35057	315
8422215	20	2M86757	284, 288	M35058	262, 315
8539983	155, 195	2M86800	37	M35330	301
8601697	299	2M86832	37	M35331	301
		2M86837	24	M35332	301
2M 2M16520	339	2M86841	24	M35333	303
2M19063	282, 415	2M86913	95	M35334	303
2M20434	338	5703041	24	M35335	303
2M20827	337			M35336	315
2M20914	339	C CH00102	280, 296	M35337	315
2M21009	351			M35338	315
2M21010	351	G G01166	314	M35339	304
2M21012	337	G01168	314	M35340	304
2M21158	338	G01169	314	M35341	304
2M21161	338	G13040	321	M35342	302
2M21186	332, 339	G13171	321	M35343	302
2M21191	338	G15225	321	M35344	302
2M21342	338	G35324	82, 325	M35345	306
2M21514	332, 339	G35325	82, 325	M35346	306
2M30462	352	G35332	82, 325	M35347	306
2M50040	332	G35333	82, 325	M35357	307
2M50385	331	G35614	82, 325	M35358	307
2M50412	331			M35359	307
2M60180	330	M M06258	263, 406	M35375	305
2M60390	329	M07152	95	M35376	305
2M60401	330	M07582	282	M35377	305
2M85011	281	M11015	91	M35378	305
2M85012	281	M12394	91	M35379	305
2M85013	281	M16395	297	M35382	305
2M85056	261, 276, 413	M20668	297	M35383	305
2M85119	278, 319, 416	M24695	319, 417	M35384	305
2M85139	297	M25121	319, 417	M35385	305
2M85151	294	M25647	32, 34, 35, 36, 44, 373	M35386	305
2M85153	294	M25649	44	M35387	305
2M85163	295	M25650	33, 42	M35388	305
2M85180	295	M25780	281, 415	M35389	303
2M85239	278, 288, 319, 416	M26145	319, 417	M35390	303
2M85274	319, 323, 357, 419	M26146	319, 417	M35391	303
2M85337	261, 321, 323, 357, 419	M26240	319, 417	M35392	303

INDEX BY ORDER NUMBER

M35393	303	M35476	306	M36156	308
M35394	303	M35477	306	M36250	315
M35395	303	M35478	306	M36290	312
M35396	303	M35479	306	M36291	312
M35397	303	M35489	299	M36292	312
M35398	304	M35490	299	M36293	312
M35399	304	M35491	299	M36294	312
M35400	304	M35492	299	M36295	312
M35401	304	M35493	299	M36296	312
M35402	304	M35494	299	M36297	312
M35403	304	M35495	299	M36298	312
M35404	304	M35496	299	M36299	312
M35405	304	M35497	299	M36300	312
M35406	304	M35498	299	M36301	312
M35407	307	M35499	299	M36723	302
M35408	307	M35801	309	M36724	302
M35409	307	M35802	309	M36725	302
M35410	307	M35803	309	M36726	303
M35411	307	M35804	309	M36727	303
M35412	307	M35805	309	M36728	303
M35413	307	M35806	309	M36729	299
M35414	307	M35807	309	M36730	299
M35415	307	M35808	309	M36731	299
M35416	301	M35809	309	M36732	313
M35417	301	M35820	309	M36733	313
M35418	301	M35865	309	M36734	313
M35419	301	M35866	309	M36735	313
M35420	301	M35867	309	M36736	313
M35421	301	M36000	299	M36737	313
M35422	301	M36001	299	M36738	313
M35423	301	M36002	299	M36739	313
M35424	301	M36003	299	M36740	313
M35425	302	M36004	300	M36741	313
M35426	302	M36005	300	M36784	313
M35427	302	M36006	300	M36785	313
M35428	302	M36007	300	M36786	313
M35429	302	M36008	300	M36788	313
M35430	302	M36009	300	M36789	313
M35431	302	M36010	300, 313	M36826	308
M35432	302	M36011	300, 313	M36827	308
M35433	302	M36012	300, 313	M36828	308
M35434	301	M36013	300		
M35435	301	M36014	300	MK MK00514	280, 296
M35436	301	M36015	300	MK01418	273
M35437	302	M36016	300	MK01420	273
M35438	302	M36017	300	MK01422	269
M35439	302	M36018	300	MK01900	105
M35452	301	M36042	315	MK02588	101
M35453	301	M36053	260	MK03140	269
M35454	301	M36056	315	MK03320	269
M35455	301	M36148	308	MK04248	35
M35456	301	M36149	308		
M35457	301	M36150	308	MP MP00038	260, 262
M35469	306	M36151	308	MP00061	279, 414
M35472	306	M36152	308	MP00100	255
M35473	306	M36153	308	MP00100	260
M35474	306	M36154	308	MP00100	259
M35475	306	M36155	308	MP00220	80

INDEX BY ORDER NUMBER

MP00222	15	MP00505	267, 286	MP00626	322, 418
MP00224	80	MP00506	274	MP00631	267
MP00234	19, 371	MP00507	290	MP00632	268
MP00300	11	MP00508	290	MP00634	284, 288, 357
MP00301	16	MP00509	290	MP00635	284
MP00303	16	MP00510	290	MP00636	284
MP00305	14	MP00511	290, 407	MP00637	284
MP00308	19, 370	MP00512	291, 295	MP00638	271
MP00309	19, 370	MP00514	266	MP00639	272
MP00310	341, 368	MP00515	290	MP00646	277
MP00311	341, 368	MP00516	267, 286	MP00660	268, 408
MP00312	26	MP00518	295	MP00661	274, 409
MP00313	26	MP00530	270	MP00663	291
MP00327	14	MP00531	270	MP00664	291
MP00329	14, 368	MP00532	270	MP00686	269
MP00330	16	MP00533	270	MP00687	269
MP00331	16	MP00534	270	MP00688	273
MP00333	16, 368	MP00535	271, 286	MP00689	269
MP00334	12	MP00536	275	MP00690	324
MP00335	24	MP00537	292	MP00721	112, 141, 189
MP00337	12	MP00538	292	MP00748	186, 216, 229
MP00338	11	MP00539	292	MP00788	125, 176, 205
MP00340	27	MP00540	292	MP00789	125, 176, 205, 397
MP00341	30	MP00541	292	MP00790	126, 177, 205
MP00343	23, 370	MP00542	292, 410	MP00791	126, 177, 205
MP00349	11	MP00543	293	MP00792	126, 177, 345, 397
MP00350	11	MP00544	293	MP00793	126, 177, 205
MP00351	11	MP00545	272, 411	MP00794	126, 177, 345, 397
MP00352	11	MP00547	275, 412	MP00795	125, 176, 205
MP00353	11, 368	MP00548	270	MP00796	125, 176, 205
MP00355	14	MP00549	292	MP00797	175
MP00357	28	MP00550	271	MP00799	125, 176, 205
MP00358	18	MP00551	271	MP00800	175
MP00359	18	MP00552	260, 271, 286	MP00875	116, 173, 202, 212
MP00361	12	MP00553	293	MP00877	116, 173, 202, 212
MP00362	12	MP00555	280, 296, 415	MP00879	116, 173, 202, 212
MP00363	12, 368	MP00565	298	MP00881	116, 173, 202, 212
MP00365	17	MP00566	298	MP00911	143, 191
MP00366	17	MP00569	298	MP00912	143, 191
MP00367	28	MP00570	282	MP00913	143, 191
MP00368	28	MP00578	283	MP00915	143, 191
MP00370	28	MP00579	297	MP00916	143, 191
MP00371	17	MP00580	283	MP00917	143, 191
MP00372	17	MP00587	323, 419	MP00918	143, 191
MP00373	13	MP00589	323, 419	MP00919	143, 191
MP00374	18	MP00591	322, 418	MP00921	143, 191
MP00375	18	MP00592	322, 418	MP00924	144, 192
MP00378	28	MP00593	322, 418	MP00925	144, 192
MP00379	13	MP00595	298	MP00926	144, 192
MP00380	15	MP00596	298	MP00928	144, 192
MP00381	15	MP00597	322, 418	MP00929	144, 192
MP00383	15, 368	MP00601	322, 418	MP00930	144, 192
MP00384	15	MP00602	322, 418	MP00931	144, 192
MP00416	78, 254, 264, 357, 361, 406	MP00603	322, 418	MP00932	144, 192
MP00501	266	MP00606	322, 418	MP00934	144, 192
MP00502	266	MP00607	322, 418	MP00943	236
MP00503	266	MP00608	322, 418	MP00944	236
MP00504	266	MP00615	323, 419	MP00953	142, 190

INDEX BY ORDER NUMBER

MP00989	141, 189	MP01370	25	MP01572	57
MP00990	209	MP01371	25	MP01573	57
MP00991	139, 187, 220	MP01372	38	MP01574	57
MP00992	139, 187, 220	MP01390	38	MP01575	57
MP00993	139, 187, 220	MP01391	38	MP01590	64, 70, 384
MP00994	139, 187, 220	MP01401	333, 335	MP01620	58
MP00995	139, 187, 220	MP01402	340	MP01621	58
MP00996	139, 187, 220	MP01404	340	MP01622	58
MP00997	139, 187, 220, 399	MP01414	354	MP01623	58
MP00998	139, 187, 220, 399	MP01419	343, 346, 349	MP01624	58
MP00999	141, 189	MP01423	331, 353	MP01625	58
MP01000	23	MP01424	333, 335, 353	MP01656	83
MP01001	89, 387	MP01440	355	MP01657	83
MP01002	87, 386	MP01441	361	MP01663	84
MP01006	89	MP01442	355	MP01664	84
MP01007	43, 89	MP01443	355	MP01665	84
MP01008	87	MP01444	355	MP01671	56
MP01010	91, 388	MP01445	355	MP01673	84
MP01030	91, 388	MP01494	358, 364	MP01674	84
MP01031	91	MP01495	358, 364	MP01676	83
MP01032	91, 388	MP01496	358, 364	MP01677	83
MP01035	91	MP01501	66, 380	MP01682	84
MP01036	91	MP01502	66, 380	MP01701	65
MP01037	91, 388	MP01503	66	MP01702	65
MP01060	80	MP01504	66	MP01703	65
MP01061	80	MP01505	66	MP01704	65
MP01062	54, 164, 196, 225	MP01506	66	MP01705	65
MP01063	54, 165, 196, 225, 379	MP01510	67, 381	MP01706	65
MP01071	92, 388	MP01511	67, 381	MP01707	65
MP01072	92, 388	MP01512	67, 381	MP01708	65
MP01073	92, 388	MP01513	67	MP01730	50
MP01074	92, 388	MP01514	67	MP01735	50
MP01075	92, 388	MP01515	67	MP01740	378
MP01076	92, 388	MP01516	67	MP01755	48
MP01078	92, 388	MP01521	68, 381	MP01765	48
MP01079	92, 388	MP01522	68, 381	MP01770	48
MP01085	92	MP01523	68	MP01780	81
MP01086	92, 388	MP01524	68	MP01781	81
MP01087	92, 388	MP01531	68, 381	MP01785	49
MP01089	92, 388	MP01532	68, 381	MP01790	49
MP01095	92, 388	MP01533	68	MP01795	49
MP01101	258, 259	MP01534	68	MP01800	47
MP01102	258, 259	MP01543	68	MP01801	47
MP01103	258, 260	MP01544	68	MP01805	47
MP01104	258	MP01545	68	MP01810	47
MP01105	258	MP01546	68	MP01815	47
MP01325	27	MP01551	66, 384	MP01820	47, 378
MP01326	27	MP01552	66	MP01825	47
MP01327	29, 369	MP01553	63, 367	MP01840	55
MP01328	29, 369	MP01554	63, 367	MP01845	55
MP01329	30, 369	MP01555	63, 367	MP01850	55
MP01330	30	MP01556	63, 367	MP01855	55
MP01340	29	MP01559	70, 384	MP01860	55
MP01341	29	MP01560	70	MP01880	341, 355
MP01343	30	MP01561	70, 384	MP01890	55
MP01347	27	MP01562	70	MP01895	55
MP01348	27	MP01570	57	MP01910	69, 341, 382
MP01350	27	MP01571	57	MP01911	69, 341, 382

INDEX BY ORDER NUMBER

MP01912	69	MP02920	74, 383	MP03383	18
MP01913	69	MP02921	74, 383	MP03384	18
MP01914	69	MP02922	74	MP03388	28
MP01915	69	MP02923	74	MP03401	117, 172, 201, 212
MP01916	69, 384	MP02924	74, 383	MP03402	117, 172, 201, 212
MP01917	69	MP02925	74, 383	MP03403	117, 172, 201, 212
MP01920	71	MP02926	74	MP03404	117, 172, 201, 212
MP01921	71	MP02927	74	MP03405	117, 172, 201
MP01922	73	MP02928	74, 383	MP03406	117, 172, 201
MP01923	73	MP02929	74, 383	MP03407	172
MP01924	72	MP02930	74	MP03408	172
MP01925	72	MP02931	74	MP03411	118
MP01926	71	MP02932	74, 383	MP03412	118
MP01927	75	MP02933	74, 383	MP03413	118
MP01930	71	MP02934	74	MP03414	118
MP01931	71	MP02935	74	MP03415	118
MP01932	72	MP02959	181	MP03416	118
MP01933	72	MP02960	181	MP03417	118
MP01934	71	MP02961	181	MP03418	118
MP01935	73	MP02962	181	MP03421	201
MP01936	73	MP02971	181	MP03422	201
MP01940	75	MP02972	181	MP03423	201
MP01941	75	MP02974	181	MP03424	201
MP01942	75	MP02975	181	MP03425	201
MP01943	75	MP02991	175	MP03426	201
MP01944	75	MP02992	175	MP03587	283
MP01945	75	MP02993	125, 176, 205	MP03589	283
MP02201	141, 189	MP03120	173	MP03597	297
MP02260	356	MP03121	173	MP03700	358, 362
MP02400	46	MP03122	116, 173, 202	MP03701	358, 362
MP02401	46	MP03123	116, 173, 202	MP03702	358, 362
MP02405	46	MP03191	127, 178	MP03703	358, 362
MP02425	46, 377	MP03192	127, 178, 397	MP03704	358, 362
MP02590	20, 371	MP03193	127, 178	MP03705	362
MP02600	79	MP03194	175	MP03730	329, 353
MP02605	21	MP03196	175	MP03737	329, 352
MP02606	21	MP03197	133, 184	MP03738	352
MP02607	21	MP03198	133, 184	MP03760	351
MP02608	20, 370	MP03203	184	MP03770	351
MP02650	20, 370	MP03211	279, 414	MP03771	351
MP02655	20, 371	MP03220	272	MP03772	351
MP02689	92, 388	MP03221	272, 411	MP03826	358, 362
MP02710	15, 368	MP03222	268	MP03880	359, 365
MP02711	15	MP03223	268, 408	MP03881	359, 365
MP02712	15	MP03230	287	MP03882	359, 365
MP02713	15	MP03231	287	MP03883	359, 365
MP02720	17	MP03232	287	MP03884	359, 365
MP02721	17	MP03233	287	MP03885	359, 365
MP02900	69, 341, 382	MP03325	263, 406	MP04110	259
MP02910	59	MP03366	264, 406	MP04200	77, 253, 360
MP02911	59	MP03373	13	MP04201	77, 253
MP02912	59	MP03374	13	MP04202	77, 253
MP02913	59	MP03375	28	MP04203	360
MP02914	59	MP03376	13	MP04204	77, 253, 360
MP02915	59	MP03377	28	MP04218	78, 254, 361
MP02916	59	MP03378	13	MP04219	78, 254, 361
MP02917	59	MP03379	13	MP04221	78, 254, 361
MP02918	59	MP03381	18	MP04229	77, 253, 360

INDEX BY ORDER NUMBER

MP04240	56	MP04712	60	MP13011	251, 405
MP04242	56	MP04713	60	MP13012	251, 405
MP04246	56	MP04714	60	MP13013	252
MP04300	234	MP04721	60	MP13014	252
MP04301	234	MP04722	60	MP13015	252
MP04305	234	MP04723	60	MP13016	252
MP04306	234	MP04724	60	MP13017	252
MP04310	234	MP04731	60	MP13020	77, 253, 356
MP04312	234	MP04732	60	MP13021	77, 253, 356
MP04315	234	MP04733	60	MP17007	15
MP04316	234	MP04734	60	MP20022	311
MP04320	234	MP04741	61	MP20023	311
MP04322	234	MP04742	61	MP20024	311
MP04325	234	MP04743	61	MP20029	311, 312
MP04326	234	MP04744	61	MP20030	311, 312
MP04327	234	MP04751	61	MP20050	46, 377
MP04350	236	MP04752	61	MP20268	15
MP04351	236	MP04753	61	MP20269	13
MP04352	236	MP04754	61		
MP04353	236	MP05051	62	MS MS13218	162
MP04355	236	MP05052	62	MS13235	122, 204
MP04356	236	MP05053	62	MS14555	113, 170, 200, 213
MP04357	236	MP05054	62	MS14556	113, 170, 200, 213
MP04358	236	MP05061	62	MS14559	113, 170, 200, 213
MP04359	236	MP05062	62	MS14560	113, 170, 200, 213
MP04365	236	MP05063	62	MS14679	120, 174
MP04366	236	MP05064	62	MS14680	120, 174
MP04551	241, 402	MP05071	62	MS14681	120
MP04552	244, 404	MP05072	62	MS14682	113, 170, 200
MP04553	245, 404	MP05073	62	MS14683	113, 170, 200
MP04554	242	MP05074	62	MS14693	171
MP04555	243	MP05080	64	MS14694	171
MP04556	247	MP05305	78, 254	MS14796	160
MP04557	243	MP05507	76	MS15007	162
MP04558	241	MP05508	76	MS15053	162
MP04559	248	MP05511	76	MS15084	162
MP04560	243, 403	MP05512	76	MS15085	162
MP04561	241	MP05513	76	MS15086	162
MP04562	248	MP05601	76	MS15087	162
MP04563	242	MP05700	82, 325	MS15893	146
MP04564	248	MP05701	82, 325	MS15894	147
MP04565	242	MP05750	50	MS15895	147
MP04566	242	MP05845	50, 378	MS15896	147
MP04567	247, 404	MP07101	23	MS16160	115
MP04568	249	MP07102	23	MS16161	115
MP04569	243, 403	MP07106	23	MS16229	115
MP04570	245	MP07107	23	MS16230	115
MP04571	242	MP07108	23	MS16232	115
MP04572	248	MP07131	23	MS16233	115
MP04573	244	MP07150	23, 370	MS16256	120, 174
MP04575	244	MP07151	23, 370	MS16444	122, 204
MP04576	246	MP11060	431	MS16445	122, 204
MP04577	246	MP11061	431	MS16446	123, 395
MP04578	246	MP11062	431	MS16447	123, 395
MP04579	246	MP11063	431	MS16448	122, 204
MP04580	245	MP11064	431	MS16449	122, 204
MP04581	249	MP11065	431	MS16492	120
MP04711	60	MP13000	250, 405	MS16916	157

INDEX BY ORDER NUMBER

MS16918	157	MS33729	397	MU17191	336
MS16919	157	MS33730	130, 179, 397	MU21120	334, 336
MS16920	157	MS33731	128, 206, 396	MU24401	344
MS17075	146	MS33732	128, 206, 396	MU24402	344
MS17185	114, 171	MS33733	128, 396	MU24409	344
MS17330	121, 124, 134, 203, 208, 394	MS33736	179	MU24903	334, 336
MS17522	124, 205, 396	MS33737	179	MU25426	344
MS18683	121, 124, 134, 203, 208, 394	MS33738	179, 182	MU26041	333
MS20093	111	MS33739	179, 182	MU26042	333
MS20094	111	MS33740	129, 180, 206		
MS20475	171	MS33741	129, 180, 206	MX MX00001	99
MS20476	171	MS34436	124, 206	MX00004	99
MS20725	148, 194	MS34437	124, 206	MX01004	135, 216, 229
MS20783	194	MS34677	137, 186	MX01005	135, 216, 229
MS20979	186, 216, 229	MS34678	137, 186	MX01049	107
MS22147	149, 194	MS40015	199	MX01050	107, 332
MS22148	149, 194	MS40067	129, 180	MX03300	93
MS22259	164, 196	MS40070	129, 180	MX03301	93
MS22532	149, 157, 194	MS40073	129, 180	MX03302	93, 389
MS22533	149, 194	MS40076	182	MX03303	93, 389
MS22534	149, 194	MS40079	182	MX03304	93
MS22535	149, 194	MS40082	182	MX03305	93
MS22832	174	MS40085	182	MX03306	93
MS22905	209	MS40088	131, 180	MX03307	93, 389
MS23133	157	MS40091	131, 180	MX03308	93, 389
MS23598	150	MS40094	131, 180	MX03309	93
MS23897	194	MS40243	140, 188, 219, 221	MX03311	93
MS23898	194	MS40317	199	MX03312	93, 389
MS24303	124, 205, 396	MS40318	199	MX03313	93
MS25836	199	MS40319	199	MX03314	93, 389
MS25951	174	MS40321	199	MX03316	93, 389
MS26122	146	MS40322	199	MX03317	94
MS26123	146			MX03318	94
MS26125	146	MU MU03876	334, 336, 343, 347, 349	MX03319	94, 390
MS26187	167, 198	MU04366	343, 346, 349	MX03320	94, 390
MS26188	167, 198	MU04472	344, 347, 349	MX03321	94
MS28557	114, 171, 213	MU04771	346	MX03322	94
MS28558	114, 171, 213	MU04804	346	MX03323	94
MS28559	114, 171, 213	MU06008	344, 348, 350	MX03324	94, 390
MS28560	114, 171	MU06011	343, 348, 350	MX03325	94, 390
MS28561	114, 171, 213	MU06570	336, 343, 347, 349	MX03326	94
MS29468	161	MU06933	343, 346, 349	MX03327	93, 94
MS31435	174	MU06943	354	MX03328	94, 390
MS32146	199	MU06944	354	MX03329	94, 390
MS32150	199	MU06951	343, 346, 349	MX03330	94
MS32151	199	MU10841	341	MX03331	94, 390
MS32153	199	MU10900	341	MX10209	99
MS32154	199	MU10902	342	MX11000	329, 331, 337
MS32156	199	MU10915	342	MX11001	329, 331, 337
MS32282	157	MU10916	342	MX17012	331
MS32289	199	MU10917	342	MX17015	330, 332
MS32290	199	MU10918	334, 336, 342	MX17018	330, 332
MS32291	199	MU11225	340	MX23023	279, 414
MS32318	199	MU11228	340	MX23025	279, 414
MS33239	189	MU12504	334, 336	MX23026	279, 414
MS33726	130, 179, 206	MU12533	335	MX37021	288
MS33727	130, 179, 206	MU12551	335	MX50004	99
MS33728	130, 179, 206	MU12609	334, 336	MX50028	94

INDEX BY ORDER NUMBER

MX50050	99
MX50052	94, 390
MX50053	94
MX50054	94
MX50065	136, 186, 208
MX50066	136, 186, 208
MX50067	136, 186, 395
MX50068	136, 186, 208, 395
MX50069	137
MX50070	137, 216, 229
MX50071	136, 186, 208
MX50090	101
MX50100	99
MX50115	101
MX50120	99

INDEX BY PRODUCT NAME

1	1.5 m spiral hose and M12×1 screw connector	2M86291	95	Adapter for Resutator 2000/MR-100	2120461	95
	1.5 m spiral hose and probe for central supply system	2M86292	95	Adapter N ₂ O NF/NIST	M35337	315
3	3.0 m spiral hose and probe for central supply system	2M86293	95	Adapter N ₂ O NIST/DIN	M32494	315
	Absorber adapter CLIC, for Dräger anesthesia workstations	MX50090	101	Adapter N ₂ O NIST/DIN	M35057	315
A	Adapter 9/16" to 15/22mm	MP05305	78, 254	Adapter N ₂ O, DISS-NIST	M34876	315
	Adapter 9/16" to M34×1.5 for Dräger reusable humidifier	MP03325	263, 406	Adapter NIST to DIN CS-Coupling AIR	M35058	262, 315
	Adapter AIR NF/NIST	M35338	315	Adapter NIST to DIN CS-Coupling O ₂	M35056	262, 315
	Adapter AIR NIST/DIN	M32495	315	Adapter O ₂ NF/NIST	M35336	315
	Adapter AIR-O ₂ /O ₂ NIST/DIN	M36042	315	Adapter O ₂ NIST/DIN	M32493	315
	Adapter AIR, DISS-NIST	M34877	315	Adapter O ₂ , DISS-NIST	M34875	315
	Adapter AIR/O ₂ NIST/DIN	M32497	315	Adapter straight, reusable, A, 18 mm/11 mm	8403076	32, 44
	Adapter cable for Infinity® PiCCO SmartPod®, for 10-pin connector	MS16920	157	Adapter VAC NIST/DIN	M32496	315
	Adapter cable RD-SET to LNCS	MS33732	128, 206, 396	Adapter VAC, DISS-NIST	M34878	315
	Adapter cable RD-SET to LNOP	MS33731	128, 206, 396	Adapter, for disposable sterilized water systems to AIR flowmeter, M32×1.5 to 9/16"	MP03366	264, 406
	Adapter cable RD-SET to MultiMed®	MS33733	128, 396	Adapter, for disposable sterilized water systems to O ₂ flowmeters, M34×1.5 to 9/16"	2M86680	264, 406
	Adapter cable, 7-pin connector for temperature probe with ¼" connector	5198333	139	Adapter, reusable, 22 mm/11 mm, metal, N/P	8409897	44
	Adapter DISS M/QC-AIR-Chemetron	4119066	314	Adapter, reusable, 22 mm/15 mm, 90°	8290274	32
	Adapter DISS M/QC-AIR-Ohmeda	4119071	314	Adapter, reusable, 22 mm/22 mm	M25647	32, 34, 35, 36, 44, 373
	Adapter DISS M/QC-AIR-Pur Ben	4119076	314	Adapter, reusable, 22 mm/22 mm, 90°	M25649	44
	Adapter DISS M/QC-AIR-Schrader	4119081	314	Adapter, to connect Dräger humidifier to mixing block, M15×1 to M34×1.5	2M85853	263
	Adapter DISS M/QC-EVAC-Chemetron	4119069	314	Adapter, to connect e.g a tube or nasal cannula to AIR flowmeter, M32×1.5 to 6 mm nozzle	2M85575	263
	Adapter DISS M/QC-EVAC-Ohmeda	4119074	314	Adapter, to connect e.g a tube or nasal cannula to O ₂ flowmeter, M34×1.5 to 6 mm nozzle	M06258	263, 406
	Adapter DISS M/QC-EVAC-Pur Ben	4119079	314	Adapter, with 6 mm nozzle, e.g., for disposable breathing masks, 9/16" connection	MP00416	78, 254, 264, 357, 361, 406
	Adapter DISS M/QC-N ₂ O-Chemetron	4119065	314	Adhesive Pad LNCS TF-I, 20 pcs.	MP03198	133, 184
	Adapter DISS M/QC-N ₂ O-Ohmeda	4119070	314	Adhesive wrap for Nellcor® Oxiband™ A/N, 100 pcs.	8201012	135, 395
	Adapter DISS M/QC-N ₂ O-Pur Ben	4119075	314	Adhesive wrap for Nellcor® Oxiband™ P/I, 100 pcs.	2170221	135
	Adapter DISS M/QC-N ₂ O-Schrader	4119080	314	Aerogen Solo Starter Kit, ES, IT, PT, GR, TK	MP01073	92, 388
	Adapter DISS M/QC-O ₂ -Chemetron	4119068	314	Aerogen Solo Starter Kit, FR, NL, IT, GE	MP01072	92, 388
	Adapter DISS M/QC-O ₂ -Ohmeda	4119073	314	Aerogen Solo Starter Kit, Int.	MP01071	92, 388
	Adapter DISS M/QC-O ₂ -Pur Ben	4119078	314	Aerogen Solo Starter Kit, SW, NO, FI, DK	MP01074	92, 388
	Adapter DISS M/QC-O ₂ -Schrader	4119083	314	Aerogen Solo Starter Kit, UK	MP01075	92, 388
	Adapter DISS M/QC-VAC-Chemetron	4119067	314			
	Adapter DISS M/QC-VAC-Ohmeda	4119072	314			
	Adapter DISS M/QC-VAC-Pur Ben	4119077	314			
	Adapter DISS M/QC-VAC-Schrader	4119082	314			
	Adapter for Ambu Mark III	2120488	95			
	Adapter for Combibag	2M86913	95			
Adapter for Laerdal	2120496	95				
Adapter for Laerdal	5790124	95				
Adapter for Oxidem for M12×1 (for existing hose systems)	8410547	95				

INDEX BY PRODUCT NAME

Aerogen Solo Starter Kit, US	MP01076	92, 388		
Aerogen USB Controller	MP01089	92, 388		
Aerogen USB Controller	MP01095	92, 388		
AIR compact flowmeter Clickflow, DIN, 1 – 16 l/min, 6 mm nozzle	MP13016	252		
AIR compact flowmeter Clickflow, DIN, 1 – 16 l/min, 9/16"	MP13015	252		
AIR compact flowmeter Clickflow, rail, 1 – 16 l/min, 9/16"	MP13017	252		
AIR CS hose 0.9 m (2.95 ft)				
NF EN NF	M36724	302		
AIR CS hose 0.9 m (2.95 ft)				
NIST EN BS	M36727	303		
AIR CS hose 0.9 m (2.95 ft)				
NIST EN DIN	M36730	299		
AIR CS hose 0.9 m (2.95 ft)				
NIST GB DIN	M36786	313		
AIR CS hose 1.5 m (4.9 ft)				
DISS US KAWA	M35803	309		
AIR CS hose 1.5 m (4.9 ft)				
DISSB EN HAND	M36296	312		
AIR CS hose 1.5 m (4.9 ft)				
NF EN NF	M35429	302		
AIR CS hose 1.5 m (4.9 ft)				
NIST BS straight	M35402	304		
AIR CS hose 1.5 m (4.9 ft)				
NIST EN AS	M36150	308		
AIR CS hose 1.5 m (4.9 ft)				
NIST EN BS	M35393	303		
AIR CS hose 1.5 m (4.9 ft)				
NIST EN Carba	M35475	306		
AIR CS hose 1.5 m (4.9 ft)				
NIST EN DIN	M35495	299		
AIR CS hose 1.5 m (4.9 ft)				
NIST EN NF	M35420	301		
AIR CS hose 1.5 m (4.9 ft)				
NIST EN SS	M35383	305		
AIR CS hose 1.5 m (4.9 ft)				
NIST EN UNI	M35411	307		
AIR CS hose 1.5 m (4.9 ft)				
NIST NEUTRAL DIN	M36010	300, 313		
AIR CS hose 1.5 m (4.9 ft)				
NIST NEUTRAL NF	M35452	301		
AIR CS hose 3 m (9.8 ft)				
DISS US KAWA	M35802	309		
AIR CS hose 3 m (9.8 ft)				
DISSB EN HAND	M36297	312		
AIR CS hose 3 m (9.8 ft)				
NF EN NF	M35430	302		
AIR CS hose 3 m (9.8 ft)				
NIST BS straight	M35403	304		
AIR CS hose 3 m (9.8 ft)				
NIST EN AS	M36149	308		
AIR CS hose 3 m (9.8 ft)				
NIST EN BS	M35394	303		
AIR CS hose 3 m (9.8 ft)				
NIST EN Carba	M35476	306		
AIR CS hose 3 m (9.8 ft)				
NIST EN DIN	M35496	299		
AIR CS hose 3 m (9.8 ft)				
NIST EN NF	M35421	301		
AIR CS hose 3 m (9.8 ft)				
NIST EN SS	M35384	305		
AIR CS hose 3 m (9.8 ft)				
NIST EN UNI	M35412	307		
AIR CS hose 3 m (9.8 ft)				
NIST GB BS	M36736	313		
AIR CS hose 3 m (9.8 ft)				
NIST NEUTRAL DIN	M36011	300, 313		
AIR CS hose 3 m (9.8 ft)				
NIST NEUTRAL NF	M35453	301		
AIR CS hose 5 m (16.4 ft)				
DISS US KAWA	M35801	309		
AIR CS hose 5 m (16.4 ft)				
DISSB EN HAND	M36298	312		
AIR CS hose 5 m (16.4 ft)				
NF EN NF	M35343	302		
AIR CS hose 5 m (16.4 ft)				
NIST BS straight	M35340	304		
AIR CS hose 5 m (16.4 ft)				
NIST EN AS	M36148	308		
AIR CS hose 5 m (16.4 ft)				
NIST EN BS	M35335	303		
AIR CS hose 5 m (16.4 ft)				
NIST EN Carba	M35346	306		
AIR CS hose 5 m (16.4 ft)				
NIST EN DIN	M35497	299		
AIR CS hose 5 m (16.4 ft)				
NIST EN NF	M35332	301		
AIR CS hose 5 m (16.4 ft)				
NIST EN SS	M35385	305		
AIR CS hose 5 m (16.4 ft)				
NIST EN UNI	M35358	307		
AIR CS hose 5 m (16.4 ft)				
NIST GB BS	M36737	313		
AIR CS hose 5 m (16.4 ft)				
NIST NEUTRAL DIN	M36012	300, 313		
AIR CS hose 5 m (16.4 ft)				
NIST NEUTRAL NF	M35454	301		
AIR CS hose 8 m (26,25 ft)				
DISS US KAWA	M35865	309		
AIR CS hose				
DISS Hand 10L	4199594	310		
AIR CS hose				
DISS Hand 15L	4199593	310		
AIR CS hose				
DISS N/DISS N 10L	4199605	310		
AIR CS hose				
DISS N/DISS N 15L	4199604	310		
AIR CS hose				
DISS N/DISS N 20L	4199712	310		
AIR flowmeter, 16 l/min, CS, CARBA, ISO, M32×1.5	MP04564	248		

INDEX BY PRODUCT NAME

AIR flowmeter, 16 l/min, CS, DIN, ISO and neutral color, M32×1.5	MP04559	248	Anesthesia mask ComfortStar [®] , disposable, hook ring, mint, size 5, adult M, 20 pcs.	MP01545	68
AIR flowmeter, 16 l/min, CS, long cs plug (6 cm; 2.4 in), DIN, ISO and neutral color, M32×1.5	MP04562	248	Anesthesia mask ComfortStar [®] , disposable, hook ring, mint, size 6, adult L, 20 pcs.	MP01546	68
AIR flowmeter, 16 l/min, rail, NIST, M32×1.5	MP04568	249	Anesthesia mask ComfortStar [®] , disposable, hook ring, standard, size 0, premature baby, 20 pcs.	MP01510	67, 381
AIR flowmeter, 32 l/min, CS, DIN, ISO and neutral color, M32×1.5	MP04572	248	Anesthesia mask ComfortStar [®] , disposable, hook ring, standard, size 1, neonatal, 20 pcs.	MP01511	67, 381
AIR flowmeter, 32 l/min, rail, NIST, M32×1.5	MP04581	249	Anesthesia mask ComfortStar [®] , disposable, hook ring, standard, size 2, baby, 20 pcs.	MP01512	67, 381
Air intake filter for Caleo [®] and Babyleo TN500, reusable, 20 pcs.	MX17015	330, 332	Anesthesia mask ComfortStar [®] , disposable, hook ring, standard, size 3, infant, 20 pcs.	MP01513	67
Air intake filter for Isolette [®] C2000, 8000 and 8000 plus, reusable, 4 pcs.	MU12504	334, 336	Anesthesia mask ComfortStar [®] , disposable, hook ring, standard, size 4, adult S, 20 pcs.	MP01514	67
Air intake filter for TI 500 and TI 500 Globe-Trotter, disposable, 6 pcs.	MU04472	344, 347, 349	Anesthesia mask ComfortStar [®] , disposable, hook ring, standard, size 5, adult M, 20 pcs.	MP01515	67
AIR/O ₂ CS hose 1.5 m (4.9 ft) NIST EN DIN	M36001	299	Anesthesia mask ComfortStar [®] , disposable, hook ring, standard, size 6, adult L, 20 pcs.	MP01516	67
AIR/O ₂ CS hose 1.5 m (4.9 ft) NIST NEUTRAL DIN	M36016	300	Anesthesia mask ComfortStar [®] , disposable, hook ring, strawberry, size 1, neonatal, 20 pcs.	MP01521	68, 381
AIR/O ₂ CS hose 3 m (9.8 ft) NIST EN DIN	M36002	299	Anesthesia mask ComfortStar [®] , disposable, hook ring, strawberry, size 2, baby, 20 pcs.	MP01522	68, 381
AIR/O ₂ CS hose 3 m (9.8 ft) NIST NEUTRAL DIN	M36017	300	Anesthesia mask ComfortStar [®] , disposable, hook ring, strawberry, size 3, infant, 20 pcs.	MP01523	68
AIR/O ₂ CS hose 5 m (16.4 ft) NIST EN DIN	M36003	299	Anesthesia mask ComfortStar [®] , disposable, hook ring, strawberry, size 4, adult S, 20 pcs.	MP01524	68
AIR/O ₂ CS hose 5 m (16.4 ft) NIST NEUTRAL DIN	M36018	300	Anesthesia mask LiteStar [®] , disposable, w/o hook ring, size 1, premature baby, 30 pcs.	MP01501	66, 380
Airway connector ErgoStar [®] AC 90, disposable, double-swivel elbow w/ double cap, 100 pcs.	MP01890	55	Anesthesia mask LiteStar [®] , disposable, w/o hook ring, size 2, baby, 30 pcs.	MP01502	66, 380
Airway connector ErgoStar [®] AC 95, disposable, w/ Luer Lock sampling port, 100 pcs.	MP01895	55	Anesthesia mask LiteStar [®] , disposable, w/o hook ring, size 3, infant, 30 pcs.	MP01503	66
Anesthesia mask ComfortStar [®] , disposable, hook ring, bubble gum, size 1, neonatal, 20 pcs.	MP01531	68, 381	Anesthesia mask LiteStar [®] , disposable, w/o hook ring, size 4, adult S, 30 pcs.	MP01504	66
Anesthesia mask ComfortStar [®] , disposable, hook ring, bubble gum, size 2, baby, 20 pcs.	MP01532	68, 381	Anesthesia mask LiteStar [®] , disposable, w/o hook ring, size 5, adult M, 30 pcs.	MP01505	66
Anesthesia mask ComfortStar [®] , disposable, hook ring, bubble gum, size 3, infant, 20 pcs.	MP01533	68	Anesthesia mask LiteStar [®] , disposable, w/o hook ring, size 6, adult L, 30 pcs.	MP01506	66
Anesthesia mask ComfortStar [®] , disposable, hook ring, bubble gum, size 4, adult S, 20 pcs.	MP01534	68			
Anesthesia mask ComfortStar [®] , disposable, hook ring, mint, size 3, infant, 20 pcs.	MP01543	68			
Anesthesia mask ComfortStar [®] , disposable, hook ring, mint, size 4, adult S, 20 pcs.	MP01544	68			

INDEX BY PRODUCT NAME

Anesthesia set Infinity ID®, disposable, coaxial, GSL, 2.3 m/1.2 m, 10 pcs., not made with natural rubber latex	MP00368	28	Anesthesia set VentStar®, disposable, w/o Luer Lock, 1.8 m/0.8 m, 25 pcs., not made with natural rubber latex	MP00330	16
Anesthesia set Infinity ID®, disposable, coaxial, water trap, GSL, 2.1 m/1.2 m, 10 pcs., not made with natural rubber latex	MP00370	28	Anesthesia set VentStar®, disposable, water trap, 2 L, 1.8 m/1.5 m, 10 pcs., not made with natural rubber latex	MP00372	17
Anesthesia set Infinity® ID, disposable, coaxial, water trap, 2 L, 2.1/1.2 m, 10 pcs., not made with natural rubber latex	MP03388	28	Anesthesia set VentStar®, disposable, water trap, 2 L, 2.8 m/1.5 m, 10 pcs., not made with natural rubber latex	MP02721	17
Anesthesia set VentStar®, disposable, coaxial, 2 L, 1.9 m/1.2 m, 10 pcs., not made with natural rubber latex	MP03384	18	Anesthesia set VentStar®, disposable, water trap, w/o Luer Lock, 2 L, 1.8 m/1.5 m, 10 pcs., not made with natural rubber latex	MP00371	17
Anesthesia set VentStar®, disposable, coaxial, 2 L, 2.3 m/1.2 m, 10 pcs., not made with natural rubber latex	MP03383	18	Anesthesia set VentStar®, disposable, water trap, w/o Luer Lock, 2 L, 2.8 m/1.5 m, 10 pcs., not made with natural rubber latex	MP02720	17
Anesthesia set VentStar®, coaxial, water trap, GSL, 2 L, 2.1 m /1.2 m, pcs., not made with natural rubber latex	MP00359	18	Anesthesia set, disposable, basic, 1.5 m/0.8 m, 25 pcs., not made with natural rubber latex	MP00301	16
Anesthesia set VentStar®, disposable, basic, 2 L, 1.8 m/1.5 m, 25 pcs., not made with natural rubber latex	MP00365	17	Anesthesia set, disposable, extendable, 1.8 m/0.8 m, 25 pcs., not made with natural rubber latex	MP00303	16
Anesthesia set VentStar®, disposable, basic, 2 L, 2.5 m/1.5 m, 10 pcs., not made with natural rubber latex	MP00366	17	APC NIBP Cuff, adult, 23 cm – 33 cm, reusable, Vista120 SC	2600933	231
Anesthesia set VentStar®, disposable, coaxial, GSL, 2 L, 2.3 m /1.2 m, 10 pcs., not made with natural rubber latex	MP00358	18	APC NIBP Cuff, child, 12 cm – 19 cm, reusable, Vista120 SC	2600930	231
Anesthesia set VentStar®, disposable, coaxial, water trap, 2 L, 2.1/1.2 m, 10 pcs., not made with natural rubber latex	MP03381	18	APC NIBP Cuff, large adult, 31 cm – 40 cm, reusable, Vista120	2600934	231
Anesthesia set VentStar®, disposable, N, 1.8 m/1.1 m, 25 pcs., not made with natural rubber latex	MP00333	16, 368	APC NIBP Cuff, small adult, 17 cm – 25 cm, reusable, Vista120 SC	2600932	231
Anesthesia set VentStar®, disposable, P, w/o Luer Lock, 1.5 m/1.1 m, 25 pcs., not made with natural rubber latex	MP00331	16	Aquapor H300 - Configuration	MP01000	23
Anesthesia set VentStar®, disposable, P, water trap, 1 L, 1.8 m/1.1 m, 10 pcs., not made with natural rubber latex	MP00374	18	Aquapor H300 Basic unit 115V	MP07102	23
Anesthesia set VentStar®, disposable, P, water trap, w/o Luer Lock, 1 L, 1.8 m/1.1 m, 10 pcs., not made with natural rubber latex	MP00375	18	Aquapor H300 Basic unit 230V	MP07101	23
			B BabyFlow plus, disposable, size L, 20 pcs.	MP03702	358, 362
			BabyFlow plus, disposable, size M, 20 pcs.	MP03701	358, 362
			BabyFlow plus, disposable, size S, 20 pcs.	MP03700	358, 362
			Bacteria filter IBF absorber, only use with Zeus®/Zeus® IE, 5 pcs.	MK02588	101
			Bacterial and viral filter system VarioSafe, for VarioAir®, VarioVac®, VarioO2, disposable, 10 pcs.	MP00555	280, 296, 415
			Bacterial filter 767, disposable, for ejectors (model range until 2010)	CH00102	280, 296

INDEX BY PRODUCT NAME

Bacterial filter 767, for ejectors (model range until 2010), 5 pcs.	6723976	280, 296, 415		
Bacterial filter disposable, 20 pcs.	MK00514	280, 296		
Bacterial filter for Dräger patient monitors, disposable	8402868	168		
Bacterial filter, disposable, for Evac 40, 10 pcs.	MX37021	288		
Basket 150, 15 × 20 × 10 cm, e.g., for disposable gloves	M26146	319, 417		
Basket 300, 15 × 28 × 10 cm, e.g., for 300 mm catheters	M26145	319, 417		
Basket 600, 15 × 48 × 10 cm, e.g., for 600 mm catheters	M25121	319, 417		
Battery grip, adult, 2.5 V, 28 mm Ø	MX03301	93		
Battery grip, pediatric, 2.5 V, 19 mm Ø	MX03314	93, 389		
Battery, adult, 2.5 V	MX03327	93, 94		
Bed clip for cables	MS15087	162		
BlISx adapter cable Vista120	2607560	227		
BlISx pod Vista120	2607561	211		
Blade size 0 (Mac), reusable, 79 × 13 mm	MX03302	93, 389		
Blade size 0 (Miller), reusable, 77 × 11 mm	MX03307	93, 389		
Blade size 1 (Mac), reusable, 93 × 20 mm	MX03303	93, 389		
Blade size 1 (Miller), reusable, 102 × 11 mm	MX03308	93, 389		
Blade size 2 (Mac), reusable, 112 × 20 mm	MX03304	93		
Blade size 2 (Miller), reusable, 153 × 13 mm	MX03309	93		
Blade size 3 (Mac), reusable, 130 × 23 mm	MX03305	93		
Blade size 4 (Mac), reusable, 150 × 25 mm	MX03306	93		
Block for EEG referential lead conversion	5954859	161		
BlueSet Anesthesia (N)	M27542	36, 373		
BlueSet Anesthesia (P/A)	M30146	34		
BlueSet Anesthesia water trap (P/A)	MK04248	35		
BlueSet Ventilation (N)	8412344	31, 372		
BlueSet Ventilation (P/A)	8413146	32		
BlueSet Ventilation HME (P/A)	8412860	33		
Breathing bag set Infinity® ID, disposable, 2 L, 1.2 m, 25 pcs., not made with natural rubber latex	MP00341	30		
Breathing bag set Infinity® ID, disposable, 2 L, 1.5 m, 25 pcs., not made with natural rubber latex	MP01330	30		
Breathing bag set Infinity® ID, disposable, N, 0.5 L, 1.1 m, 25 pcs., not made with natural rubber latex	MP01329	30, 369		
Breathing bag set Infinity® ID, disposable, P, 1 L, 1.1 m, 25 pcs., not made with natural rubber latex	MP01343	30		
Breathing bag set VentStar® Flex, disposable, 2 L, 1.8 m 25 pcs., not made with natural rubber latex	MP17007	15		
Breathing bag set VentStar®, disposable, 2 L, 0.8 m, 25 pcs., not made with natural rubber latex	MP00222	15		
Breathing bag set VentStar®, disposable, 2 L, 1.2 m, 25 pcs., not made with natural rubber latex	MP00380	15		
Breathing bag set VentStar®, disposable, 2 L, 1.5 m, 25 pcs., not made with natural rubber latex	MP00381	15		
Breathing bag set VentStar®, disposable, extendable, 2 L, 1.8 m, 25 pcs., not made with natural rubber latex	MP20268	15		
Breathing bag set VentStar®, disposable, N, 0.5 L, 1.1 m, 25 pcs., not made with natural rubber latex	MP00383	15, 368		
Breathing bag set VentStar®, disposable, P, 1 L, 1.1 m, 25 pcs., not made with natural rubber latex	MP00384	15		
Breathing bag, silicone, reusable, 0.5 L, not made with natural rubber latex	2166054	36, 45, 375, 377		
Breathing bag, silicone, reusable, 1.5 L, not made with natural rubber latex	2166127	45, 377		
Breathing bag, silicone, reusable, 2.3 L, not made with natural rubber latex	2166062	34, 35, 45		
Breathing bag, silicone, reusable, 3 L, not made with natural rubber latex	2166070	45		
Breathing circuit for active humidification, disposable, neonate, 20 pcs., not made with natural rubber latex	MU24409	344		
Breathing circuit for Resuscitaire VentStar®, disposable, N, press. meas. line, 1 m, 25 pcs., not made with natural rubber latex	MP00311	341, 368		
Breathing circuit Infinity ID®, disposable, coaxial, GSL, 2.3 m, 20 pcs., not made with natural rubber latex	MP00357	28		
Breathing circuit Infinity® ID, disposable, basic, 1.8 m, 25 pcs., not made with natural rubber latex	MP01350	27		
Breathing circuit Infinity® ID, disposable, basic, 2.5 m, 25 pcs., not made with natural rubber latex	MP01348	27		
Breathing circuit Infinity® ID, disposable, coaxial, 1.9 m, 20 pcs., not made with natural rubber latex	MP03375	28		

INDEX BY PRODUCT NAME

Breathing circuit Infinity® ID, disposable, coaxial, 2.3 m, 20 pcs., not made with natural rubber latex	MP03377	28		
Breathing circuit Infinity® ID, disposable, extendable, 2.2 m, 25 pcs., not made with natural rubber latex	MP01347	27		
Breathing circuit Infinity® ID, disposable, N, basic, 1.8 m, 25 pcs., not made with natural rubber latex	MP01327	29, 369		
Breathing circuit Infinity® ID, disposable, N, heated, 1.2 m, 10 pcs., not made with natural rubber latex	MP00343	23, 370		
Breathing circuit Infinity® ID, disposable, N, water trap, 1.8 m, 25 pcs., not made with natural rubber latex	MP01328	29, 369		
Breathing circuit Infinity® ID, disposable, P, basic, 1.8 m, 25 pcs., not made with natural rubber latex	MP01340	29		
Breathing circuit Infinity® ID, disposable, P, water trap, 1.8 m, 25 pcs., not made with natural rubber latex	MP01341	29		
Breathing circuit Infinity® ID, disposable, smoothbore, 1.6 m, 25 pcs., not made with natural rubber latex	MP00340	27		
Breathing circuit Infinity® ID, disposable, smoothbore, 3 m, 10 pcs., not made with natural rubber latex	MP01325	27		
Breathing circuit Infinity® ID, disposable, water trap, 1.8 m, 25 pcs., not made with natural rubber latex	MP01326	27		
Breathing circuit Infinity® ID, disposable, water trap, 2.1 m, 10 pcs., not made with natural rubber latex	MP00378	28		
Breathing circuit Infinity® ID, disposable, water trap, GSL, 2.1 m, 10 pcs., not made with natural rubber latex	MP00367	28		
Breathing circuit Vent Set, disposable, basic, 1.5 m, 25 pcs., not made with natural rubber latex	MP00300	11		
Breathing circuit Vent Set, disposable, extendable, 1.8 m, 25 pcs., not made with natural rubber latex	MP00305	14		
Breathing circuit VentStar® Carina® ExpV, disposable, 1.5 m, 10 pcs., not made with natural rubber latex	MP00313	26		
Breathing circuit VentStar® Carina® ExpV, disposable, 2 m, 10 pcs., not made with natural rubber latex	5704962	26		
Breathing circuit VentStar® Carina® LeakV, disposable, 1.5 m, 25 pcs., not made with natural rubber latex	MP00312	26		
Breathing circuit VentStar® Helix, disposable, N, dual heated, 1.7 m, 10 pcs., not made with natural rubber latex	MP02650	20, 370		
Breathing circuit VentStar® Helix, disposable, N, heated, 1.7 m, 10 pcs., not made with natural rubber latex	MP02608	20, 370		
Breathing circuit VentStar® Oxylog 1000, disposable, 1.8 m, 25 pcs. set, not made with natural rubber latex	2M86837	24		
Breathing circuit VentStar® Oxylog 2000, disposable, 1.8 m, 5 pcs., not made with natural rubber latex	2M86841	24		
Breathing circuit VentStar® Oxylog 3000, 3000+, disposable, P, 1.9 m, 5 pcs., not made with natural rubber latex	5704964	25		
Breathing circuit VentStar® Oxylog 3000F, 2000p, VE300, disposable, 1.5 m (4.92 ft), 5 pcs.	5703041	24		
Breathing circuit VentStar® Oxylog 3000F, 2000p, VE300, disposable, 3 m (9.8 ft), 5 pcs., for Oxylog VE300 only with Option Plus	MP00335	24		
Breathing circuit VentStar® Oxylog VE300, disposable, 3 m, 5 pcs., not made with natural rubber latex	MP01371	25		
Breathing circuit VentStar® Oxylog VE300, disposable, 1.5 m, 5 pcs., not made with natural rubber latex	MP01370	25		
Breathing circuit VentStar®, disposable, basic, 1.8 m, 25 pcs., not made with natural rubber latex	MP00349	11		
Breathing circuit VentStar®, disposable, basic, 2.5 m, 10 pcs., not made with natural rubber latex	MP00350	11		
Breathing circuit VentStar®, disposable, coaxial, 1.7 m, 20 pcs., not made with natural rubber latex	MP03373	13		
Breathing circuit VentStar®, disposable, coaxial, 1.9 m, 20 pcs., not made with natural rubber latex	MP03374	13		
Breathing circuit VentStar®, disposable, coaxial, 2.3 m, 20 pcs., not made with natural rubber latex	MP03376	13		
Breathing circuit VentStar®, disposable, coaxial, 3.0 m, not made with natural rubber latex	MP20269	13		

INDEX BY PRODUCT NAME

Breathing circuit VentStar [®] , disposable, coaxial, GSL, 2.3 m, 20 pcs., not made with natural rubber latex	MP03378	13	Breathing circuit VentStar [®] , disposable, smoothbore, for MRI, 3 m, 10 pcs., not made with natural rubber latex	MP00327	14
Breathing circuit VentStar [®] , disposable, coaxial, water trap, 2.1 m, 10 pcs., not made with natural rubber latex	MP00373	13	Breathing circuit VentStar [®] , disposable, water trap, 1.8 m, 25 pcs., not made with natural rubber latex	MP00337	12
Breathing circuit VentStar [®] , disposable, coaxial, water trap, GSL, 2.1 m, 10 pcs., not made with natural rubber latex	MP03379	13	Breathing circuit VentStar [®] , disposable, water trap, w/o Luer Lock, 1.8 m, 25 pcs., not made with natural rubber latex	MP00334	12
Breathing circuit VentStar [®] , disposable, extendable, 2.2 m, 25 pcs., not made with natural rubber latex	MP00355	14	Breathing hose for breathing bag, disposable, 15 mm, 25 pcs.	MU10900	341
Breathing circuit VentStar [®] , disposable, N, basic, 1.8 m, 25 pcs., not made with natural rubber latex	MP00353	11, 368	Breathing hose for Oxylog [®] 1000, reusable, silicone, 3 m	2112760	37, 38
Breathing circuit VentStar [®] , disposable, N, heated, 1.2 m, 10 pcs., not made with natural rubber latex	MP00308	19, 370	Breathing hose for Resuscitaire [®] with AutoBreath, disposable, 25 pcs.	MU10841	341
Breathing circuit VentStar [®] , disposable, N, heated, w/o chamber, 1.2 m, 10 pcs., not made with natural rubber latex	MP00309	19, 370	Breathing hose for TI 500 Globe-Trotter, disposable, 20 pcs.	MU04771	346
Breathing circuit VentStar [®] , disposable, N, MRI, 3 m, 10 pcs., not made with natural rubber latex	MP00329	14, 368	Breathing hose holder for Babytherm [®] , neonatal, for 10 mm breathing hose	2M21191	338
Breathing circuit VentStar [®] , disposable, N, water trap, 1.8 m, 25 pcs., not made with natural rubber latex	MP00363	12, 368	Breathing hose set for Oxylog [®] 2000/3000 family, reusable, w/ flow measurement line, 1.5 m	8412068	38
Breathing circuit VentStar [®] , disposable, P, basic, 1.8 m, 25 pcs., not made with natural rubber latex	MP00351	11	Breathing hose set for Oxylog [®] 2000/3000 family, reusable, w/ flow measurement line, 3 m	8412913	38
Breathing circuit VentStar [®] , disposable, P, basic, 2.5 m, 25 pcs., not made with natural rubber latex	MP00352	11	Breathing hose, silicone, reusable, A, 1.1 m, connector 22 mm/22 mm, Ø 22 mm	2166038	34, 35, 39
Breathing circuit VentStar [®] , disposable, P, basic, w/o Luer Lock, 1.5 m, 25 pcs., not made with natural rubber latex	MP00338	11	Breathing hose, silicone, reusable, A, 1.5 m, connector 22 mm/22 mm, Ø 22 mm	2166046	33, 34, 37, 38, 39
Breathing circuit VentStar [®] , disposable, P, coaxial, 1.5 m, 20 pcs., not made with natural rubber latex	MP00379	13	Breathing hose, silicone, reusable, A, 35 cm, connector 22 mm/22 mm	2165619	32, 39
Breathing circuit VentStar [®] , disposable, P, water trap, 1.8 m, 25 pcs., not made with natural rubber latex	MP00361	12	Breathing hose, silicone, reusable, A, 60 cm, connector 22 mm/22 mm, Ø 22 mm	2165627	32, 35, 39
Breathing circuit VentStar [®] , disposable, P, water trap, w/o Luer Lock, 1.8 m, 25 pcs., not made with natural rubber latex	MP00362	12	Breathing hose, silicone, reusable, N/P, 1.1 m, connector 10 mm/22 mm, Ø 10 mm	2165651	41, 375
			Breathing hose, silicone, reusable, N/P, 1.1 m, connector 22 mm/22 mm, Ø 10 mm	2165678	36, 40, 373
			Breathing hose, silicone, reusable, N/P, 1.5 m, connector 10 mm/22 mm, Ø 10 mm	2165961	36, 41, 373, 375
			Breathing hose, silicone, reusable, N/P, 40 cm, connector 10 mm/22 mm, Ø 10 mm	2165856	31, 41, 372, 375

INDEX BY PRODUCT NAME

Breathing hose, silicone, reusable, N/P, 60 cm, connector 10 mm/10 mm, Ø 10 mm	2165848	31, 40, 372, 374
Breathing hose, silicone, reusable, N/P, 60 cm, connector 10 mm/22 mm, Ø 10 mm	2165821	31, 41, 372, 375
C Cable holder for rail, 10 pcs.	G15225	321
Cable holder for support pole, 4 pcs.	G13171	321
Calibration kit MultiGas, incl. bottle, regulator, reservoir bag	5207415	168
Calibration set, with test connection and test gas cylinder	8412710	165, 196
Canister opener, for canisters MX00001 and MX50050, 5 pcs.	MX10209	99
Cap BabyFlow, disposable, size L, green, 25.5 – 28 cm (10 – 11 in) head circumference, 5 pcs.	8418536	359, 366
Cap BabyFlow, disposable, size M, red, 23 – 25.5 cm (9.1 – 10 in) head circumference, 5 pcs.	8418535	359, 366
Cap BabyFlow, disposable, size S, yellow, 20.5 – 23 cm (8.1 – 9.1 in) head circumference, 5 pcs.	8418534	359, 366
Cap BabyFlow, disposable, size XL, orange, 28 – 30.5 cm (11 – 12 in) head circumference, 5 pcs.	8418537	359, 366
Cap BabyFlow, disposable, size XS, white, 18 – 20.5 cm (7.1 – 8.1 in) head circumference, 5 pcs.	8418533	359, 366
Cap BabyFlow, disposable, size XXL, blue, 30.5 – 33 cm (12 – 13 in) head circumference, 5 pcs.	8418538	359, 366
Cap BabyFlow, disposable, size XXL+, white/black, 33 – 36 cm (13 – 14.2 in) head circumference, 5 pcs.	8418539	359, 366
Cap for Luer Lock	M34461	36, 373
Cap for water vacuum gauge, for VarioVac® T Rail WV (MP00512), VarioAir® T Rail WV (MP00544) and water vacuum gauge (MP00518)	MP00595	298
Cap secretion jar Medela	MP03231	287
Cap, for 700 ml secretion jar, with overflow safeguard	2M85011	281
Cap, for secretion jar, for fistula indicator for continuous and thoracic drainage	2M85013	281
Cap, for secretion jar, w/ overflow safeguard and pressure relief valve (≥ 0.1 kPa)	2M85012	281
Cardiac Output cable, 3 m	2601201	223
Cardiac output kit, Argon/Merit Medical	7265163	195
Cardiac output kit, Baxter	7265155	195
Carrier rack CD	2M85380	277
Carrying rack bronchial suction	2M85381	277
Catheter mount ErgoStar® CM 40, disposable, 10 cm, double swivel elbow, 50 pcs.	MP01840	55
Catheter mount ErgoStar® CM 45, disposable, 15 cm, double swivel elbow, 50 pcs.	MP01845	55
Catheter mount ErgoStar® CM 50, disposable, 10 – 16 cm, extendable, 50 pcs.	MP01850	55
Catheter mount ErgoStar® CM 55, disposable, 15 cm, straight, 50 pcs.	MP01855	55
Catheter mount ErgoStar® CM 60, disposable, 10 cm, small, double swivel elbow, 50 pcs.	MP01860	55
Ceiling holder, rail holder for compact suction systems and secretion jar sets	2M85119	278, 319, 416
Clamp for GCX rail, 5 pcs.	2M60401	330
CLIC Absorber 800+, disposable absorber, 1.2 l, 6 pcs.	MX00004	99
CLIC Absorber Free, disposable absorber, 1.2 l, 6 pcs.	MX50100	99
Closure temp. sensor mount, reusable	8410049	32
CNAP™ cuff controller and cradle	MS26125	146
CNAP™ cuff controller forearm strap	MS26122	146
CNAP™ intermediate cable for Infinity® CNAP™ SmartPod®, for CNAP™ controller	MS15893	146
CNAP™ sensor cuff, size L	MS15896	147
CNAP™ sensor cuff, size M	MS15895	147
CNAP™ sensor cuff, size S	MS15894	147
CO cable for Infinity® PiCCO Pod	MS16916	157
CO catheter cable	8419160	155, 195
CO catheter cable for Infinity® PiCCO Pod	MS16918	157
CO connection cable, 1 m	3368458	155, 195
CO Control Syringe	2601192	223
CO In-line Injection temperature probe Becton Dickinson	2601190	223
CO In-line Injection temperature probe housing	2601191	223
CO thermistor cable Argon/Merit Medical	8420077	155, 195
CO thermistor cable Baxter/Edwards	8539983	155, 195
CO thermistor cable for Infinity® PiCCO Pod	MS16919	157

INDEX BY PRODUCT NAME

CO thermistor T-piece Argon/Merit Medical	5741975	155, 195		
CO ₂ airway adapter, adult, disposable, 10 pcs.	2606227	163, 226		
CO ₂ airway adapter, neonatal (infant/pediatric), disposable, 10 pcs.	2606228	163, 226, 401		
CO ₂ cuvette disposable, adult, 10 pcs.	MP01062	54, 164, 196, 225		
CO ₂ cuvette disposable, pediatric, 10 pcs.	MP01063	54, 165, 196, 225, 379		
CO ₂ cuvette reusable, adult	6870279	54, 164, 196, 225		
CO ₂ cuvette reusable, pediatric	6870280	54, 164, 196, 225, 379		
CO ₂ mainstream sensor, for Evita® 2 dura, Evita® 4 Edition and Evita® XL	6871500	54, 379		
CO ₂ nasal cannula + O ₂ , adult, disposable, for Vista 120, 50 pcs.	2607554	224		
CO ₂ nasal cannula + O ₂ , child, disposable, for Vista 120, 50 pcs.	2607555	224		
CO ₂ nasal cannula, adult, disposable, for Vista 120, 100 pcs.	2607551	224		
CO ₂ nasal cannula, infant, disposable, for Vista 120, 100 pcs.	2607553	224		
CO ₂ nasal cannula, pediatric, disposable, for Vista 120, 100 pcs.	2607552	224		
CO ₂ sampling line, disposable, for Vista 120, 100 pcs.	2607550	224		
CO ₂ sidestream water trap, for Vista 120, 20 pcs.	2605124	224		
CombiStar A Filter HME, combination of airway connector MP01845 and filter TwinStar® 55 (MP01805), 25 pcs.	MP01671	56		
CombiStar F-HME HEPA flex, combination of flexible tube extension MP01850 and filter TwinStar® HEPA (MP01801), 25 pcs.	MP04242	56		
CombiStar Filter HME flex, combination of flexible tube extension MP01850 and filter TwinStar® 55 (MP01805), 25 pcs.	MP04240	56		
CombiStar mechanical Filter flex, combination of flexible tube extension MP01850 and filter SafeStar® 55 (MP01790), 25 pcs.	MP04246	56		
Compact flowmeter				
Clickflow configurator	MP13000	250, 405		
Compact rail, for 38 mm tube, standard rail profile 25 × 10 mm	2M85337	261, 321, 323, 357, 419		
Condensate management hoses for Isolette® 8000 and 8000 plus, disposable, 20 pcs.	MU21120	334, 336		
Connection cable for MX 300 and MX 300-i	MP01444	355		
Connection cable, connects HemoMed Pod to monitor, 3 m	5591925	148		
Connection cable, connects HemoMed Pod to monitor, 5 m	5591933	148		
Connection hose Medela	MP03233	287		
Connection hose, silicone, reusable, ID 5 mm, wall thickness 2 mm, by meter	1203606	281, 415		
Connector pressure Oxylog® VE300	MP01372	38		
Continuous drainage 1, for continuous and wound drainage	2M85151	294		
Continuous drainage 3, for continuous, wound, and thoracic drainage	2M85153	294		
Control panel	MP00589	323, 419		
Controller cable for Aerogen Pro	MP01036	91		
Corrugated hose, reusable, N/P, 14 cm, connector 10 mm/10 mm, Ø 10 mm	8403333	31, 372		
Corrugated hose, silicone, reusable, N/P, 28 cm, connector 10 mm/10 mm, Ø 10 mm	8402041	32		
Cover for skin temperature probe CARE-FOR-ME, hydrogel, disposable, large, 100 pcs.	MU06943	354		
Cover for skin temperature probe CARE-FOR-ME, hydrogel, disposable, small, 100 pcs.	MU06944	354		
CS connection hose holder	2M85446	278, 288, 319, 416		
CS hoses, several hoses to connect flowmeter with the central supply	8601697	299		
Cuff controller cradle allows CNAP™ cuff controller to "slide" with movement of patient's arm	MS26123	146		
Cylinder support	2M85180	295		
D Demo lung SmartLung, max.1 L, reusable, not made with natural rubber latex	MP02405	46		
Demo lung to simulate neonatal lungs, with suitcase	8418077	377		
Demo package BabyFlow plus, disposable, size L	MP03705	362		
Demo package BabyFlow plus, disposable, size M	MP03704	358, 362		
Demo package BabyFlow plus, disposable, size S	MP03703	358, 362		
Deposit plate for Babytherm® 8000	2M21158	338		
Disposable Handle Polaris, Dual, for Polaris 100/200, 600 and Multimedia, adapter required, 60 pcs.	MP05700	82, 325		

INDEX BY PRODUCT NAME

Disposable Handle Polaris, Single, for Polaris 100/200, 600 and Multimedia, adapter required, 120 pcs.	MP05701	82, 325		
Double connector 11ID/15OD, disposable, 10 pcs.	MP02655	20, 371		
Double-Plug coupling AIR	G01166	314		
Double-Plug coupling O ₂	G01168	314		
Double-Plug coupling VAC	G01169	314		
Dräger X-plore® 1720	MP11060	431		
Dräger X-plore® 1730	MP11061	431		
Dräger X-plore® 1920 (M/L)	MP11062	431		
Dräger X-plore® 1920 (S)	MP11063	431		
Dräger X-plore® 1930 (M/L)	MP11064	431		
Dräger X-plore® 1930 (S)	MP11065	431		
Draw wire for hose heater 1.5 m, for reusable breathing circuit	8411050	89, 387		
Dust filter Perseus, 5 pcs.	MX50115	101		
E Ear clip for Nellcor® DURA-Y™	MX01005	135, 216, 229		
ECG „4-lead“ spacer, 10 pcs.	MS22832	174		
ECG adapter for single-pin				
ECG cable to MultiMed® 6	MS14680	120, 174		
ECG adapter for single-pin				
ECG cableto MultiMed® 5	MS14679	120, 174		
ECG adapter tel, GE-AP-CH, 3 Lead	MP04350	236		
ECG adapter tel, GE-AP-CH, 5 Lead	MP04351	236		
ECG adapter tel, GE-AP-CH, 6 Lead	MP04352	236		
ECG adapter tel, GE-AP-FH, 5 Lead	MP04353	236		
ECG adapter tel, PH M, 5 Lead	MP04358	236		
ECG adapter tel, PH M, 6 Lead	MP04359	236		
ECG adapter tel, PH MX40, 3 Lead	MP04355	236		
ECG adapter tel, PH MX40, 5 Lead	MP04356	236		
ECG adapter tel, PH MX40, 6 Lead	MP04357	236		
ECG adapter tel, SL AT, 5 Lead	MP04365	236		
ECG adapter tel, SL UV, 5 Lead	MP04366	236		
ECG Adapter, 3 Lead GE	MP04322	234		
ECG Adapter, 3 Lead Mindray	MP04312	234		
ECG Adapter, 3 Lead NK	MP04316	234		
ECG Adapter, 3 Lead Philips	MP04325	234		
ECG Adapter, 3 Lead Spacelabs	MP04300	234		
ECG Adapter, 3 Lead Welch Allyn	MP04305	234		
ECG Adapter, 5 Lead GE	MP04320	234		
ECG Adapter, 5 Lead Mindray	MP04310	234		
ECG Adapter, 5 Lead Philips	MP04326	234		
ECG Adapter, 5 Lead Spacelabs	MP04301	234		
ECG Adapter, 5 Lead Welch Allyn	MP04306	234		
ECG Adapter, 6 Lead NK	MP04315	234		
ECG Adapter, 6 Lead Philips	MP04327	234		
ECG cable for C lead MonoLead® 5, IEC1 (European color code), 1.5 m	MS16232	115		
ECG cable for C lead, IEC1 (European color code), 1 m	MP03417	118		
ECG cable for V lead MonoLead® 5, IEC2 (AHA/US color code), 1.5 m	MS16230	115		
ECG cable for V lead, IEC2 (AHA/US color code), 1 m	MP03418	118		
ECG cable, 3-lead Infinity® TruST™, IEC1 (European color code), 70 cm	MP03421	201		
ECG cable, 3-lead Infinity® TruST™, IEC2 (AHA/US color code), 70 cm	MP03422	201		
ECG cable, 3-lead, dual-pin connector MonoLead® 3, IEC1 (European color code), 2 m	MS16160	115		
ECG cable, 3-lead, dual-pin connector MonoLead® 3, IEC2 (AHA/US color code), 2 m	MS16233	115		
ECG cable, 3-lead, dual-pin connector, IEC1 (European color code), 1 m	MP03411	118		
ECG cable, 3-lead, dual-pin connector, IEC2 (AHA/US color code), 1 m	MP03412	118		
ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC1 (European color code), 2 m	MS14555	113, 170, 200, 213		
ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC1 (European color code), 4.1 m	MS28561	114, 171, 213		
ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC2 (AHA/US color code), 2 m	MS14556	113, 170, 200, 213		
ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC2 (AHA/US color code), 4.1 m	MS28557	114, 171, 213		
ECG cable, 3-lead, single-pin connector IEC1 (European color code), 1 m	MP03401	117, 172, 201, 212		
ECG cable, 3-lead, single-pin connector IEC2 (AHA/US color code), 1 m	MP03402	117, 172, 201, 212		
ECG cable, 3-lead, single-patient use, IEC1 (European color code), 1 m, 20 pcs.	MP00875	116, 173, 202, 212		
ECG cable, 3-lead, single-pin connector single-patient use, IEC2 (AHA/US color code), 1 m, 20 pcs.	MP00877	116, 173, 202, 212		
ECG cable, 4-lead, single-pin connector MonoLead® 4, IEC1 (European color code), 1.7 m	MS14693	171		
ECG cable, 4-lead, single-pin connector MonoLead® 4, IEC1 (European color code), 3.7 m	MS20476	171		
ECG cable, 4-lead, single-pin connector MonoLead® 4, IEC2 (AHA/US color code), 1.7 m	MS14694	171		
ECG cable, 4-lead, single-pin connector MonoLead® 4, IEC2 (AHA/US color code), 3.7 m	MS20475	171		

INDEX BY PRODUCT NAME

ECG cable, 4-lead, single-pin connector IEC1 (European color code), 1 m	MP03407	172	
ECG cable, 4-lead, single-pin connector IEC2 (AHA/US color code), 1 m	MP03408	172	
ECG cable, 4-lead, single-pin connector single-patient use, IEC1 (European color code), 1 m, 20 pcs.	MP03120	173	
ECG cable, 4-lead, single-pin connector single-patient use, IEC2 (AHA/US color code), 1 m, 20 pcs.	MP03121	173	
ECG cable, 5-lead Infinity® TruST™, IEC1 (European color code), 70 cm	MP03423	201	
ECG cable, 5-lead Infinity® TruST™, IEC2 (AHA/US color code), 70 cm	MP03424	201	
ECG cable, 5-lead, dual-pin connector MonoLead® 5, IEC1 (European color code), 2.5 m	MS16161	115	
ECG cable, 5-lead, dual-pin connector MonoLead® 5, IEC2 (AHA/US color code), 2.5 m	MS16229	115	
ECG cable, 5-lead, dual-pin connector, IEC1 (European color code), 1/1.5 m	MP03413	118	
ECG cable, 5-lead, dual-pin connector, IEC2 (AHA/US color code), 1/1.5 m	MP03414	118	
ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC1 (European color code), 2.5 m	MS14559	113, 170, 200, 213	
ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC1 (European color code), 5.3 m	MS28559	114, 171, 213	
ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC2 (AHA/US color code), 2.5 m	MS14560	113, 170, 200, 213	
ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC2 (AHA/US color code), 5.3 m	MS28558	114, 171, 213	
ECG cable, 5-lead, single-pin connector IEC1 (European color code), 1/1.5 m	MP03403	117, 172, 201, 212	
ECG cable, 5-lead, single-pin connector IEC2 (AHA/US color code), 1/1.5 m	MP03404	117, 172, 201, 212	
ECG cable, 5-lead, single-pin connector single-patient use, IEC1 (European color code), 1/1.5 m, 20 pcs.	MP00879	116, 173, 202, 212	
ECG cable, 5-lead, single-pin connector single-patient use, IEC2 (AHA/US color code), 1/1.5 m, 20 pcs.	MP00881	116, 173, 202, 212	
ECG cable, 6-lead Infinity® TruST™, IEC1 (European color code), 70 cm	MP03425	201	
ECG cable, 6-lead Infinity® TruST™, IEC2 (AHA/US color code), 70 cm	MP03426	201	
ECG cable, 6-lead, dual-pin connector, IEC1 (European color code), 1/1.5 m	MP03415	118	
ECG cable, 6-lead, dual-pin connector, IEC2 (AHA/US color code), 1/1.5 m	MP03416	118	
ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC1 (European color code), 3 m	MS14683	113, 170, 200	
ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC1 (European color code), 5.7 m	MS17185	114, 171	
ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC2 (AHA/US color code), 3 m	MS14682	113, 170, 200	
ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC2 (AHA/US color code), 5.7 m	MS28560	114, 171	
ECG cable, 6-lead, single-pin connector IEC1 (European color code), 1/1.5 m	MP03405	117, 172, 201	
ECG cable, 6-lead, single-pin connector IEC2 (AHA/US color code), 1/1.5 m	MP03406	117, 172, 201	
ECG cable, 6-lead, single-pin connector single-patient use, IEC1 (European color code), 1/1.5 m, 20 pcs.	MP03122	116, 173, 202	
ECG cable, 6-lead, single-pin connector single-patient use, IEC2 (AHA/US color code), 1/1.5 m, 20 pcs.	MP03123	116, 173, 202	
ECG defib trunk cable, 3/5-lead single-pin, IEC/AHA 1.5 m	2612020	210	
ECG defib trunk cable, 3/5-lead single-pin, IEC/AHA 2.5 m	2612021	210	
ECG defib trunk cable, Neonate, single-pin, IEC/AHA, 1.5 m	2612026	210	
ECG defib trunk cable, Neonate, single-pin, IEC/AHA, 2.5 m	2612027	210	
ECG electrodes, adult, disposable, 300 pcs.	2606247	214	
ECG electrodes, adult/child, disposable, 1,000 pcs.	2606249	214	

INDEX BY PRODUCT NAME

ECG electrodes, child, disposable, 500 pcs.	2606248	214		
ECG electrodes, single-patient use, adult/child, 50 pcs.	4527750	119, 174		
ECG electrodes, single-patient use, neonate, 300 pcs.	5195024	119, 174, 214, 393		
ECG ESU block, for OR use of 3- or 5-lead ECG cables with MultiMed® 5	5947226	120		
ECG ESU block, for OR use of 3-, 5-, or 6-lead ECG cables with MultiMed® 6	7486140	120		
ECG ESU trunk cable, 3/5-lead single-pin, IEC/AHA, 2.5 m	2612025	210		
ECG ESU trunk cable, 3/5-lead single-pin, IEC/AHA 1.5 m	2612024	210		
ECG ESU trunk cable, Neonate, single-pin, IEC/AHA, 1.5 m	2612028	210		
ECG ESU trunk cable, Neonate, single-pin, IEC/AHA, 2.5 m	2612029	210		
ECG extension cable, 4-lead, single-pin connector, 2 m	MS31435	174		
ECG extension cable, 6-lead, single-pin connector 2 m	MS16256	120, 174		
ECG extension cable, dual-pin connector, 2 m	MS16492	120		
ECG intermediate cable, 3-lead, for NeoMed Pod, 1.5 m	5592162	119, 393		
ECG leadwire, 3-lead single-pin, AHA, 1 m	2612001	211		
ECG leadwire, 3-lead single-pin, IEC, 1 m	2612000	211		
ECG leadwire, 5-lead single-pin, AHA, 1.5 m	2612003	211		
ECG leadwire, 5-lead single-pin, IEC, 1.5 m	2612002	211		
ECG limb wires, 3-lead, Grabber, AHA colour code	2606497	214		
ECG limb wires, 3-lead, Grabber, IEC colour code	2606493	214		
ECG limb wires, 5-lead, Grabber, AHA colour code	2606498	214		
ECG limb wires, 5-lead, Grabber, IEC colour code	2606494	214		
ECG neonatal 3-lead adapter cable, 2 m	MS25951	174		
ECG trunk cable, 3-lead, for neonates, IEC & AHA	2606492	214		
ECG trunk cable, 3-lead, IEC/AHA colour code	2606495	214		
ECG trunk cable, 5-lead, IEC/AHA colour code	2606496	214		
EEG electrode cable, color-coded, 9 pcs.	5947804	161		
EEG electrodes, disposable, 25 pcs.	MS29468	161		
Ejector suction NIST AIR O ₂ , for bronchial suction, gas connection AIR/O ₂ , for connection to all standard wall rails	MK01418	273		
Ejector suction NIST, for bronchial suction, gas connection AIR, for connection to all standard wall rails	MK01420	273		
Ejector suction NIST, for bronchial suction, gas connection AIR, version for Atlan A300/ A350 and Perseus A500	MP00688	273		
Ejector VarioAir® B AGA, for bronchial suction, gas connection AIR, Swedish standard	MP00533	270		
Ejector VarioAir® B BS, for bronchial suction, gas connection AIR	MP00531	270		
Ejector VarioAir® B CARBA, for bronchial suction, gas connection AIR	MP00548	270		
Ejector VarioAir® B compact, for bronchial suction, gas connection NIST AIR, including secretion jar set and integrated ejector	MP00536	275		
Ejector VarioAir® B DIN, for bronchial suction, gas connection AIR	MP00530	270		
Ejector VarioAir® B NF, for bronchial suction, gas connection AIR	MP00532	270		
Ejector VarioAir® B UNI, for bronchial suction, gas connection AIR	MP00534	270		
Ejector VarioAir® B/OR Rail DISS, for Bronchial and OR suction, gas connection DISS AIR	MP00638	271		
Ejector VarioAir® B/OR Rail, for Bronchial and OR suction, gas connection NIST AIR	MP00535	271, 286		
Ejector VarioAir® D AGA, for continuous and wound drainage, gas connection AIR	MP00540	292		
Ejector VarioAir® D BS, for continuous and wound drainage, gas connection AIR	MP00538	292		
Ejector VarioAir® D CARBA, for continuous and wound drainage, gas connection AIR	MP00549	292		
Ejector VarioAir® D DIN, for continuous and wound drainage, gas connection AIR	MP00537	292		
Ejector VarioAir® D NF, for continuous and wound drainage, gas connection AIR	MP00539	292		

INDEX BY PRODUCT NAME

Ejector VarioAir® D Rail, for continuous and wound drainage, gas connection AIR, for connection to all standard wall rails	MP00542	292, 410	Electrode adapter, to connect neonatal electrodes to MultiMed® pod, 10 pcs.	5194779	119, 393
Ejector VarioAir® D UNI, for continuous and wound drainage, gas connection AIR	MP00541	292	Electrostatic filter and HME TwinStar® 10A, disposable, 10 ml deadspace, angled, 50 pcs.	MP01825	47
Ejector VarioAir® MRI B/OR Rail, for bronchial suction, gas connection NIST AIR, for connection to all standard wall rails	MP03220	272	Electrostatic filter and HME TwinStar® 25, disposable, 25 ml deadspace, 50 pcs.	MP01815	47
Ejector VarioAir® MRI P Rail, for bronchial suction, gas connection NIST AIR, for connection to all standard wall rails	MP03221	272, 411	Electrostatic filter and HME TwinStar® 55, disposable, 55 ml deadspace, 50 pcs.	MP01805	47
Ejector VarioAir® P compact, for bronchial suction, gas connection NIST AIR, including secretion jar set and integrated ejector	MP00547	275, 412	Electrostatic filter and HME TwinStar® 65A, disposable, 65 ml deadspace, angled, 50 pcs.	MP01810	47
Ejector VarioAir® P Rail DISS, for bronchial suction, gas connection DISS AIR, for connection to all standard wall rails	MP00639	272	Electrostatic filter and HME TwinStar® 8, disposable, 8 ml deadspace, 50 pcs.	MP01820	47, 378
Ejector VarioAir® P Rail, for bronchial suction, gas connection NIST AIR, for connection to all standard wall rails	MP00545	272, 411	Electrostatic filter and HME TwinStar® 90, disposable, 90 ml deadspace, 50 pcs.	MP01800	47
Ejector VarioAir® T DIN, for thoracic drainage, gas connection DIN, for connecting to the central AIR supply according to DIN standard	MP00553	293	Electrostatic filter CareStar® 30, disposable, 30 ml deadspace, 50 pcs.	MP01770	48
Ejector VarioAir® T Rail WV, for thoracic drainage, with water vacuum gauge, for connection to all standard wall rails	MP00544	293	Electrostatic filter CareStar® 40A, disposable, 40 ml deadspace, angled, 50 pcs.	MP01765	48
Ejector VarioAir® T Rail, for thoracic drainage, gas connection NIST AIR, for connection to all standard wall rails	MP00543	293	Electrostatic filter CareStar® 45, disposable, 45 ml deadspace, 50 pcs.	MP01755	48
Ejector VarioO2® B CARBA, for bronchial suction, gas connection O ₂	MP00551	271	etCO ₂ airway adapter Microstream®, adult/child, max. 12 h, 25 pcs.	7869535	166, 197
Ejector VarioO2® B DIN, for bronchial suction, gas connection O ₂	MP00550	271	etCO ₂ airway adapter Microstream®, adult/child, max. 72 h, 25 pcs.	7869543	166, 197
Ejector VarioO2® B/OR Rail, for bronchial and OR suction, gas connection O ₂	MP00552	260, 271, 286	etCO ₂ airway adapter Microstream®, neonate/child, max. 72 h, 25 pcs.	7869550	166, 197, 401
Elbow for F&P, reusable	8418289	43	etCO ₂ airway adapter, reusable, adult	4721796	163
Elbow, angled hose connection for secretion jar caps	2M19063	282, 415	etCO ₂ airway adapter, reusable, neonate	4721788	163, 401
Elbow, reusable	8412235	38, 43	etCO ₂ nasal cannula Microstream®, + O ₂ , adult, max. 24 h, 25 pcs.	7869493	167, 198
Elbow, reusable, N/P, metal, Luer Lock	M34568	36, 44, 373, 376	etCO ₂ nasal cannula Microstream®, + O ₂ , child, max. 24 h, 25 pcs.	7869485	167, 198, 401
			etCO ₂ nasal cannula Microstream®, adult, max. 12 h, 25 pcs.	7869477	166, 197
			etCO ₂ nasal cannula Microstream®, adult, max. 24 h, 25 pcs.	7869592	166, 197
			etCO ₂ nasal cannula Microstream®, child, max. 12 h, 25 pcs.	7869469	166, 197, 401
			etCO ₂ nasal cannula Microstream®, child, max. 24 h, 25 pcs.	7869600	401
			etCO ₂ nasal/mouth cannula Microstream®, + O ₂ , child, max. 12 h, 25 pcs.	7869584	167, 198, 401

INDEX BY PRODUCT NAME

etCO ₂ nasal/mouth cannula Microstream®, child, max. 12 h, 25 pcs.	7869501	167, 198		
etCO ₂ sensor Capnostat 5, reusable	2606226	226		
Expiratory filter, disposable, 20 pcs.	MP01781	81		
Expiratory valve for Babylog® 8000	8408950	79		
Expiratory valve for Babylog® VN 500, reusable (RFID)	8415270	79		
Expiratory valve for Carina®, disposable, 25 pcs.	MP00220	80		
Expiratory valve for Evita Infinity® V500, reusable	8416750	80		
Expiratory valve for Evita® 2 dura, 4 edition, XL, disposable, 10 pcs.	8414776	79		
Expiratory valve for Evita® 2 dura, 4 edition, XL, disposable, 10 pcs.	MP02600	79		
Expiratory valve for Evita®, reusable	8410580	79		
Expiratory valve for Savina®, reusable	8413660	80		
Expiratory valve, disposable, 10 pcs.	MP01061	80		
Expiratory valve, for neonatal/ pediatric patients (Non-RFID), reusable	8415296	79		
Expiratory valve, reusable	8417050	80		
Extension arm set, for cables and hoses, with cable/hose guide channels	G13040	321		
Extension cable	MS32153	199		
Eyebrow sensor, reusable	MS32291	199		
Eyebrow sensor, reusable, as of Software 1.8	MS40321	199		
F F.O. battery grip, adult, 2.5 V, 28 mm Ø	MX03318	94		
F.O. battery grip, pediatric, 2.5 V, 19 mm Ø	MX03331	94, 390		
F.O. blade size 0 (Mac), reusable, 82 × 14 mm	MX03319	94, 390		
F.O. blade size 0 (Miller), reusable, 78 × 11 mm	MX03324	94, 390		
F.O. blade size 00 (Miller), reusable, 66 × 11 mm	MX50052	94, 390		
F.O. blade size 1 (Mac), reusable, 93 × 14 mm	MX03320	94, 390		
F.O. blade size 1 (Miller), reusable, 103 × 11 mm	MX03325	94, 390		
F.O. blade size 2 (Mac), reusable, 115 × 17 mm	MX03321	94		
F.O. blade size 2 (Miller), reusable, 154 × 14 mm	MX03326	94		
F.O. blade size 3 (Mac), reusable, 135 × 18 mm	MX03322	94		
F.O. blade size 3 (Miller), reusable, 195 × 15 mm	MX50053	94		
F.O. blade size 4 (Mac), reusable, 155 × 18 mm	MX03323	94		
F.O. blade size 4 (Miller), reusable, 210 × 18 mm	MX50054	94		
F.O. laryngoscope set, adult, reusable	MX03330	94		
F.O. laryngoscope set, pediatric, reusable	MX03329	94, 390		
F.O. universal laryngoscope set, reusable	MX03317	94		
Filac 3000 Isolation Chamber, oral, Vista 120 SC	2600941	233		
Filac 3000 Isolation Chamber, rectal, Vista 120 SC	2600944	233		
Filac 3000 Probe Covers, 20 pcs. Vista 120 SC	2600945	233		
Filac 3000 Probe, oral, reusable, 1.2m, Vista 120 SC	2600939	233		
Filac 3000 Probe, oral, reusable, 2.7m, Vista 120 SC	2600940	233		
Filac 3000 Probe, rectal, reusable, 1.2m, Vista 120 SC	2600942	233		
Filac 3000 Probe, rectal, reusable, 2.7m, Vista 120 SC	2600943	233		
Filler cap for Aerogen Pro, silicone, 5 pcs.	MP01035	91		
Filter for suction bottle 40 ml for Resuscitaire®, disposable, 10 pcs.	MU10915	342		
Flow measuring line for Oxylog® 2000/3000 family, 1.5 m	8410929	38		
Flow measuring line for Oxylog® 2000/3000 family, 3 m	8413293	38		
Flow sensor cable for V-series with Neo option and VN-series	8416600	106		
Flow sensor cable, for neonatal flow sensor, e.g., Babylog	8409626	106, 391		
Flow sensor for Crossvent 2i+, disposable, infant, 10 pcs.	MU24401	344		
Flow sensor Infinity® ID, PC/ABS, 5 pcs.	6871980	105		
Flow sensor SpiroLife®, PPSU, sterilizable	MK01900	105		
Flow sensor Spirolog®, PC/ABS, 5 pcs.	8403735	105		
Foot sensor, reusable	MS32290	199		
Foot sensor, reusable, as of Software 1.8	MS40322	199		
G Gastroschisis arm, complete	2M60180	330		
Gel mattress for Babytherm® 8000 / 8010, reusable	2M20827	337		
General-purpose temperature probe, reusable, adult, 7-pin connector, 1.5 m	4329889	140, 188, 221		

INDEX BY PRODUCT NAME

	General-purpose temperature probe, reusable, adult, 7-pin connector, 3 m	5204644	140, 188, 221		
	General-purpose temperature probe, reusable, child, 7-pin connector, 1.5 m	4329848	140, 188, 221		
	General-purpose temperature probe, reusable, child, 7-pin connector, 3 m	5204651	140, 188, 221		
	General-purpose temperature probe, single-patient use, adult, 7-pin connector, 1.6 m	MP00991	139, 187, 220		
	General-purpose temperature probe, single-patient use, adult, 7-pin connector, 3 m	MP00992	139, 187, 220		
	General-purpose temperature probe, single-patient use, child, 7-pin connector, 1.6 m	MP00993	139, 187, 220		
	General-purpose temperature probe, single-patient use, child, 7-pin connector, 3 m	MP00994	139, 187, 220		
H	H300 Heater wire adapter, dual	MP07107	23		
	H300 Heater wire adapter, insp	MP07106	23		
	H300 Temp. sensor cable 160 cm	MP07108	23		
	Hand port cuff, disposable, oval, 100 pcs.	MU06570	336, 343, 347, 349		
	Hand sensor, reusable, adult	MS32154	199		
	Hand sensor, reusable, adult, as of Software 1.8	MS40317	199		
	Hand sensor, reusable, pediatric	MS32289	199		
	Hand sensor, reusable, pediatric, as of Software 1.8	MS40318	199		
	Hand sensor, reusable, small pediatric, as of Software 1.8	MS40319	199		
	Handle, complete for Babytherm® 8000	2M21161	338		
	Headband LNCS TF-I, 5 pcs.	MP03197	133, 184		
	Headgear, disposable, size L, 31 – 37 cm (12.2 – 14.6 in) head circumference, 5 pcs.	MP03884	359, 365		
	Headgear, disposable, size M, 27 – 31 cm (10.6 – 12.2 in) head circumference, 5 pcs.	MP03883	359, 365		
	Headgear, disposable, size S, 23 – 27 cm (9.1 – 10.6 in) head circumference, 5 pcs.	MP03882	359, 365		
	Headgear, disposable, size XL, 37 – 42 cm (14.6 – 16.5 in) head circumference, 5 pcs.	MP03885	359, 365		
	Headgear, disposable, size XS, 20 – 23 cm (7.9 – 9.1 in) head circumference, 5 pcs.	MP03881	359, 365		
	Headgear, disposable, size XXS, 17 – 20 cm (6.7 – 7.9 in) head circumference, 5 pcs.	MP03880	359, 365		
	Headgear, disposable, soft fabric, large	MP01560	70		
	Headgear, disposable, soft fabric, small	MP01559	70, 384		
	Headgear, disposable, soft rubber, large	MP01562	70		
	Headgear, disposable, soft rubber, small	MP01561	70, 384		
	HI-Flow Star Nasal Cannula, disposable, adult L, Flow Range < 60 l/min, 25 pcs.	MP05513	76		
	HI-Flow Star Nasal Cannula, disposable, adult M, Flow Range < 60 l/min, 25 pcs.	MP05512	76		
	HI-Flow Star Nasal Cannula, disposable, adult S, Flow Range < 60 l/min, 25 pcs.	MP05511	76		
	HI-Flow Star System, disposable, 25 pcs.	MP05601	76		
	HI-Flow Star Valve Kit w/ Pop-Up Valve and Connector 22 mm, disposable, 15 pcs.	MP05507	76		
	Hinged arm 240°, 3 hinges, fixable, ball holder system	8409609	324		
	Hinged arm Infinity® ACS, for positioning and fixation of breathing hoses	MP00690	324		
	Hinged arm Quickstop 1	2M85705	324		
	Hinged arm Quickstop 2, with universal ball holder system for optional accessories	2M85706	324, 406		
	Hinged arm Quickstop short, with universal tube holder plate	2M86463	324, 420		
	HME HumidStar® 10A, disposable, 10 mL deadspace, angled, 50 pcs.	MP01740	378		
	HME HumidStar® 2 Plus, disposable, 2 mL deadspace, 100 pcs.	MP05845	50, 378		
	HME HumidStar® 25, disposable, 25 ml deadspace, 50 pcs.	MP01735	50		
	HME HumidStar® 55, disposable, 55 ml deadspace, 50 pcs.	MP01730	50		
	HME HumidStar® Trach Plus, disposable, 6 mL deadspace, 100 pcs.	MP05750	50		
	Holder for cylinder packet for GCX profile	4118453	330		
	Holder for F&P humidifier U-shaped, for trolley, with rail clamp	MP01002	87, 386		
	Holder for hinged hood for Babytherm® 8000 WB, 8004 and 8010, reusable, neonatal, mounts to hand rail	2M21342	338		
	Holder for Infinity® M300 bedside charger, swiveling 360°	MP00990	209		
	Holder for MultiMed® 12 Pod	5202747	112		
	Holder for MultiMed® 5/6, MultiMed® Plus/OR, and NeoMed Pods	5598128	112		

INDEX BY PRODUCT NAME

Holder for MultiMed® 5/6, MultiMed® Plus/OR, NeoMed Pods and Tcore®, swiveling 360°	MP00721	112, 141, 189		
Holder for MX 300 and MX 300-i	MP01443		355	
Hook ring for LiteStar® anesthesia masks, disposable, 15 mm OD, for sizes 1 – 2, 30 pcs.	MP01551		66, 384	
Hook ring for LiteStar® anesthesia masks, disposable, 22 mm ID, for sizes 3 – 6, 30 pcs.	MP01552		66	
Hook ring for SediStar® masks, with 22 mm ID connector (size 3-7), 30 pcs.	MP01708		65	
Hook ring for silicone masks, reusable, 15 mm OD, for sizes 00 – 1, 10 pcs.	MP01916		69, 384	
Hook ring for silicone masks, reusable, 22 mm ID, for sizes 2 – 5, 10 pcs.	MP01917		69	
Hose ASM-WAGD DISS N/ DISS N 10L	MP20022		311	
Hose ASM-WAGD DISS N/ DISS N 15L	MP20023		311	
Hose ASM-WAGD DISS N/ DISS N 20L	MP20024		311	
Hose ASM-WAGD HAND DISS N 10L	MP20029	311, 312		
Hose ASM-WAGD HAND DISS N 15L	MP20030	311, 312		
Hose clamp, 10 pcs.	8403566		32	
Hose heater adapter for F&P MR 700/730, for disposable breathing circuit	8418462		88	
Hose heater adapter for F&P MR 850, for disposable breathing circuit	8414992		88	
Hose heater adapter for F&P MR 850, for double-heated disposable breathing circuit	MP01006		89	
Hose heater adapter for F&P MR 850, for reusable breathing circuit	8414968	88, 387		
Hose heater adapter for F&P MR 850, for third-party breathing circuit	MP01001	89, 387		
Hose heater for F&P MR 700/730 and MR 850, for reusable breathing circuit, 1.1 m	8414993	87, 386		
Hose heater for F&P MR 700/730 and MR 850, for reusable breathing circuit, 1.5 m	8414969	87		
Hose heater for F&P MR 700/730, 70 cm	8411154	87, 386		
Hose heater, A, 1.1 m	8411045	87		
Hose nozzle 8 mm small, connection nozzle double sided 8 mm	5000833		298	
Hose Oxylog® VE300, 150, reusable	MP01390		38	
Hose Oxylog® VE300, 300, reusable	MP01391		38	
Humidifier chamber for F&P MR 290, disposable, 10 pcs.	8418282		86, 386	
Humidifier chamber for F&P MR 340, reusable, N/P	8411047		86, 386	
Humidifier chamber for F&P MR 370, reusable, A	8412217		86	
Humidifier chamber for Isolette® C2000, reusable	MU17191		336	
Humidifier chamber VentStar®, disposable, 10 pcs.	MP00234		19, 371	
Humidifier chamber VentStar®, disposable, N, 10 pcs.	MP02590		20, 371	
Humidifier chamber, 10 pcs.	MP02605		21	
Humidifier-bubbler, for oxygen humidification up to appr. 60% relative humidity and flows up to 5 l/min	2M85834		263, 406	
Humidifier-nebulizer, for oxygen humidification up to 100% relative humidity and flows up to 5 l/min	2M85835		263	
Humidity pad, disposable, antibacterial, 25 pcs.	MU06008	344, 348, 350		
I IBP adapter, 10-pin to 7-pin	3368383		152	
IBP cable 10pin	2607559		227	
IBP cable 7pin	2607558		222	
IBP cable Abbott, Medex	2606490		222	
IBP cable Becton Dickinson/Argon	2606488		222	
IBP cable Edwards	2606489		222	
IBP cable Utah	2606491		222	
IBP connection cable Argon/ Merit Medical, 3.7 m (12.1 ft)	3375933		154	
IBP holder for pressure transducer Memscap (Capto/SensoNor) 844, 4 pcs.	7864155		153	
IBP pressure transducer cable for Memscap (Capto/SensoNor), 3.7 m	4321563		153	
IBP pressure transducer for Memscap (Capto/SensoNor) 844, disposable, sterile, 50 pcs.	7864908		153	
IBP pressure transducer for Memscap (Capto/SensoNor) 844, reusable	7489417		153	
IBP pressure transducer kit, BD/Argon, disposable, 5 kits	2606225		222	
IBP pressure transducer plate, for Hemo2 Pod, for Memscap (Capto/SensoNor), 5 pcs.	4721614		151	
IBP pressure transducer plate, for Hemo2/4 Pods, for Abbott Transpac IV, 5 pcs.	7270460		151	
IBP pressure transducer plate, for Hemo2/4 Pods, for Abbott TranspacII/III/Braun, 5 pcs.	5192112		151	

INDEX BY PRODUCT NAME

IBP pressure transducer plate, for Hemo4 Pod, for Memscap (Capto/SensoNor), 5 pcs.	4721416	151		
IBP pressure transducer plate, for Hemo4 Pod, universal, 5 pcs.	4721424	151		
IBP pressure transducer set Argon/Merit Medical disposable, sterile, 5 pcs.	4528741	154		
IBP pressure transducer set for Memscap (Capto/SensoNor) 844	7498947	153		
IBP pressure transducer set for Memscap (Capto/SensoNor) 844, disposable, 10 pcs.	7489433	153		
IBP transducer adapter Abbott/Medex/ICU Medical	MS22535	149, 194		
IBP transducer adapter Argon/Merit Medical	MS22148	149, 194		
IBP transducer adapter Baxter/Edwards	MS22147	149, 194		
IBP transducer adapter cable, Dräger 10-pin	MS22532	149, 157, 194		
IBP transducer adapter cable, Dräger 7-pin	MS22533	149, 194		
IBP transducer adapter Utah Medical	MS22534	149, 194		
IBP Y-adapter, 10-pin	5731281	152		
IBP Y-adapter, 10-pin to 7-pin	5588095	152		
IBP Y-adapter, 7-pin	5592147	152		
IBP Y-cable Argon/ Merit Medical 3.7 m (12.1 ft)	5206581	154		
IBP Y-cable, Baxter/Edwards, 3.7 m	5206607	152		
IBP Y-cable, for Memscap (Capto/SensoNor), 3.7 m	5195180	153		
Immersion tube, for continuous drainages, not scaled	M16395	297		
Immersion tube, for water vacuum gauge of for VarioVac® T + VarioAir® T, scaled	MP00569	298		
Incubator cover, for Babyleo TN500, reusable	MP03730	329, 353		
Incubator cover, for Caleo®, reusable	MP01423	331, 353		
Incubator cover, for Isolette® C2000, 8000 and 8000 plus, reusable	MP01424	333, 335, 353		
Infinity® ID CLIC Absorber 800+, disposable absorber, 1.2 l, 6 pcs.	MX50004	99		
Infinity® ID CLIC Absorber Free, disposable absorber, 1.2 l, 6 pcs.	MX50120	99		
Infinity® ID Expiratory filter, disposable, 20 pcs.	MP01780	81		
Infinity® ID, expiratory valve, disposable, 10 pcs.	MP01060	80		
Infinity® MPod-QuadHemo, cardiac output, 2 temperatures, up to 4 invasive pressures	MS20725	148, 194		
Infinity® PiCCO Gen II SmartPod®	MS23133	157		
Infinity® PiCCO Gen II SmartPod® kit	MS32282	157		
Infusion bottle holder for Babytherm®, reusable, neonatal	2M16520	339		
Infusion holder, reusable, 3 hooks, for poles with Ø 38 mm	2M21514	332, 339		
Inhalation mask for Inhalette	M11015	91		
Insert for neonatal flow sensor, PSU, sterilizable, 5 pcs.	8410179	105, 391		
Iris port sleeve, disposable, 100 pcs.	MU03876	334, 336, 343, 347, 349		
K Kit T-Adapter, Pediatric with Neo connectors, 10 pcs.	MP01087	92, 388		
L Laryngoscope set, adult, reusable	MX03313	93		
Laryngoscope set, pediatric, reusable	MX03312	93, 389		
Leakage valve for Carina® SyncVent, disposable, 5 pcs.	MP00224	80		
Light for Photo Therapy 4000, fluorescent bulb, blue	2M21010	351		
Light for Photo Therapy 4000, fluorescent bulb, white	2M21009	351		
Light shield curtain for BiliLux, reusable	MP03760	351		
Litter bag holder, stainless steel, with base plate and litter bags (100 pcs.)	M24695	319, 417		
Litter bags, disposable, for litter bag holder, 100 pcs.	M26240	319, 417		
Locking screw, for immersion tube	MP00596	298		
M M540 Hemo connection cable, 1.5 m	MS23897	194		
M540 Hemo connection cable, 3 m	MS23898	194		
Masimo® LNCS Trauma sensor, adult, 20 pcs.	MP03191	127, 178		
Masimo® LNCS Trauma sensor, infant/pedi, 20 pcs.	MP03193	127, 178		
Masimo® LNCS Trauma sensor, neonate, 20 pcs.	MP03192	127, 178, 397		
Masimo® rainbow sensor cover, 10 pcs.	MP03203	184		
Masimo® RD rainbow SET sensor, disposable, adult	MS40076	182		
Masimo® RD rainbow SET sensor, disposable, infant	MS40082	182		
Masimo® RD rainbow SET sensor, disposable, neonate	MS40085	182		
Masimo® RD rainbow SET sensor, disposable, pediatric	MS40079	182		
Masimo® RD-SET DC-IP sensor, pediatric, reusable	MS33741	129, 180, 206		
Masimo® RD-SET DCI sensor, adult, reusable	MS33740	129, 180, 206		
Masimo® RD-SET sensor TC-I Ear, pediatric/adult, reusable	MS40067	129, 180		

INDEX BY PRODUCT NAME

Masimo® RD-SET sensor TF-I, pediatric/adult, reusable	MS40073	129, 180	Medical examination light VarioLux® with LED technology, EU	MP00601	322, 418
Masimo® RD-SET sensor YI Multisite, neonate/pediatric/adult, reusable	MS40070	129, 180	Medical examination light VarioLux® with LED technology, GB	MP00603	322, 418
Masimo® RD-SET sensor, adult, disposable	MS33726	130, 179, 206	Medical examination light VarioLux® with LED technology, JPN	MP00608	322, 418
Masimo® RD-SET sensor, infant, disposable	MS33728	130, 179, 206	Medical examination light VarioLux® with LED technology, US	MP00602	322, 418
Masimo® RD-SET sensor, neonatal preterm, disposable	MS33730	130, 179, 397	Medical examination light VarioLux® with LED technology, ZA	MP00607	322, 418
Masimo® RD-SET sensor, neonatal, disposable	MS33729	130, 179, 397	Medication nebulizer Aerogen Pro	MP01010	91, 388
Masimo® RD-SET sensor, pediatric, disposable	MS33727	130, 179, 206	Medication nebulizer for Babylog® 8000 with quick connector	8411030	90
Masimo® Trauma sensor RD-SET, adult, disposable	MS40088	131, 180	Medication nebulizer for Evita® 2 dura, Evita® 4, Evita® XL, Savina®	8412935	90
Masimo® Trauma sensor RD-SET, infant/pedi, disposable	MS40091	131, 180	Membrane for Evita® 2 dura, Evita® 4, Evita® XL, for expiratory valve	8412015	79
Masimo® Trauma sensor RD-SET, neonate, disposable	MS40094	131, 180	Mount clamp 10 – 40 mm (0.4 – 1.57 in)	MS32150	199
Mattress SoftBed, for Babyleo TN500, reusable	2M60390	329	Mount clamp 20 – 60 mm (0.79 – 2.36 in)	MS32151	199
Mattress SoftBed, for Babytherm®, reusable	2M21012	337	Mouthpiece for Inhalette	M12394	91
Mattress SoftBed, for Caleo®, reusable	MX17012	331	MPod-Dual Hemo, 2 invasive blood pressures for M540	MS20783	194
Mattress SoftBed, for Isolette® C2000, 8000 and 8000 plus, reusable	MP01401	333, 335	MRI flow sensor extension cable, for MRI patient monitor	8306370	106
Mattress SoftBed, for Resuscitaire®, reusable, with scale	MP01404	340	Multi-P trolley basic	MP13020	77, 253, 356
Mattress SoftBed, for Resuscitaire®, reusable, without scale	MP01402	340	Multi-P trolley basic	MP13021	77, 253, 356
Mattress SoftBed, for TI 500 and TI 500 Globe-Trotter, reusable	MP01419	343, 346, 349	Multiparameter cable MultiMed® 5 Pod, for ECG, resp., SpO ₂ , and temp., 1.5 m	5950196	111
MCable Mainstream CO ₂ , for Evita, Infinity® V500, Infinity® M540, Vista120, Vista120 S, and Delta VF9.1 and higher	6871950	54, 164, 196, 225, 379	Multiparameter cable MultiMed® 5 Pod, for ECG, resp., SpO ₂ , and temp., 2.5 m	3368391	111
Mechanical filter and HME TwinStar® HEPA, disposable, 55 ml deadspace, 50 pcs.	MP01801	47	Multiparameter cable MultiMed® 6 Pod, for ECG, resp., SpO ₂ , and temp., 2.5 m	5191221	111
Mechanical filter SafeStar® 55, disposable, 55 ml deadspace, 50 pcs.	MP01790	49	Multiparameter cable MultiMed® plus OR, for ECG, SpO ₂ , and temp., 2.5 m	MS20094	111
Mechanical filter SafeStar® 60A, disposable, 60 ml deadspace, angled, 50 pcs.	MP01795	49	Multiparameter cable MultiMed® plus, for ECG, resp., SpO ₂ , and temp., 2.5 m	MS20093	111
Mechanical filter SafeStar® 80, disposable, 80 ml deadspace, 50 pcs.	MP01785	49	Multiparameter cable NeoMed Pod, for ECG, resp., SpO ₂ , temp., and FiO ₂ , 2.5 m	5590539	111, 393
Medical examination light VarioLux® with LED technology, AUS	MP00606	322, 418	Multiple socket for Babytherm® 8000, 220/240 V	2M20914	339
			N N ₂ O CS hose 0.9 m (2.95 ft)		
			NF EN NF	M36725	302
			N ₂ O CS hose 0.9 m (2.95 ft)		
			NIST EN BS	M36728	303
			N ₂ O CS hose 0.9 m (2.95 ft)		
			NIST EN DIN	M36731	299

INDEX BY PRODUCT NAME

N ₂ O CS hose 0.9 m (2.95 ft)			
NIST GB DIN	M36788	313	
N ₂ O CS hose 1.5 m (4.9 ft)			
DISS US KAWA	M35809	309	
N ₂ O CS hose 1.5 m (4.9 ft)			
DISSB EN HAND	M36293	312	
N ₂ O CS hose 1.5 m (4.9 ft)			
NF EN NF	M35427	302	
N ₂ O CS hose 1.5 m (4.9 ft)			
NIST EN AS	M36156	308	
N ₂ O CS hose 1.5 m (4.9 ft)			
NIST EN BS	M35391	303	
N ₂ O CS hose 1.5 m (4.9 ft)			
NIST EN BS straight	M35400	304	
N ₂ O CS hose 1.5 m (4.9 ft)			
NIST EN Carba	M35473	306	
N ₂ O CS hose 1.5 m (4.9 ft)			
NIST EN DIN	M35492	299	
N ₂ O CS hose 1.5 m (4.9 ft)			
NIST EN NF	M35418	301	
N ₂ O CS hose 1.5 m (4.9 ft)			
NIST EN SS	M35378	305	
N ₂ O CS hose 1.5 m (4.9 ft)			
NIST EN UNI	M35409	307	
N ₂ O CS hose 1.5 m (4.9 ft)			
NIST GB DIN	M36789	313	
N ₂ O CS hose 1.5 m (4.9 ft)			
NIST NEUTRAL DIN	M36007	300	
N ₂ O CS hose 1.5 m (4.9 ft)			
NIST NEUTRAL NF	M35437	302	
N ₂ O CS hose 3 m (9.8 ft)			
DISS US KAWA	M35808	309	
N ₂ O CS hose 3 m (9.8 ft)			
DISSB EN HAND	M36294	312	
N ₂ O CS hose 3 m (9.8 ft)			
NF EN NF	M35428	302	
N ₂ O CS hose 3 m (9.8 ft)			
NIST EN AS	M36155	308	
N ₂ O CS hose 3 m (9.8 ft)			
NIST EN BS	M35392	303	
N ₂ O CS hose 3 m (9.8 ft)			
NIST EN BS straight	M35401	304	
N ₂ O CS hose 3 m (9.8 ft)			
NIST EN Carba	M35474	306	
N ₂ O CS hose 3 m (9.8 ft)			
NIST EN DIN	M35493	299	
N ₂ O CS hose 3 m (9.8 ft)			
NIST EN NF	M35419	301	
N ₂ O CS hose 3 m (9.8 ft)			
NIST EN SS	M35379	305	
N ₂ O CS hose 3 m (9.8 ft)			
NIST EN UNI	M35410	307	
N ₂ O CS hose 3 m (9.8 ft)			
NIST GB BS	M36734	313	
N ₂ O CS hose 3 m (9.8 ft)			
NIST GB DIN	M36740	313	
N ₂ O CS hose 3 m (9.8 ft)			
NIST NEUTRAL DIN	M36008	300	
N ₂ O CS hose 3 m (9.8 ft)			
NIST NEUTRAL NF	M35438	302	
N ₂ O CS hose 5 m (16.4 ft)			
DISS US KAWA	M35807	309	
N ₂ O CS hose 5 m (16.4 ft)			
DISSB EN HAND	M36295	312	
N ₂ O CS hose 5 m (16.4 ft)			
NF EN NF	M35344	302	
N ₂ O CS hose 5 m (16.4 ft)			
NIST EN AS	M36154	308	
N ₂ O CS hose 5 m (16.4 ft)			
NIST EN BS	M35334	303	
N ₂ O CS hose 5 m (16.4 ft)			
NIST EN BS straight	M35341	304	
N ₂ O CS hose 5 m (16.4 ft)			
NIST EN Carba	M35347	306	
N ₂ O CS hose 5 m (16.4 ft)			
NIST EN DIN	M35494	299	
N ₂ O CS hose 5 m (16.4 ft)			
NIST EN NF	M35331	301	
N ₂ O CS hose 5 m (16.4 ft)			
NIST EN SS	M35382	305	
N ₂ O CS hose 5 m (16.4 ft)			
NIST EN UNI	M35359	307	
N ₂ O CS hose 5 m (16.4 ft)			
NIST GB BS	M36735	313	
N ₂ O CS hose 5 m (16.4 ft)			
NIST GB DIN	M36741	313	
N ₂ O CS hose 5 m (16.4 ft)			
NIST NEUTRAL DIN	M36009	300	
N ₂ O CS hose 5 m (16.4 ft)			
NIST NEUTRAL NF	M35439	302	
N ₂ O CS hose 8 m (26,25 ft)			
DISS US KAWA	M35867	309	
N ₂ O CS hose DISS Hand 10L	4199596	311	
N ₂ O CS hose DISS Hand 15L	4199595	311	
N ₂ O CS hose DISS N/DISS N 10L	4185142	311	
N ₂ O CS hose DISS N/DISS N 15L	4185143	311	
N ₂ O CS hose DISS N/DISS N 20L	4199713	311	
Nebulizer head, 10 pcs.	MP01079	92, 388	
Nebulizer head, 5 pcs.	MP01078	92, 388	
Nebulizer hose	8412985	90	
Nebulizer unit with filler cap for Aerogen Pro	MP01030	91, 388	
Nellcor® intermediate cable, 1.2 m	MP00748	186, 216, 229	
Nellcor® intermediate cable, 3 m	MS20979	186, 216, 229	
Neo Testlung, disposable, N, 10 pcs., not made with natural rubber latex	MP02425	46, 377	
Neo-mask, silicone, disposable, size L, 10 pcs.	8418619	358, 364	
Neo-mask, silicone, disposable, size M, 10 pcs.	8418490	358, 364	
Neo-mask, silicone, disposable, size S, 10 pcs.	8418491	358, 364	
Neo-mask, TPE, disposable, size 4, 10 pcs.	MP01494	358, 364	
Neo-mask, TPE, disposable, size 5, 10 pcs.	MP01495	358, 364	

INDEX BY PRODUCT NAME

Neo-mask, TPE, disposable, size 6, 10 pcs.	MP01496	358, 364		
Neonatal flow sensor ISO 15, PSU, sterilizable	8411130	105, 391		
Neonatal flow sensor with Y-piece, PSU, sterilizable	8410185	105, 391		
Neonatal Test Lung, reusable, 50 mL, not made with natural rubber latex	MP20050	46, 377		
NIBP connection tube, adult, 3.7 m, for Infinity® monitors	MP00953	142, 190		
NIBP cuff L, reusable, large adult, 31 – 40 cm/40 cm	MP00918	143, 191		
NIBP cuff L, single-patient use, large adult, 31 – 40 cm/40 cm, 10 pcs.	MP00931	144, 192		
NIBP cuff L+, reusable, large adult, long, 31 – 40 cm/55 cm	MP00919	143, 191		
NIBP cuff L+, single-patient use, large adult long, 31 – 40 cm/55 cm, 10 pcs.	MP00932	144, 192		
NIBP cuff M, reusable, adult, 23 – 33 cm/33 cm	MP00915	143, 191		
NIBP cuff M, single-patient use, adult, 23 – 33 cm/33 cm, 10 pcs.	MP00928	144, 192		
NIBP cuff M+, reusable, adult, long, 23 – 33 cm/43 cm	MP00916	143, 191		
NIBP cuff M+, single-patient use, adult long, 23 – 33 cm/43 cm, 10 pcs.	MP00929	144, 192		
NIBP cuff M++, reusable, adult, extra long, 23 – 33 cm/53 cm	MP00917	143, 191		
NIBP cuff M++, single-patient use, adult extra long, 23 – 33 cm/53 cm, 10 pcs.	MP00930	144, 192		
NIBP cuff S, reusable, small adult, 17 – 25 cm/29 cm	MP00913	143, 191		
NIBP cuff S, single-patient use, small adult, 17 – 25 cm/29 cm, 10 pcs.	MP00926	144, 192		
NIBP cuff XL, reusable, thigh, 38 – 50 cm/50 cm	MP00921	143, 191		
NIBP cuff XL, single-patient use, thigh, 38 – 50 cm/50 cm, 10 pcs.	MP00934	144, 192		
NIBP cuff XS, reusable, child, 12 – 19 cm/19 cm	MP00912	143, 191		
NIBP cuff XS, single-patient use, child, 12 – 19 cm/19 cm, 10 pcs.	MP00925	144, 192		
NIBP cuff XXS, reusable, infant, 8 – 13 cm/13 cm	MP00911	143, 191		
NIBP cuff XXS, single-patient use, infant, 8 – 13 cm/13 cm, 10 pcs.	MP00924	144, 192		
NIBP cuff, adult, 27 cm – 35 cm, reusable, Vista120	2606155	217, 230		
NIBP cuff, child, 16 cm - 21 cm, reusable, Vista120	2606153	217, 230		
NIBP cuff, disposable, neonate, size 1, 3.1 – 5.7 cm, 10 pcs.	2870181	145, 193, 400		
NIBP cuff, disposable, neonate, size 2, 4.3 – 8 cm, 10 pcs.	2870199	145, 193, 400		
NIBP cuff, disposable, neonate, size 3, 5.8 – 10.9 cm, 10 pcs.	2870207	145, 193, 400		
NIBP cuff, disposable, neonate, size 4, 7.1 – 13.1 cm, 10 pcs.	2870215	145, 193, 400		
NIBP cuff, disposable, neonate, size 5, 8.3 – 15 cm, 10 pcs.	2870173	145, 193, 400		
NIBP cuff, infant, 10 cm – 15 cm, reusable, Vista120	2606151	217, 230		
NIBP cuff, larger adult, 34 cm – 43 cm, reusable, Vista120	2606156	217, 230		
NIBP cuff, neonatal #1, 3 – 6 cm, disposable, 20 pcs., Vista120	2607034	218		
NIBP cuff, neonatal #2, 4 – 8 cm, disposable, 20 pcs., Vista120	2607035	218		
NIBP cuff, neonatal #3, 6 – 11 cm, disposable, 20 pcs., Vista120	2607036	218		
NIBP cuff, neonatal #4, 7 – 13 cm, disposable, 20 pcs., Vista120	2607037	218		
NIBP cuff, neonatal #5, 8 – 15 cm, disposable, 20 pcs., Vista120	2607038	218		
NIBP cuff, small adult, 20.5 cm – 28 cm, reusable, Vista120	2606154	217, 230		
NIBP cuff, small child, 13 cm – 17 cm, reusable, Vista120	2606152	217, 230		
NIBP hose, neonate, 2.4 m	2870298	142, 190, 400		
NIBP tube, 3 m	2601195	217, 230		
NIST-NIST Connecting hose 1.2 m	M36053	260		
NIV nasal mask ClassicStar® non-vented, disposable, size L	MP01625	58		
NIV nasal mask ClassicStar® non-vented, disposable, size M	MP01624	58		
NIV nasal mask ClassicStar® non-vented, disposable, size S	MP01623	58		
NIV nasal mask ClassicStar® plus non vented, disposable, size L, 5 pcs.	MP04743	61		
NIV nasal mask ClassicStar® plus non vented, disposable, size M, 5 pcs.	MP04742	61		
NIV nasal mask ClassicStar® plus non vented, disposable, size S, 5 pcs.	MP04741	61		
NIV nasal mask ClassicStar® plus non vented, disposable, size XL, 5 pcs.	MP04744	61		
NIV nasal mask ClassicStar® plus vented, disposable, size L, 5 pcs.	MP04753	61		
NIV nasal mask ClassicStar® plus vented, disposable, size M, 5 pcs.	MP04752	61		
NIV nasal mask ClassicStar® plus vented, disposable, size S, 5 pcs.	MP04751	61		
NIV nasal mask ClassicStar® plus vented, disposable, size XL, 5 pcs.	MP04754	61		

INDEX BY PRODUCT NAME

NIV nasal mask ClassicStar® vented, disposable, size L	MP01622	58	NIV oronasal mask ClassicStar® SE, disposable, size M	MP01574	57
NIV nasal mask ClassicStar® vented, disposable, size M	MP01621	58	NIV oronasal mask ClassicStar® SE, disposable, size S	MP01573	57
NIV nasal mask ClassicStar® vented, disposable, size S	MP01620	58	NIV oronasal mask NovaStar® plus, AAV, reusable, size L, 3 pcs.	MP05063	62
NIV oronasal mask ClassicStar® AAV, disposable, size L	MP01572	57	NIV oronasal mask NovaStar® plus, AAV, reusable, size M, 3 pcs.	MP05062	62
NIV oronasal mask ClassicStar® AAV, disposable, size M	MP01571	57	NIV oronasal mask NovaStar® plus, AAV, reusable, size S, 3 pcs.	MP05061	62
NIV oronasal mask ClassicStar® AAV, disposable, size S	MP01570	57	NIV oronasal mask NovaStar® plus, AAV, reusable, size XL, 3 pcs.	MP05064	62
NIV oronasal mask ClassicStar® plus AAV without exhalation ports, disposable, size L, 5 pcs.	MP04733	60	NIV oronasal mask NovaStar® plus, AAV, without exhalation ports, reusable, size L, 3 pcs.	MP05073	62
NIV oronasal mask ClassicStar® plus AAV without exhalation ports, disposable, size M, 5 pcs.	MP04732	60	NIV oronasal mask NovaStar® plus, AAV, without exhalation ports, reusable, size M, 3 pcs.	MP05072	62
NIV oronasal mask ClassicStar® plus AAV without exhalation ports, disposable, size S, 5 pcs.	MP04731	60	NIV oronasal mask NovaStar® plus, AAV, without exhalation ports, reusable, size S, 3 pcs.	MP05071	62
NIV oronasal mask ClassicStar® plus AAV without exhalation ports, disposable, size XL, 5 pcs.	MP04734	60	NIV oronasal mask NovaStar® plus, AAV, without exhalation ports, reusable, size XL, 3 pcs.	MP05074	62
NIV oronasal mask ClassicStar® plus AAV, disposable, size L, 5 pcs.	MP04723	60	NIV oronasal mask NovaStar® plus, SE, reusable, size L, 3 pcs.	MP05053	62
NIV oronasal mask ClassicStar® plus AAV, disposable, size M, 5 pcs.	MP04722	60	NIV oronasal mask NovaStar® plus, SE, reusable, size M, 3 pcs.	MP05052	62
NIV oronasal mask ClassicStar® plus AAV, disposable, size S, 5 pcs.	MP04721	60	NIV oronasal mask NovaStar® plus, SE, reusable, size S, 3 pcs.	MP05051	62
NIV oronasal mask ClassicStar® plus AAV, disposable, size XL, 5 pcs.	MP04724	60	NIV oronasal mask NovaStar® plus, SE, reusable, size XL, 3 pcs.	MP05054	62
NIV oronasal mask ClassicStar® plus SE, disposable, size L, 5 pcs.	MP04713	60	NIV total-face mask ClassicStar® AAV without exhalation ports, disposable, size L	MP02918	59
NIV oronasal mask ClassicStar® plus SE, disposable, size M, 5 pcs.	MP04712	60	NIV total-face mask ClassicStar® AAV without exhalation ports, disposable, size M	MP02917	59
NIV oronasal mask ClassicStar® plus SE, disposable, size S, 5 pcs.	MP04711	60	NIV total-face mask ClassicStar® AAV without exhalation ports, disposable, size S	MP02916	59
NIV oronasal mask ClassicStar® plus SE, disposable, size XL, 5 pcs.	MP04714	60	NIV total-face mask ClassicStar® AAV, disposable, size L	MP02915	59
NIV oronasal mask ClassicStar® SE, disposable, size L	MP01575	57	NIV total-face mask ClassicStar® AAV, disposable, size M	MP02914	59
			NIV total-face mask ClassicStar® AAV, disposable, size S	MP02913	59
			NIV total-face mask ClassicStar® SE, disposable, size L	MP02912	59

INDEX BY PRODUCT NAME

NIV total-face mask ClassicStar® SE, disposable, size M	MP02911	59		
NIV total-face mask ClassicStar® SE, disposable, size S	MP02910	59		
NMT accelerometer Trident®	MS15085	162		
NMT electrode cable Trident®, 2-lead, 0.3 m	MS13218	162		
NMT hand adapter Trident®	MS15086	162		
NMT intermediate cable for Infinity® Trident (NMT) SmartPod®, 1.9 m	7872174	162		
NMT thermistor Trident®	MS15053	162		
NMT thumb adapter for Infinity® Trident (NMT) SmartPod®, disposable, 50 pcs.	MS15084	162		
NovaStar® plus Headgear inclusive magnetic clips, 3 pcs.	MP05080	64		
O O ₂ analyzer MX 300	MP01441	361		
O ₂ analyzer MX 300-i	MP01440	355		
O ₂ compact flowmeter Clickflow, DIN CS, 1 – 16 l/min, 6 mm nozzle	MP13012	251, 405		
O ₂ compact flowmeter Clickflow, DIN CS, 1 – 16 l/min, 9/16"	MP13011	251, 405		
O ₂ compact flowmeter Clickflow, rail, NIST, 1 – 16 l/min, 9/16"	MP13013	252		
O ₂ CS hose 0.9 m (2.95 ft) NF EN NF	M36723	302		
O ₂ CS hose 0.9 m (2.95 ft) NIST EN BS	M36726	303		
O ₂ CS hose 0.9 m (2.95 ft) NIST EN DIN	M36729	299		
O ₂ CS hose 0.9 m (2.95 ft) NIST GB DIN	M36784	313		
O ₂ CS hose 1.5 m (4.9 ft) DISS US KAWA	M35806	309		
O ₂ CS hose 1.5 m (4.9 ft) DISSB EN HAND	M36290	312		
O ₂ CS hose 1.5 m (4.9 ft) NF EN NF	M35425	302		
O ₂ CS hose 1.5 m (4.9 ft) NIST EN AS	M36153	308		
O ₂ CS hose 1.5 m (4.9 ft) NIST EN BS	M35389	303		
O ₂ CS hose 1.5 m (4.9 ft) NIST EN BS straight	M35398	304		
O ₂ CS hose 1.5 m (4.9 ft) NIST EN Carba	M35469	306		
O ₂ CS hose 1.5 m (4.9 ft) NIST EN DIN	M35489	299		
O ₂ CS hose 1.5 m (4.9 ft) NIST EN NF	M35416	301		
O ₂ CS hose 1.5 m (4.9 ft) NIST EN SS	M35375	305		
O ₂ CS hose 1.5 m (4.9 ft) NIST EN UNI	M35407	307		
O ₂ CS hose 1.5 m (4.9 ft) NIST GB DIN	M36785	313		
O ₂ CS hose 1.5 m (4.9 ft) NIST NEUTRAL DIN	M36004	300		
O ₂ CS hose 1.5 m (4.9 ft) NIST NEUTRAL NF	M35434	301		
O ₂ CS hose 3 m (9.8 ft) DISS US KAWA	M35805	309		
O ₂ CS hose 3 m (9.8 ft) DISSB EN HAND	M36291	312		
O ₂ CS hose 3 m (9.8 ft) NF EN NF	M35426	302		
O ₂ CS hose 3 m (9.8 ft) NIST EN AS	M36152	308		
O ₂ CS hose 3 m (9.8 ft) NIST EN BS	M35390	303		
O ₂ CS hose 3 m (9.8 ft) NIST EN BS straight	M35399	304		
O ₂ CS hose 3 m (9.8 ft) NIST EN Carba	M35472	306		
O ₂ CS hose 3 m (9.8 ft) NIST EN DIN	M35490	299		
O ₂ CS hose 3 m (9.8 ft) NIST EN NF	M35417	301		
O ₂ CS hose 3 m (9.8 ft) NIST EN SS	M35376	305		
O ₂ CS hose 3 m (9.8 ft) NIST EN UNI	M35408	307		
O ₂ CS hose 3 m (9.8 ft) NIST GB BS	M36732	313		
O ₂ CS hose 3 m (9.8 ft) NIST GB DIN	M36738	313		
O ₂ CS hose 3 m (9.8 ft) NIST NEUTRAL DIN	M36005	300		
O ₂ CS hose 3 m (9.8 ft) NIST NEUTRAL NF	M35435	301		
O ₂ CS hose 5 m (16.4 ft) DISS US KAWA	M35804	309		
O ₂ CS hose 5 m (16.4 ft) DISSB EN HAND	M36292	312		
O ₂ CS hose 5 m (16.4 ft) NF EN NF	M35342	302		
O ₂ CS hose 5 m (16.4 ft) NIST EN AS	M36151	308		
O ₂ CS hose 5 m (16.4 ft) NIST EN BS	M35333	303		
O ₂ CS hose 5 m (16.4 ft) NIST EN BS straight	M35339	304		
O ₂ CS hose 5 m (16.4 ft) NIST EN Carba	M35345	306		
O ₂ CS hose 5 m (16.4 ft) NIST EN DIN	M35491	299		
O ₂ CS hose 5 m (16.4 ft) NIST EN NF	M35330	301		
O ₂ CS hose 5 m (16.4 ft) NIST EN SS	M35377	305		

INDEX BY PRODUCT NAME

O ₂ CS hose 5 m (16.4 ft) NIST EN UNI	M35357	307		
O ₂ CS hose 5 m (16.4 ft) NIST GB BS	M36733	313		
O ₂ CS hose 5 m (16.4 ft) NIST GB DIN	M36739	313		
O ₂ CS hose 5 m (16.4 ft) NIST NEUTRAL DIN	M36006	300		
O ₂ CS hose 5 m (16.4 ft) NIST NEUTRAL NF	M35436	301		
O ₂ CS hose 8 m (26,25 ft) DISS US KAWA	M35866	309		
O ₂ CS hose DISS Hand 10L	4199592	310		
O ₂ CS hose DISS Hand 15L	4199591	310		
O ₂ CS hose DISS N/DISS N 10L	4185140	310		
O ₂ CS hose DISS N/DISS N 15L	4185141	310		
O ₂ CS hose DISS N/DISS N 20L	4199714	310		
O ₂ flowmeter for anesthesia, 16 l/min, 90°, rail, with NIST black hose 1 m, connector 9/16-18 UNF to 6 mm	MP04579	246		
O ₂ flowmeter for anesthesia, 16 l/min, 90°, rail, with NIST ISO hose 1.2 m, connector 9/16-18 UNF to 6 mm	MP04578	246		
O ₂ flowmeter for anesthesia, 16 l/min, rail, with NIST black hose 1 m, connector 9/16-18 UNF to 6 mm	MP04577	246		
O ₂ flowmeter for anesthesia, 16 l/min, rail, with NIST I SO hose 1.2 m, connector 9/16" UNF to 6 mm	MP04576	246		
O ₂ flowmeter, 10 l/min, CS, CARBA, including adapter to 9/16" for sterile water	MP04554	242		
O ₂ flowmeter, 10 l/min, rail fitting with NIST gas inlet, M34×1.5, adapter 9/16"	MP04556	247		
O ₂ flowmeter, 16 l/min, CS, British Standard, ISO, M34×1.5, adapter 9/16"	MP04565	242		
O ₂ flowmeter, 16 l/min, CS, CARBA, including adapter to 9/16" for sterile water	MP04563	242		
O ₂ flowmeter, 16 l/min, CS, DIN, ISO and neutral color, M34×1.5 and 9/16" for accessories and sterile water systems	MP04558	241		
O ₂ flowmeter, 16 l/min, CS, French Standard, ISO, M34×1.5, adapter 9/16"	MP04566	242		
O ₂ flowmeter, 16 l/min, CS, long CS plug (6 cm; 2.4 in), DIN, ISO and neutral color, M34×1.5 and 9/16" for accessories and sterile water systems	MP04561	241		
O ₂ flowmeter, 16 l/min, rail NIST, packed with hose 1.5 m, DIN, ISO, M34×1.5 and 9/16" for accessories and sterile water systems	MP04573	244		
O ₂ flowmeter, 16 l/min, rail NIST, packed with hose 1.5 m, DIN, neutral color, M34×1.5 and 9/16" for accessories and sterile water systems	MP04575	244		
O ₂ flowmeter, 16 l/min, rail, 90°, NIST gas inlet, M34×1.5 and 9/16" for accessories and sterile water systems	MP04570	245		
O ₂ flowmeter, 16 l/min, rail, NIST gas inlet, M34×1.5, adapter 9/16"	MP04567	247, 404		
O ₂ flowmeter, 32 l/min, CS, DIN, ISO and neutral color, M34×1.5 and 9/16" for accessories and sterile water systems	MP04571	242		
O ₂ flowmeter, 32 l/min, rail, NIST, M34×1.5 and adapter 9/16"	MP04580	245		
O ₂ flowmeter, 4 l/min, CS, DIN, ISO and neutral color, M34×1.5 and 9/16" for accessories and sterile water systems	MP04551	241, 402		
O ₂ flowmeter, 4 l/min, rail with NIST gas inlet, M34×1.5 and 9/16" for accessories and sterile water systems	MP04552	244, 404		
O ₂ flowmeter, 4 l/min, rail, 90°, NIST gas inlet, M34×1.5 and 9/16" for accessories and sterile water systems	MP04553	245, 404		
O ₂ sensor capsule, for mainstream measurement	6850645	107, 392		
O ₂ sensor for Crossvent 2i+	MU24402	344		
O ₂ sensor for Isolette® C2000, 8000 and 8000 plus, reusable, 2 pcs.	MU24903	334, 336		
O ₂ sensor for MX 300 and MX 300-i, reusable	MP01442	355		
O ₂ sensor for TI 500 Globe-Trotter, reusable	MU04804	346		
O ₂ sensor housing Oxydig, for O ₂ sensor capsule, with spiral cable	6850250	107, 392		
O ₂ sensor Oxycell, for Babyleo® TN500	6873065	107, 329, 392		
O ₂ sensor OxyTrace INCU, for Caleo®	MX01050	107, 332		
O ₂ sensor OxyTrace VE, for Savina® ventilator	MX01049	107		
O ₂ twin compact flowmeter Clickflow, DIN, 2 × 1 – 16 l/min, 9/16"	MP13014	252		

INDEX BY PRODUCT NAME

O ₂ twin flowmeter, 2 × 10 l/min, CS, CARBA, 2 × M34×1.5, including adapter to 9/16" for sterile water	MP04555	243	O2Star™ Oxygen connection tube, 4 m, disposable, 25 pcs.	MP01943	75
O ₂ twin flowmeter, 2 × 10 l/min, rail fitting with NIST gas inlet, 2 × M34×1.5, adapter 9/16"	MP04557	243	O2Star™ Oxygen connection tube, 4 m, with 9/16" connector, disposable, 25 pcs.	MP01945	75
O ₂ twin flowmeter, 2 × 16 l/min, CS, DIN, ISO, neutral color, M34×1.5 and 9/16" for accessories and sterile water systems	MP04560	243, 403	O2Star™ Oxygen nasal cannula curved with connection tube 2.1 m, disposable, L, 50 pcs.	MP02926	74
O ₂ twin flowmeter, 2 × 16 l/min, rail fitting with NIST gas inlet, 2 × M34×1.5, adapter 9/16"	MP04569	243, 403	O2Star™ Oxygen nasal cannula curved with connection tube 2.1 m, disposable, M, 50 pcs.	MP02925	74, 383
O2Star™ Connector 22 mm ID / 22 mm ID, disposable, 5 pcs.	MP01942	75	O2Star™ Oxygen nasal cannula curved with connection tube 2.1 m, disposable, S, 50 pcs.	MP02924	74, 383
O2Star™ Connector kit for breathing circuit for Aquapor, disposable, 5 pcs.	MP01941	75	O2Star™ Oxygen nasal cannula curved with connection tube 2.1 m, disposable, XL, 50 pcs.	MP02927	74
O2Star™ Connector kit, 6 mm OD/ 22 mm OD + 6 mm OD/22 mm ID w. connection tube, disposable, 5 pcs.	MP01940	75	O2Star™ Oxygen nasal cannula curved-flared with connection tube 2.1 m, disposable, L, 50 pcs.	MP02934	74
O2Star™ Face tent, disposable, M/L, 50 pcs.	MP01925	72	O2Star™ Oxygen nasal cannula curved-flared with connection tube 2.1 m, disposable, M, 50 pcs.	MP02933	74, 383
O2Star™ Face tent, disposable, S, 50 pcs.	MP01933	72	O2Star™ Oxygen nasal cannula curved-flared with connection tube 2.1 m, disposable, S, 50 pcs.	MP02932	74, 383
O2Star™ Medium concentration oxygen mask with connection tube 2.1 m, disposable, M/L, 50 pcs.	MP01921	71	O2Star™ Oxygen nasal cannula curved-flared with connection tube 2.1 m, disposable, XL, 50 pcs.	MP02935	74
O2Star™ Medium concentration oxygen mask with connection tube 2.1 m, disposable, S, 50 pcs.	MP01931	71	O2Star™ Oxygen nasal cannula flared with connection tube 2.1 m, disposable, L, 50 pcs.	MP02930	74
O2Star™ Non-rebreather oxygen mask with connection tube 2.1 m, disposable, M/L, 50 pcs.	MP01920	71	O2Star™ Oxygen nasal cannula flared with connection tube 2.1 m, disposable, M, 50 pcs.	MP02929	74, 383
O2Star™ Non-rebreather oxygen mask with connection tube 2.1 m, disposable, S, 50 pcs.	MP01930	71	O2Star™ Oxygen nasal cannula flared with connection tube 2.1 m, disposable, S, 50 pcs.	MP02928	74, 383
O2Star™ Oxygen and aerosol mask with 22 mm OD, disposable, M/L, 50 pcs.	MP01926	71	O2Star™ Oxygen nasal cannula flared with connection tube 2.1 m, disposable, XL, 50 pcs.	MP02931	74
O2Star™ Oxygen and aerosol mask with 22 mm OD, disposable, S, 50 pcs.	MP01934	71	O2Star™ Oxygen nasal cannula straight with connection tube 2.1 m, disposable, L, 50 pcs.	MP02922	74
O2Star™ Oxygen connection tube, 2.1 m, disposable, 25 pcs.	MP01927	75	O2Star™ Oxygen nasal cannula straight with connection tube 2.1 m, disposable, M, 50 pcs.	MP02921	74, 383
O2Star™ Oxygen connection tube, 2.1 m, with 9/16" connector, disposable, 25 pcs.	MP01944	75	O2Star™ Oxygen nasal cannula straight with connection tube 2.1 m, disposable, S, 50 pcs.	MP02920	74, 383

INDEX BY PRODUCT NAME

O2Star™ Oxygen nasal cannula straight with connection tube 2.1 m, disposable, XL, 50 pcs.	MP02923	74	Oxidem 3000 demand valve incl. adapter (2120496, 2120488)	2111764	95
O2Star™ Tracheostomy mask, disposable, M/L, 50 pcs.	MP01924	72	Oxymixer configuration	MP04200	77, 253, 360
O2Star™ Tracheostomy mask, disposable, S, 50 pcs.	MP01932	72	Oxymixer High Flow	MP04201	77, 253
O2Star™ Venturi mask kit, adjustable venturi valve, disposable, M/L, 25 pcs.	MP01922	73	Oxymixer High Flow with monitor	MP04202	77, 253
O2Star™ Venturi mask kit, adjustable venturi valve, disposable, S, 25 pcs.	MP01935	73	Oxymixer Low Flow	MP04203	360
O2Star™ Venturi mask kit, fixed venturi valve, disposable, M/L, 25 pcs.	MP01923	73	Oxymixer Low Flow with 1 – 15 l flowmeter right	MP04229	77, 253, 360
O2Star™ Venturi mask kit, fixed venturi valve, disposable, S, 25 pcs.	MP01936	73	Oxymixer Low Flow with monitor	MP04204	77, 253, 360
OPC NIBP Cuff, child, 12 cm – 19 cm, reusable, 5 pcs., Vista120 SC	2600935	231	Oxymixer oxygen sensor (spare part)	MP04221	78, 254, 361
OPC NIBP Cuff, child, 17 cm – 25 cm, reusable, 5 pcs., Vista120 SC	2600936	231	Oxymixer sound damper 22 and 15 mm	MP04219	78, 254, 361
OPC NIBP Cuff, child, 23 cm – 33 cm, reusable, 5 pcs., Vista120 SC	2600937	231	Oxymixer sound damper 9/16"	MP04218	78, 254, 361
OPC NIBP Cuff, child, 31 cm – 40 cm, reusable, 5 pcs., Vista120 SC	2600938	231			
Optic serial RS 232 cable (1 meter) to connect the device to a Dräger monitorAC	MS32156	199	P Pack2Go® anesthesia pack, A, with anesthesia set + watertrap, 10 pcs.	MP01682	84
Oxator head OxyLine, pressure reducer G ^{3/4} ", 200 bar, NIST, 2 × DIN-CS, ejector VarioO2	MP01103	258, 260	Pack2Go® Carina NIV ventilation pack with oronasal mask ClassicStar® SE, size L, 10 pcs.	MP01665	84
Oxator head, configurable via OxyLine®	MP00100	260	Pack2Go® Carina NIV ventilation pack with oronasal mask ClassicStar® SE, size M, 10 pcs.	MP01664	84
Oxett adapter plate, to mount Oxett on bed in higher position	2M86205	259	Pack2Go® Carina NIV ventilation pack with oronasal mask ClassicStar® SE, size S, 10 pcs.	MP01663	84
Oxett carrying frame, for Oxett head+O ₂ cylinder up to 2.5 l, with secretion jar and rail for suction ejector	MP04110	259	Pack2Go® Evita invasive ventilation pack w/ breathing circuit VentStar®, basic, + cuvette, 10 pcs.	MP01656	83
Oxett head OxyLine, pressure reducer G ^{3/4} ", 200 bar, NIST, flow regulator, DIN-CS, ejector VarioO2	MP01102	258, 259	Pack2Go® Evita invasive ventilation pack w/ breathing circuit VentStar®, basic, 1.8 m, 10 pcs.	MP01657	83
Oxett head OxyLine, pressure reducer G ^{3/4} ", 200 bar, NIST, flowmeter, DIN-CS, ejector VarioO2	MP01101	258, 259	Pack2Go® Evita invasive ventilation pack w/ breathing circuit VentStar®, coaxial, 1.8 m, 10 pcs.	MP01676	83
Oxett head, configurable via OxyLine®	MP00100	259	Pack2Go® Evita invasive ventilation pack w/ breathing circuit VentStar®, coaxial, 1.8 m, 10 pcs.	MP01677	83
			Pack2Go® Savina invasive ventilation pack with breathing circuit VentStar®, basic, 1.8 m, 10 pcs.	MP01674	84
			Pack2Go® Savina invasive ventilation pack with breathing circuit VentStar®, coaxial, 1.8 m, 10 pcs.	MP01673	84
			Parking holder for CO ₂ sensor	8416352	165, 196
			Patient parameter unit Infinity® BISx SmartPod®	MS14796	160
			Patient parameter unit Infinity® EEG Pod	5736744	161
			Patient parameter unit Infinity® HemoMed Pod	5588822	148
			Patient parameter unit MultiMed® 12 Pod	5589663	111
			Patient parameter unit set Infinity® Trident® NMT SmartPod®	MS15007	162
			Pediatric nasal mask MiniMe2 non vented, disposable, size L	MP01556	63, 367

INDEX BY PRODUCT NAME

Pediatric nasal mask MiniMe2 non vented, disposable, size S	MP01555	63, 367	Polaris Multimedia (display adapter) with sterilizable handles (G92099 or G36993), 1 pc.	G35333	82, 325
Pediatric nasal mask MiniMe2 vented, disposable, size L	MP01554	63, 367	Power cable AUS, 1.8 m, 2 pin	MP00626	322, 418
Pediatric nasal mask MiniMe2 vented, disposable, size S	MP01553	63, 367	Power cable EU, 1.8 m, 2 pin	MP00591	322, 418
PEEP valve for Oxylog® 1000, disposable, adjustable from 5 – 20 mbar	2M86832	37	Power cable GB, 1.8 m, 2 pin	MP00593	322, 418
PEEP valve for Oxylog® 1000, reusable, adjustable from 0 – 10 mbar	8407475	37	Power cable US/JPN, 1.8 m, 2 pin	MP00592	322, 418
Phototherapy mask Eyemax 2, disposable, micro, head circumference 20-25 cm, 20 pcs.	MP03770	351	Power cable ZA, 1.8 m, 2 pin	MP00597	322, 418
Phototherapy mask Eyemax 2, disposable, preemie, head circumference 26-32 cm, 20 pcs.	MP03771	351	Pressure difference flow sensor, PPSU, sterilizable	8412034	38, 105
Phototherapy mask Eyemax 2, disposable, regular, head circumference 33-38 cm, 20 pcs.	MP03772	351	Pressure gauge -100 kPa MRI, double scale kPa/mmHg, -100 kPa (-1000 mbar)	MP03589	283
Plug nozzle water vacuum gauge, for VarioVac® T Rail WV (MP00512), VarioAir® T Rail WV (MP00544) and water vacuum gauge (MP00518)	MP00566	298	Pressure gauge -60 kPa MRI, double scale kPa/mmHg, -60 kPa (-600 mbar)	MP03587	283
Pneumatic medication nebulizer, for Evita® and Evita® 2	8405000	90	Pressure gauge for VarioVac® + VarioAir®, double scale kPa/mmHg, -60 kPa (-600 mbar)	MP00580	283
Pod adapter SensoNor, for connecting pressure transducer cables, 7-pin	MS23598	150	Pressure gauge for VarioVac® + VarioAir®, double scale kPa/mmHg, -8 kPa (-80 mbar)	MP03597	297
Pod adapter, 10-pin, for pressure transducer	3375958	150, 157	Pressure gauge for VarioVac® + VarioAir®, double scale kPa/mmHg, -100 kPa (-1000 mbar)	MP00578	283
Pod adapter, for Abbott/Medex/ ICU Medical pressure transducer	5196998	150	Pressure gauge for VarioVac® + VarioAir®, double scale kPa/mmHg, -16 kPa (-160 mbar)	MP00579	297
Pod adapter, for Argon/ Merit Medical pressure transducer (former Becton Dickinson/Ohmeda)	3375941	150	Pressure reducer OxyLine, customized configuration of pressure reducers	MP00100	255
Pod adapter, for Edwards pressure transducer	5196980	150	Pressure reducer w/ flowmeter OxyLine, G ³ / ₄ ", 200 bar, 16 l/min, M34×1.5, 9/16", nozzle	MP01104	258
Pod connection cable, 3 m	3368425	112, 147, 194	Pressure reducer with NIST OxyLine, G ³ / ₄ ", for 200 bar, NIST	MP01105	258
Pod connection cable, 30 cm	7257988	112, 194	Prong BabyFlow, standard, disposable, size L, 10 pcs.	8418531	358, 363
Pod connection cable, 5 m	5195198	112, 194	Prong BabyFlow, standard, disposable, size M, 10 pcs.	8418416	358, 363
Polaris 100 with sterilizable handle (G92099), 1 pc.	G35332	82, 325	Prong BabyFlow, standard, disposable, size S, 10 pcs.	8418605	358, 363
Polaris 100/200 with sterilizable handle E (G36993), 1 pc.	G35325	82, 325	Prong BabyFlow, standard, disposable, size XL, 10 pcs.	8418417	358, 363
Polaris 200 with sterilizable handle (G92099), 1 pc.	G35614	82, 325	Prong BabyFlow, standard, disposable, size XS, 10 pcs.	8418415	358, 363
Polaris 600 with sterilizable handles (G92099 or G36993), 1 pc.	G35324	82, 325	Prong BabyFlow, standard, disposable, size XXL, 10 pcs.	8418617	358, 363
			Prong BabyFlow, wide, disposable, size 3, 10 pcs.	8418603	358, 363
			Prong BabyFlow, wide, disposable, size 4, 10 pcs.	8418607	358, 363
			Prong BabyFlow, wide, disposable, size 5, 10 pcs.	8418609	358, 363
			Prong BabyFlow, wide, disposable, size 6, 10 pcs.	8418611	358, 363

INDEX BY PRODUCT NAME

Protective cover for general-purpose temperature probe, contains latex, 10 pcs.	7014616	140, 188, 219, 221		
Protective cover for general-purpose temperature probe, latexfree, 100 pcs.	MS40243	140, 188, 219, 221		
R Rail clamp for F&P humidifier and Seattle PAP bubble box	8411074	87, 357, 386		
Rail clamp lever type,	M26842	261, 278, 319, 416		
Rail clamp, for attachment to poles of different diameters	2M85274	319, 323, 357, 419		
Rail claw for lamp	MP00615	323, 419		
Rail holder, for 38 mm tube, standard rail profile 25 × 10 mm	2M86185	262		
Rail, 100 mm for GCX profile	4118555	330		
Rainbow sensor DCI, Adt	MP02971	181		
Rainbow sensor DCIP, pedi	MP02972	181		
Rainbow sensor R20-L, infant, 10 pcs.	MP02962	181		
Rainbow sensor R20, adult, 10 pcs.	MP02959	181		
Rainbow sensor R25-L, neonate, 10 pcs.	MP02961	181		
Rainbow sensor R25, pedi, 10 pcs.	MP02960	181		
RD-SET intermediate cable for Masimo® rainbow SET Mcable, 1.5 m	MS33738	179, 182		
RD-SET intermediate cable for Masimo® rainbow SET Mcable, 3.6 m	MS33739	179, 182		
RD-SET intermediate cable for Masimo® SET Mcable, 1.5 m	MS33736	179		
RD-SET intermediate cable for Masimo® SET Mcable, 3.6 m	MS33737	179		
Recording paper for Infinity® R 50, 50 mm, approx. 30 m, 10 rolls	4711201	169, 401		
Red cap, 7 mm	8401645	31, 43, 372		
Restraining strap, disposable, 10 pcs.	MU06011	343, 348, 350		
Rubber plug, for immersion tube of water vacuum gauge	2M85139	297		
S Sample gas return line for Fabius®, with filter	M32692	168		
Sample line, disposable, 10 pcs.	8290286	168		
Sealing plug for Y-piece, 5 pcs.	8411024	91, 388		
Sealing rings for spiral hoses, 20 pcs.	M07152	95		
Seattle PAP plus	MP02260	356		
Secretion control glass	M07582	282		
Secretion jar 3 L Medela	MP03230	287		
Secretion jar set with clamp	MP00646	277		
Secretion jar set, with 700 ml secretion jars (2 pcs.) and 1.5 m suction hose	2M85056	261, 276, 413		
Secretion jar set, with protection jar and 700 ml secretion jars (2 pcs.)	2M85607	276, 413		
Secretion jar set, with rail holder and secretion jar 700 ml, for continuous drainage units	2M85163	295		
Secretion jar VacuSmart® Gel, PE (Polyethylene), disposable, 700 ml, 25 pcs.	MX23025	279, 414		
Secretion jar VacuSmart®, PE (Polyethylene), disposable, 700 ml, 25 pcs.	MX23023	279, 414		
Secretion jar, PSU (Polysulfone), reusable, 300 ml, autoclavable up to 134°C	2M86207	282, 415		
Secretion jar, PSU (Polysulfone), reusable, 700 ml, autoclavable up to 134°C	2M85594	282, 415		
SediStar® anesthesia face mask, disposable, without hook ring, size 1, small infant, 30 pcs.	MP01701	65		
SediStar® anesthesia face mask, disposable, without hook ring, size 2, large infant, 30 pcs.	MP01702	65		
SediStar® anesthesia face mask, disposable, without hook ring, size 3, pediatric, 30 pcs.	MP01703	65		
SediStar® anesthesia face mask, disposable, without hook ring, size 4, small adult, 30 pcs.	MP01704	65		
SediStar® anesthesia face mask, disposable, without hook ring, size 5, medium adult, 30 pcs.	MP01705	65		
SediStar® anesthesia face mask, disposable, without hook ring, size 6, large adult, 30 pcs.	MP01706	65		
SediStar® anesthesia face mask, disposable, without hook ring, size 7, extra large adult, 30 pcs.	MP01707	65		
Set of 5 red caps, 11 mm	8402918	32		
Set of 5 red caps, 7 mm	8402953	36, 373		
Set VacuSmart® Gel and Tube, 25 pcs.	MP03211	279, 414		
Shut-off valve for VarioVac®, for temporary opening and closing of suction flow	MP00570	282		
Silicone hose 6 × 2.5, 2 m	5001330	281		
Silicone mask, reusable, size 0, small neonate	MP01910	69, 341, 382		
Silicone mask, reusable, size 00, premature baby	MP02900	69, 341, 382		
Silicone mask, reusable, size 1, large neonate	MP01911	69, 341, 382		
Silicone mask, reusable, size 2, small child	MP01912	69		
Silicone mask, reusable, size 3, large child	MP01913	69		

INDEX BY PRODUCT NAME

Silicone mask, reusable, size 4, small adult	MP01914	69	
Silicone mask, reusable, size 5, large adult	MP01915	69	
Simple cylinder trolley, for one gas cylinders up to a volume of 11 L	MP00038	260, 262	
Skin temperature probe Premi-Probe 1, disposable, 10 pcs.	MU06933	343, 346, 349	
Skin temperature probe Premi-Probe 1, reusable	MU06951	343, 346, 349	
Skin temperature probe Premi-Probe 3, disposable, 10 pcs.	MU11228	340	
Skin temperature probe Premi-Probe 3, reusable	MU11225	340	
Skin temperature probe Premi-Probe 5, disposable, 10 pcs.	MU12551	335	
Skin temperature probe Premi-Probe 5, reusable	MU12533	335	
Skin temperature probe Premi-Probe for Isolette® 8000 plus, disposable, white, peripheral, 10 pcs.	MU26042	333	
Skin temperature probe Premi-Probe for Isolette® 8000 plus, disposable, yellow, central, 10 pcs.	MU26041	333	
Skin temperature probe ThermoTrace, disposable, white, peripheral, 5 pcs.	MX11001	329, 331, 337	
Skin temperature probe ThermoTrace, disposable, yellow, central, 5 pcs.	MX11000	329, 331, 337	
Skin temperature probe, reusable, with 7-pin connector, 1.5 m	4329822	140, 188, 221, 399	
Skin temperature probe, reusable, with 7-pin connector, 3 m	5204669	140, 188, 221, 399	
Skin temperature probe, single-patient use, adult, 7-pin connector, 1.6 m	MP00995	139, 187, 220	
Skin temperature probe, single-patient use, adult, 7-pin connector, 3 m	MP00996	139, 187, 220	
Skin temperature probe, single-patient use, child/neonatal, 7-pin connector, 1.6 m	MP00997	139, 187, 220, 399	
Skin temperature probe, single-patient use, child/neonatal, 7-pin connector, 3 m	MP00998	139, 187, 220, 399	
Smart Capnoline® Plus O ₂ , adult/intermediate, 25 pcs.	MS26188	167, 198	
Smart Capnoline® Plus, adult/intermediate, 25 pcs.	MS26187	167, 198	
Soda lime Drägersorb® 800+, for CO ₂ absorption, canister, 5 l, 2 pcs.	MX00001	99	
Soda lime Drägersorb® Free, for CO ₂ absorption, canister, 5 l, 2 pcs.	MX50050	99	
Soft connector N, disposable, 20 pcs.	MP03826	358, 362	
Spare parts set SelfTestLung, with locking brace and attachment bolt	MP02401	46	
SpO ₂ adhesive sensor Dräger, cloth, disposable, baby, 24 pcs.	MS16447	123, 395	
SpO ₂ adhesive sensor Dräger, cloth, disposable, neonate, 24 pcs.	MS16446	123, 395	
SpO ₂ adhesive sensor Dräger, foam, disposable, adult, 24 pcs.	MS16445	122, 204	
SpO ₂ adhesive sensor Dräger, foam, disposable, child, 24 pcs.	MS16444	122, 204	
SpO ₂ adhesive sensor Dräger, vinyl, disposable, adult, 24 pcs.	MS16449	122, 204	
SpO ₂ adhesive sensor Dräger, vinyl, disposable, child, 24 pcs.	MS16448	122, 204	
SpO ₂ adhesive sensor Masimo® LNCS Adtx, disposable, adult, 20 pcs.	MP00790	126, 177, 205	
SpO ₂ adhesive sensor Masimo® LNCS Inf, disposable, baby, 20 pcs.	MP00791	126, 177, 205	
SpO ₂ adhesive sensor Masimo® LNCS Neo, disposable, neonate, 20 pcs.	MP00792	126, 177, 345, 397	
SpO ₂ adhesive sensor Masimo® LNCS NeoPt, disposable, premature baby, 20 pcs.	MP00794	126, 177, 345, 397	
SpO ₂ adhesive sensor Masimo® LNCS Pdtx, disposable, child, 20 pcs.	MP00793	126, 177, 205	
SpO ₂ adhesive sensor Nellcor® Oximax® Max-A, disposable, adult, cable 46 cm, 24 pcs.	MX50065	136, 186, 208	
SpO ₂ adhesive sensor Nellcor® Oximax® Max-AL, disposable, adult, cable 91 cm, 24 pcs.	MX50071	136, 186, 208	
SpO ₂ adhesive sensor Nellcor® Oximax® Max-Fast, disposable, application on forehead, 24 pcs.	MX50070	137, 216, 229	
SpO ₂ adhesive sensor Nellcor® Oximax® Max-I, disposable, child, 24 pcs.	MX50067	136, 186, 395	
SpO ₂ adhesive sensor Nellcor® Oximax® Max-N, disposable, neonate/adult, 24 pcs.	MX50068	136, 186, 208, 395	
SpO ₂ adhesive sensor Nellcor® Oximax® Max-P, disposable, child, 24 pcs.	MX50066	136, 186, 208	
SpO ₂ adhesive sensor Nellcor® Oximax® Max-R, disposable, application on nose, 24 pcs.	MX50069	137	
SpO ₂ adhesive square Masimo®, 12 pcs.	7496875	132, 183, 207	

INDEX BY PRODUCT NAME

SpO ₂ adhesive wrap Masimo® Multisite-Wrap, for LNOP YI			
SpO ₂ sensor, 100 pcs.	7496917	132, 183, 207, 398	
SpO ₂ adhesive wrap Masimo® Petite-Wrap, for LNOP YI			
SpO ₂ sensor, 100 pcs.	7496909	132, 183, 207, 398	
SpO ₂ adhesive wrap Masimo® Posey-Wrap, for NeoPt			
SpO ₂ sensor, 12 pcs.	7496933		398
SpO ₂ adhesive wrap Masimo®, for NeoPt SpO ₂ sensor, 100 pcs.	7496925		398
SpO ₂ extension cable, 2 m, reusable	2606487		215, 228
SpO ₂ finger sensor Dräger, reusable	MS13235		122, 204
SpO ₂ finger sensor Masimo® LNCS DCI, reusable, adult	MP00796		125, 176, 205
SpO ₂ finger sensor Masimo® LNCS DCIP, reusable, child	MP00795		125, 176, 205
SpO ₂ finger sensor Nellcor® DURA DS 100A	7262764		135, 186, 208, 216, 229
SpO ₂ finger sensor, adult, 1 m, reusable	2606484		215, 228
SpO ₂ finger sensor, adult, 2.5 m, reusable	2606483		215, 228
SpO ₂ foam wrap Masimo® Foam-Wrap, neonate, LNOP YI SpO ₂ sensor, 12 pcs.	7496891	132, 183, 207, 398	
SpO ₂ intermediate cable Dräger/ Nellcor®, for MultiMed® 5/6 and NeoMed pods, 1 m	3368433	121, 124, 134, 394	
SpO ₂ intermediate cable Dräger/ Nellcor®, for MultiMed® 5/6 and NeoMed pods, 2 m	3375834	121, 124, 134, 394	
SpO ₂ intermediate cable Dräger/ Nellcor®, for MultiMed® Plus/ Plus OR, 1.2 m	MS18683	121, 124, 134, 203, 208, 394	
SpO ₂ intermediate cable Dräger/ Nellcor®, for MultiMed® Plus/ Plus OR, 3 m	MS17330	121, 124, 134, 203, 208, 394	
SpO ₂ intermediate cable Masimo® LNCS, 1.2 m	MP00800		175
SpO ₂ intermediate cable Masimo® LNCS, 1.2 m	MS24303		124, 205, 396
SpO ₂ intermediate cable Masimo® LNCS, 3 m	MP00797		175
SpO ₂ intermediate cable Masimo® LNCS, 3 m	MS17522		124, 205, 396
SpO ₂ intermediate cable Masimo® LNCS, 4.3 m	MP03194		175
SpO ₂ intermediate cable Masimo® rainbow, 1.2 m	MP02974		181
SpO ₂ intermediate cable Masimo® rainbow, 3.6 m	MP02975		181
SpO ₂ intermediate cable Masimo® RD-SET, 1.2 m (3.9 ft)	MS34436		124, 206
SpO ₂ intermediate cable Masimo® RD-SET, 3 m (9.8 ft)	MS34437		124, 206
SpO ₂ intermediate cable Masimo® Red LNCS, 1.2 m	MP02991		175
SpO ₂ intermediate cable Masimo® Red LNCS, 3 m	MP02992		175
SpO ₂ intermediate cable Masimo® Red LNCS, 4.3 m	MP03196		175
SpO ₂ Masimo® sensor LNCS-DBI, reusable, adult	MP02993		125, 176, 205
SpO ₂ Masimo® sensor LNCS-TC-I Ear, reusable, pediatric/adult	MP00788		125, 176, 205
SpO ₂ Masimo® sensor LNCS-TF-I, reusable, pediatric/adult	MP00799		125, 176, 205
SpO ₂ Masimo® sensor LNCS-YI Multisite, reusable, neonate/pediatric/adult	MP00789		125, 176, 205, 397
SpO ₂ multisite sensor Nellcor® DURA-Y™, reusable	MX01004		135, 216, 229
SpO ₂ Nellcor® FLEXMAX Adt	MS34677		137, 186
SpO ₂ Nellcor® FLEXMAX Pdt	MS34678		137, 186
SpO ₂ sensor, adult, 0.5 m, disposable, 25 pcs.	2606208		215, 228
SpO ₂ sensor, infant, 0.5 m, disposable, 25 pcs.	2606210		215, 228
SpO ₂ sensor, neonate, 0.5 m, disposable, 25 pcs.	2606211		215, 228
SpO ₂ sensor, pediatric, 0.5 m, disposable, 25 pcs.	2606209		215, 228
SpO ₂ silicone Soft-tip sensor, adult, 1 m, reusable	2606485		215, 228
SpO ₂ silicone Soft-tip sensor, pediatric, 1 m, reusable	2606486		215, 228
Starter kit for patient parameter unit Infinity® CNAP™ SmartPod®	MS17075		146
Suction bottle with filter and tube for Isolette® 8000, disposable, 800 mL, 20 pcs.	MU10918		334, 336, 342
Suction bottle with holder for Resuscitaire, disposable, 40 mL	MU10916		342
Suction bottle, disposable, 40 mL, 10 pcs.	MU10917		342
Suction hose holder, suitable for various diameters	2M85239		278, 288, 319, 416
Suction hose, silicone, reusable, 1.5 m, for medical suction	M25780		281, 415
Suction set, disposable, VacuSmart®, 700 ml and VacuSmart® Tube, 25 pcs. each	MP00061		279, 414
Suction tube VacuSmart® Tube, PE (Polyethylene), disposable, 2 m, w/ finger tip, 25 pcs.	MX23026		279, 414
Switchover valve Medela	MP03232		287
Swivel table, reusable, for poles with Ø 38 mm	2M21186		332, 339

INDEX BY PRODUCT NAME

T	T-adapter neonatal for NO therapy, 10 pcs.	8422215	20	Temperature probe/flow sensor for F&P MR 850, for all breathing circuits, 1.5 m	8414966	88, 387		
	T-Adapter, adult, 10 pcs.	MP01085	92		Temperature sensor mount, reusable, N	8403056	31, 44, 372	
	T-Adapter, neonates, 10 pcs.	MP02689	92, 388		Test filter	6870281	165, 196	
	T-Adapter, pediatric, 10 pcs.	MP01086	92, 388		Test gas cylinder 5 Vol.% CO ₂ , 95 Vol. % N ₂	6850435	165, 196	
	T-connector for Aerogen Pro, 1 2 mm, with plug, 5 pcs.	MP01037	91, 388		Test lung SelfTestLung, reusable, max. 1 L, not made with natural rubber latex	MP02400	46	
	T-connector, disposable, Ø 15 mm, 25 pcs.	MU10902	342		Test Lung, reusable, max. 1.5 L, not made with natural rubber latex	8403201	46	
	T-piece adapter for MX 300 and MX 300-i, reusable	MP01445	355		ToFscan® Kit configurator	MS32318	199	
	T-piece adapter for MX 300/MX 300i and Resuscitaire® breathing circuit, disposable, 20 pcs.	MP01880	341, 355		ToFscan® monitor	MS32146	199	
	T-piece adapter for MX300/MX300i and HI-Flow Star System, disposable, 20 pcs.	MP05508	76		ToFscan® monitor, Software 1.8	MS40015	199	
	T-piece AIR NIST	M36056	315		ToFscan® to IACS connectivity kit	MS25836	199	
	T-piece connector, reusable	8411044	44		Towel doll Babyleo TN500, lion, orange	MP03737	329, 352	
	T-piece O ₂ NIST	M36250	315		Towel doll Cally, reusable, light blue or pink	2M30462	352	
	T-piece set with plug for Aerogen Pro, N, 15 mm (0.6 in), w/ adapter 10 mm (0.4 in), 5 pcs.	MP01032	91, 388		Towel doll Isi, deer, green	MP03738	352	
	T-piece with plug for Aerogen Pro, A, ISO 22 mm, 5 pcs.	MP01031	91		Trolley	5790148	356	
	TAT-5000S Probe Caps, single-use, 1,000 pcs., Vista 120 SC	2600948	232		Trolley, for OR suction unit, with protection jar, w/o 4 L secretion jars	2M85441	287	
	TAT-5000S Sheats, single-use, latexfree, 250 pcs., Vista 120 SC	2600949	232		Tubing grommet for Caleo®, reusable, angle	2M50385	331	
	TAT-5000S Temporal Scanner, Vista 120 SC	2600946	232		Tubing grommet for Caleo®, reusable, flap	2M50412	331	
	Tcore® adapter, reusable	MP00999	141, 189		Tubing grommet for Isolette® C2000, 8000 and 8000 plus, reusable	MU12609	334, 336	
	Tcore® extension cable	MP02201	141, 189		Tubing grommet for TI 500 and TI 500 Globe-Trotter, reusable	MU04366	343, 346, 349	
	Tcore® mount for M540	MS33239	189		Tubing grommet, reusable	2M20434	338	
	Tcore® sensor, single patient use	MP00989	141, 189		Turn knob, compl.	MP00587	323, 419	
	Telemetry cable adapter, connects single-pin cable to telemetry transmitter	MS14681	120		Two-sided pump ball for air management	MP01590	64, 70, 384	
	Telemetry transmitter pouch, disposable, 100 pcs.	MS22905	209		U	Universal charging station MedCharge 4000 „ALL in ONE“	MX50028	94
	TEMP Adapter 2-pin	MP00944	236			Universal holder flex 15 for wall rails 25 × 8 to 35 × 10 mm with bottle screw	MP00637	284
	TEMP Adapter Jack	MP00943	236			Universal holder for wall rails 25 × 8 to 35 × 10 mm with M5 drill hole 15 mm distance	MP00635	284
	Temperature probe adapter 900 MR 532, for F&P humidifiers	MP01007	43, 89			Universal holder for wall rails 25 × 8 to 35 × 10 mm with M5 drill hole 22 mm distance	MP00636	284
	Temperature probe skin, adult, 3 m, reusable	2601197	219			Universal holder profile 30 × 5 for wall rails 25 × 8 to 35 × 10 mm, for secretion jars Medela	MP00634	284, 288, 357
	Temperature probe skin, neonate/infant, 3 m, reusable	2601200	219					
	Temperature probe, rectal/oral, adult, 3 m, reusable	2601198	219					
	Temperature probe, rectal/oral, neonatal/Infant, 3 m, reusable	2601199	219					
	Temperature probe/flow sensor for F&P MR 850							
	for all breathing circuits, 1.1 m	8414989	88, 387					

INDEX BY PRODUCT NAME

Universal holder with groove 25 × 5 for wall rails 25 × 8 to 35 × 10 mm, for compact suction system and secretion jar set	2M86757	284, 288		
Universal laryngoscope set, reusable	MX03300	93		
Universal pole mount	7485621	112, 147, 148		
V VAC CS hose 1.5 m (4.9 ft)				
DISSB EN HAND	M36299	312		
VAC CS hose 1.5 m (4.9 ft)				
NF EN NF	M35431	302		
VAC CS hose 1.5 m (4.9 ft)				
NIST BS straight	M35404	304		
VAC CS hose 1.5 m (4.9 ft)				
NIST EN AS	M36826	308		
VAC CS hose 1.5 m (4.9 ft)				
NIST EN BS	M35395	303		
VAC CS hose 1.5 m (4.9 ft)				
NIST EN Carba	M35477	306		
VAC CS hose 1.5 m (4.9 ft)				
NIST EN DIN	M35498	299		
VAC CS hose 1.5 m (4.9 ft)				
NIST EN NF	M35422	301		
VAC CS hose 1.5 m (4.9 ft)				
NIST EN SS	M35386	305		
VAC CS hose 1.5 m (4.9 ft)				
NIST EN UNI	M35413	307		
VAC CS hose 1.5 m (4.9 ft)				
NIST NEUTRAL DIN	M36013	300		
VAC CS hose 1.5 m (4.9 ft)				
NIST NEUTRAL NF	M35455	301		
VAC CS hose 3 m (9.8 ft)				
DISSB EN HAND	M36300	312		
VAC CS hose 3 m (9.8 ft)				
NF EN NF	M35432	302		
VAC CS hose 3 m (9.8 ft)				
NIST BS straight	M35405	304		
VAC CS hose 3 m (9.8 ft)				
NIST EN AS	M36827	308		
VAC CS hose 3 m (9.8 ft)				
NIST EN BS	M35396	303		
VAC CS hose 3 m (9.8 ft)				
NIST EN Carba	M35478	306		
VAC CS hose 3 m (9.8 ft)				
NIST EN DIN	M35499	299		
VAC CS hose 3 m (9.8 ft)				
NIST EN NF	M35423	301		
VAC CS hose 3 m (9.8 ft)				
NIST EN SS	M35387	305		
VAC CS hose 3 m (9.8 ft)				
NIST EN UNI	M35414	307		
VAC CS hose 3 m (9.8 ft)				
NIST NEUTRAL DIN	M36014	300		
VAC CS hose 3 m (9.8 ft)				
NIST NEUTRAL NF	M35456	301		
VAC CS hose 5 m (16.4 ft)				
DISS JIS KAWA	M35820	309		
VAC CS hose 5 m (16.4 ft)				
DISSB EN HAND	M36301	312		
VAC CS hose 5 m (16.4 ft)				
NF EN NF	M35433	302		
VAC CS hose 5 m (16.4 ft)				
NIST BS straight	M35406	304		
VAC CS hose 5 m (16.4 ft)				
NIST EN AS	M36828	308		
VAC CS hose 5 m (16.4 ft)				
NIST EN BS	M35397	303		
VAC CS hose 5 m (16.4 ft)				
NIST EN Carba	M35479	306		
VAC CS hose 5 m (16.4 ft)				
NIST EN DIN	M36000	299		
VAC CS hose 5 m (16.4 ft)				
NIST EN NF	M35424	301		
VAC CS hose 5 m (16.4 ft)				
NIST EN SS	M35388	305		
VAC CS hose 5 m (16.4 ft)				
NIST EN UNI	M35415	307		
VAC CS hose 5 m (16.4 ft)				
NIST NEUTRAL DIN	M36015	300		
VAC CS hose 5 m (16.4 ft)				
NIST NEUTRAL NF	M35457	301		
VAC CS hose DISS Hand 10L	4199590	310		
VAC CS hose DISS Hand 15L	4199589	310		
VAC CS hose DISS N/DISS N 10L	4199602	310		
VAC CS hose DISS N/DISS N 15L	4199601	310		
VAC CS hose DISS N/DISS N 20L	4199600	310		
Vacuum aspirator DISS Canada, version for Atlan A300/ A350 and Perseus A500	MP00687	269		
Vacuum aspirator DISS, version for Atlan A300/ A350 and Perseus A500	MP00686	269		
Vacuum aspirator NIST, version for Atlan A300/ A350 and Perseus A500	MP00689	269		
Vacuum lamp for blade (size 00 – 1)	MX03316	93, 389		
Vacuum lamp for blade (size 2 – 5)	MX03311	93		
Vacuum regulator dual VarioVac® B/OR Rail, for bronchial and OR suction, gas connection NIST VAC	MP00516	267, 286		
Vacuum regulator VarioVac® B AGA, for bronchial suction, gas connection VAC, Swedish standard	MP00504	266		
Vacuum regulator VarioVac® B BS, for bronchial suction, gas connection VAC	MP00502	266		
Vacuum regulator VarioVac® B CARBA, for bronchial suction, gas connection VAC	MP00514	266		
Vacuum regulator VarioVac® B compact, for bronchial suction, gas connection NIST VAC, including secretion jar set and integrated vacuum regulator	MP00506	274		

INDEX BY PRODUCT NAME

Vacuum regulator VarioVac® B DIN, for bronchial suction, gas connection VAC	MP00501	266		
Vacuum regulator VarioVac® B NF, for bronchial suction, gas connection VAC	MP00503	266		
Vacuum regulator VarioVac® B/OR Rail DISS, for bronchial and OR suction, gas connection DISS VAC	MP00631	267		
Vacuum regulator VarioVac® B/OR Rail, for bronchial and OR suction, gas connection NIST VAC	MP00505	267, 286		
Vacuum regulator VarioVac® D AGA, for continuous and wound drainage, gas connection VAC	MP00510	290		
Vacuum regulator VarioVac® D BS, for continuous and wound drainage, gas connection VAC	MP00508	290		
Vacuum regulator VarioVac® D CARBA, for continuous and wound drainage, gas connection VAC	MP00515	290		
Vacuum regulator VarioVac® D DIN, for continuous and wound drainage, gas connection VAC	MP00507	290		
Vacuum regulator VarioVac® D NF, for continuous and wound drainage, gas connection VAC	MP00509	290		
Vacuum regulator VarioVac® D Rail, for continuous and wound drainage, gas connection VAC	MP00511	290, 407		
Vacuum regulator VarioVac® MRI B/OR Rail, for bronchial and OR suction, gas connection NIST VAC, for connection to all standard wall rails	MP03222	268		
Vacuum regulator VarioVac® MRI P Rail, for bronchial suction, gas connection NIST VAC, for connection to all standard wall rails	MP03223	268, 408		
Vacuum regulator VarioVac® P compact, for bronchial suction, gas connection NIST VAC, including secretion jar set and integrated vacuum regulator	MP00661	274, 409		
Vacuum regulator VarioVac® P Rail DISS, for bronchial suction, gas connection DISS VAC, for connection to all standard wall rails	MP00632	268		
Vacuum regulator VarioVac® P Rail, for bronchial suction, gas connection NIST VAC, for connection to all standard wall rails	MP00660	268, 408		
Vacuum regulator VarioVac® T DIN, for thoracic drainage, gas connection VAC, for connecting to the central vacuum supply	MP00664	291		
Vacuum regulator VarioVac® T Rail WV, for thoracic drainage, gas connection VAC, water vacuum gauge included, for connection to all standard wall rails, double-scaled immersion pipe (kPa and cmH ₂ O)	MP00512	291, 295		
Vacuum regulator VarioVac® T Rail, for thoracic drainage, gas connection VAC, for connection to all standard wall rails	MP00663	291		
Vacuum suction DISS Canada, for bronchial suction, gas connection VAC	MK03320	269		
Vacuum suction DISS, for bronchial suction, gas connection VAC	MK03140	269		
Vacuum suction NIST, for bronchial suction, gas connection VAC	MK01422	269		
Ventilation hose holder, reusable, 40 cm	8411075	330, 332		
Ventilation valve for Oxylog® 1000, reusable	2M86800	37		
Ventilation valve for Oxylog® 2000/3000, reusable	8412001	38		
VentStar® Aquapor dual heated Neo plus, 10 pcs.	MP07150	23, 370		
VentStar® Aquapor heated Adult and Paediatric, 10 pcs.	MP07131	23		
VentStar® Aquapor heated Neo plus, 10 pcs.	MP07151	23, 370		
VentStar® Breathing Bag 0.5 L, 25 pcs.	MP02710	15, 368		
VentStar® Breathing Bag 1 L, 25 pcs.	MP02711	15		
VentStar® Breathing Bag 2 L, 25 pcs.	MP02712	15		
VentStar® Breathing Bag 3 L, 25 pcs.	MP02713	15		
VentStar® Helix, dual heated, 10 pcs.	MP02606	21		
VentStar® Helix, heated, 10 pcs.	MP02607	21		
VentStar® Resuscitation Neo, disposable, N, 1 m, 25 pcs., not made with natural rubber latex	MP00310	341, 368		
Vista 120 printing paper, 4 rolls	2606231	227		
Vista 120 rechargeable Lithium-Ion battery	2606229	227		
W Wall holder, with fixing screws, for compact suction unit and secretion jar set	M26859	278, 416		
Warming mattress TransWarmer®, disposable, self warming for approx. 2 h, 6 pcs.	MP01414	354		
Water bag holder 900 MR 290	MP01008	87		
Water container with screw thread + gaskets, for VarioVac® T Rail WV (MP00512), VarioAir® T Rail WV (MP00544) and water vacuum gauge (MP00518)	MP00565	298		

INDEX BY PRODUCT NAME

Water container, for continuous drainage system 2 – 4, w/o screw thread	M20668	297
Water nozzle for humidity pad, disposable, 25 pcs.	MU25426	344
Water tank and water transfer hose, for Caleo®, reusable	2M50040	332
Water transfer hose for Caleo® and Babyleo TN500, disposable, 20 pcs.	MX17018	330, 332
Water trap for Evita® 2 dura, Evita® 4, Evita® XL, reusable	8413125	79
Water trap Infinity® ID		
WaterLock® 2, 12 pcs.	6872020	168
Water trap with outlet, reusable N/P	8404760	31, 372
Water trap, reusable, A	8404985	32, 35, 44
Water trap, reusable, N/P	8409627	31, 44, 372
Water vacuum gauge, for thoracic drainage, combination w/ VarioVac® D and VarioAir® D, for connection to all standard wall rails, double-scaled immersion pipe (kPa and cmH ₂ O)	MP00518	295
Watertrap WaterLock® 2, 12 pcs.	6872130	168
X Xenon lamps for battery grip, 2.5 V	MX03328	94, 390
Y Y-cable CO ₂ and analog/sync	MS22259	164, 196
Y-cable, reusable, 7-pin connector, for 2 temperature probes	5592154	139, 187
Y-piece 90° with Luer Lock, reusable, A	M33278	34, 35, 42
Y-piece for F&P, reusable A	8412888	43
Y-piece straight, reusable, N/P	M27077	43, 376
Y-piece with sensor mount, reusable, A	8405435	32, 43
Y-piece, reusable, A	M25650	33, 42
Y-piece, reusable, N, 90°, with suction opening	8403075	31, 36, 43, 372, 373, 376

Not all products, features, or services are for sale in all countries.
Mentioned Trademarks are only registered in certain countries and not necessarily in the country in which this material is released. Go to www.draeger.com/trademarks to find the current status.

CORPORATE HEADQUARTERS

Drägerwerk AG & Co. KGaA
Moislinger Allee 53–55
23558 Lübeck, Germany

www.draeger.com

Manufacturer:

Drägerwerk AG & Co. KGaA
Moislinger Allee 53–55
23558 Lübeck, Germany

Locate your Regional Sales
Representative at:
www.draeger.com/contact



REGION EUROPE

Drägerwerk AG & Co. KGaA
Moislinger Allee 53–55
23558 Lübeck, Germany
Tel +49 451 882 0
Fax +49 451 882 2080
info@draeger.com

REGION MIDDLE EAST, AFRICA

Drägerwerk AG & Co. KGaA
Branch Office
P.O. Box 505108
Dubai, United Arab Emirates
Tel +971 4 4294 600
Fax +971 4 4294 699
contactuae@draeger.com

REGION ASIA / PACIFIC

Draeger Singapore Pte. Ltd.
61 Science Park Road
The Galen #04-01
Singapore 117525
Tel +65 6872 9288
Fax +65 6259 0398
asia.pacific@draeger.com

REGION NORTH AMERICA

Draeger, Inc.
3135 Quarry Road
Telford, PA 18969-1042, USA
Tel +1 800 4DRAGER
(+1 800 437 2437)
Fax +1 215 723 5935
info.usa@draeger.com

REGION CENTRAL

AND SOUTH AMERICA
Dräger Indústria e Comércio Ltda.
Al. Pucurui - 51 - Tamboré
06406-100 - Barueri - SP
Tel. +55 (11) 4689-4900
relacionamento@draeger.com